

DAKTRONICS QUOTE # 890794-1-0

Dekalb Peachtree Airport
 2000 Airport Rd Ste 212
 Atlanta, GA USA 30341
 Phone:
 Fax:
 Email:

26/Feb/2026
 Quote Valid for: 90 days
 Terms: Net 30 days from shipment
 Subject to Credit Review
 FCA: DESTINATION
 Delivery: Call for Production Time

Reference: Airport Roadway Signs - Sourcewell Contract #030223-DAK

Item No.	Model	Description	Qty	Price
1	GT6x-216X108-10-RGB-SF	Galaxy® Outdoor Electronic Message Center - GT6x Series - 10mm RGB Matrix: 216 lines by 108 columns Line Spacing: 10mm LED Color: RGB- 281 Trillion Colors Face Configuration: SF - single one sided display View Angle: 140 degrees Horizontal x 70 degrees Vertical Cabinet Dimensions: 7' 9" H X 3' 11" W X 0' 7" D (Approx. Dimensions) Max Power: 1715 watts/display Weight: Unpackaged 275 lbs per display; Packaged 455 lbs per display	4	\$81,314.00
	Daktronics Verizon Modem, 4G, Ethernet	Daktronics Verizon 4G Cellular Modem Only - Requires Daktronics Verizon Cellular Data Plan	4	
	System Startup	Final Commissioning of Equipment	1	
2	FREIGHT	Shipping to site via LTL (enclosed trailer). Usually unloads at a dock. Forklift or pallet jack may be required. Customer is responsible for receiving & unloading truck upon delivery.	1	\$1,530.00
3	Physical Installation	See attachment A.	1	\$114,325.00
Services				
4	G5C5-W	Five (5) Year Parts Only - Includes Customer Care Level 3	1	
	Venus® Control Suite Basic 10-Year Subscription	Secure, web-based software that enables display management anytime, anywhere via internet connection.	4	
	Venus® Control Suite Training Onboarding	Venus® self guided training videos. (English only.)	1	
	Venus® Control Suite - One-on-One Webinar	Customized Venus® training in a live, web-based, conference call format using the customer's phone & computer. (English only.)	1	
	Daktronics Verizon Lifetime 4G Cellular Data Plan for VCS, Up to 100,000 Pixels	Daktronics Verizon Lifetime 4G Cellular Data Plan Per Modem, for Venus Control Suite on Displays Up to 100,000 pixels. Excludes streaming data feeds and diagnostics.	4	

Total Price Including Applicable Tax:

\$197,169.00

Please reference listed sales literature: DD3512730 for Daktronics Verizon Modem, 4G, Ethernet, DD4008961 for GT6x-216X108-10-RGB-SF, DD4305463 for GT6x-270X135-8-RGB-SF, DD5454486 for G5C5-W

Please reference listed shop drawings: DWG-04558260 for GT6x-216X108-10-RGB-SF, DWG-04558260 for GT6x-270X135-8-RGB-SF

DAKTRONICS QUOTE # 890794-1-0

Alternate Equipment: 1

Item No.	Model	Description	Qty	Price
1	GT6x-270X135-8-RGB-SF	Galaxy® Outdoor Electronic Message Center - GT6x Series - 8mm RGB Matrix: 270 lines by 135 columns Line Spacing: 8mm LED Color: RGB- 281 Trillion Colors Face Configuration: SF - single one sided display View Angle: 140 degrees Horizontal x 70 degrees Vertical Cabinet Dimensions: 7' 9" H X 3' 11" W X 0' 7" D (Approx. Dimensions) Max Power: 1715 watts/display Weight: Unpackaged 275 lbs per display; Packaged 455 lbs per display	4	\$96,812.00
	Daktronics Verizon Modem, 4G, Ethernet	Daktronics Verizon 4G Cellular Modem Only - Requires Daktronics Verizon Cellular Data Plan	4	
	System Startup	Final Commissioning of Equipment	1	
2	FREIGHT	Shipping to site via LTL (enclosed trailer). Usually unloads at a dock. Forklift or pallet jack may be required. Customer is responsible for receiving & unloading truck upon delivery.	1	\$1,530.00
3	Physical Installation	See attachment A.	1	\$117,125.00
Services				
4	G5C5-W	Five (5) Year Parts Only - Includes Customer Care Level 3	1	
	Venus® Control Suite Basic 10-Year Subscription	Secure, web-based software that enables display management anytime, anywhere via internet connection.	4	
	Venus® Control Suite Training Onboarding	Venus® self guided training videos. (English only.)	1	
	Venus® Control Suite - One-on-One Webinar	Customized Venus® training in a live, web-based, conference call format using the customer's phone & computer. (English only.)	1	
	Daktronics Verizon Lifetime 4G Cellular Data Plan for VCS, Up to 100,000 Pixels	Daktronics Verizon Lifetime 4G Cellular Data Plan Per Modem, for Venus Control Suite on Displays Up to 100,000 pixels. Excludes streaming data feeds and diagnostics.	4	
Total Price Including Applicable Tax:				\$215,467.00

Please reference listed sales literature: DD3512730 for Daktronics Verizon Modem, 4G, Ethernet, DD4008961 for GT6x-216X108-10-RGB-SF, DD4305463 for GT6x-270X135-8-RGB-SF, DD5454486 for G5C5-W

Please reference listed shop drawings: DWG-04558260 for GT6x-216X108-10-RGB-SF, DWG-04558260 for GT6x-270X135-8-RGB-SF

Leasing Program

If your purchase exceeds \$25,000, you may qualify for our leasing program allowing you more flexibility to spread out the cost of your Daktronics display over of a period up to five (5) years. Benefits of our leasing program include fixed rate financing, non-appropriation clause, no prepayment penalty, and customizable payment schedules. Plus, at the end of the lease, the equipment is yours to keep with no additional balloon payments.

Sample payment options as follows:

\$50,000 in total equipment cost = \$11,285 per year

\$100,000 in total equipment cost = \$22,568 per year

\$250,000 in total equipment cost = \$56,420 per year

Payments based on 5 year/annual payment in advance structure. **Leasing is subject to credit approval and agreed upon documentation with Daktronics lending partner. Contact your Daktronics representative for additional options and details.

Notes: Due to the current uncertainty regarding the status of tariffs, prices exclude tariffs imposed after May 29, 2025. In the event Daktronics' total cost for equipment, materials, or components required to perform the work increases due, directly or indirectly, to tariffs that are implemented after May 29, 2025, Daktronics reserves the right to an equitable adjustment to the purchase price.

Exclusions:

- | | |
|--|-----------------------|
| - Power | - Hoist |
| - Engineering Certification | - Signal Conduit |
| - Labor to Pull Signal Cable | - Applicable Permits |
| - Electrical Switch Gear or Distribution Equipment | - Front End Equipment |

Unless expressly stated otherwise in this Quote # 890794-1 Rev 0 or the attachments, if Daktronics performs installation of the Equipment, the price quoted does not include the following services pertaining to physical installations: digging of footings (including dirt removal), any materials fabrication, installation of steel cages, rebar, or bolt attachments, or pouring and finishing of concrete footings. Those service may be provided for an additional cost beyond the quoted price. Purchaser shall be fully responsible for any and all additional costs plus overhead in the event anything unexpected of any nature whatsoever is found while digging the footings including but are not limited to rock, water, utility lines, pipes or any other unforeseen circumstance. The Purchaser acknowledges and agrees that it is fully responsible for all site conditions.

Prices and charges are subject to change by Daktronics at any time before the final agreement between the parties is effective. Ship Date will be determined after customer purchase order is received or agreement is signed or otherwise effective, shop drawings are approved (if required) and down payment is received (if required).

Installation Responsibilities:

If applicable please reference Attachment A for Installation Responsibilities.

Ad/ID Copy Approval Process

Customer shall provide digital artwork for advertising and identification panels, conforming to [Daktronics' graphic file standards](#), at the time of order.

Daktronics will create a proof of provided artwork and require approval of that proof three weeks prior to the initial anticipated ship date. Advertising and identification panels not approved in time, will be shipped without copy in Daktronics' standard finish.

Christopher Lord
PHONE:
FAX:
EMAIL: Christopher.Lord@daktronics.com

Jodi Koerner
PHONE: 605-692-0200 x56638
FAX: 605-692-0381
EMAIL: Jodi.Koerner@daktronics.com

Terms And Conditions:

The Terms and Conditions which apply to this order available on request.

Limited Warranty and Extended Service Terms and Conditions (www.daktronics.com/DD5459759)

SL-02375 Standard Terms and Conditions of Sale (www.daktronics.com/terms_conditions/SL-02375.pdf)

SL-07862 Software License Agreement (www.daktronics.com/terms_conditions/SL-07862.pdf)

Additional Links:

Customer Care Level 3, Parts Coverage, No Daktronics Labor Coverage (www.daktronics.com/DD5454486)

Wireless Service Addendum (www.daktronics.com/TermsConditions/DD3956286)

NOTE:

The pricing may be adjusted for freight and taxes depending on the options selected.
Please request order documents to submit your order.

DAKTRONICS QUOTE # 890794-1-0 MAIN

ATTACHMENT A

CUSTOMER RESPONSIBILITIES

General

- 1) Secure necessary sign permits, as required, for each respective Equipment location(s); Location 1 , Location 2, Location 3
- 2) Secure necessary construction permits, as required, for each respective Equipment location(s); Location 1 , Location 2, Location 3
- 3) Provide soil investigation report at time of order for each respective Equipment location(s); Location 1 , Location 2, Location 3
- 4) Mark location of the new Equipment as delineated in the quote for each respective Equipment location(s); Location 1 , Location 2, Location 3
- 5) All landscaping restoration, as required
- 6) Provide all landscaping, track, sidewalk and path protection along with site restoration, and/or sprinkler system repair work
- 7) Locate private underground utilities

Structures

- 1) Not applicable

Electrical & Data

- 1) Provide primary power to the demarcation point (reference clarifications below) per all applicable electrical codes and regulations. Actual primary power requirements, with over current protection, shall be based on available site power and all associated loads for the new Equipment for each respective Equipment location; Location 1 , Location 2, Location 3
- 2) Provide electrical panel board with all associated breakers per all applicable electrical codes and regulations. Actual primary power requirements, with over current protection, shall be based on associated loads for the new Equipment for each respective Equipment location; Location 1 , Location 2, Location 3

Product/Equipment

- 1) Provide storage of all Equipment and control equipment in a safe, dry, and secure location until installation for each respective Equipment location(s); Location 1 , Location 2, Location 3

DAKTRONICS RESPONSIBILITIES

General

- 1) Not applicable

Structures

- 1) Excavation of foundation(s) including spoils removal. Placement and finishing of concrete for foundation(s). For this quotation, Daktronics basis for foundation type for all Equipment locations is drilled pier
- 2) Steel fabrication and erection of structural column(s). Any Equipment location not specifically listed, either does not have structural column(s) or is not part of Daktronics project scope. The following Equipment location(s) are included in Daktronics quotation to fabricate and erect structural column(s); Location 1 , Location 2, Location 3
- 3) Finish coating on structural steel provided in this quotation is paint for the following Equipment locations; Location 1 , Location 2, Location 3

Electrical & Data

- 1) Provide secondary power conduits, conductors and power hook-up from demarcation point (reference clarifications below) to all Daktronics supplied load centers/termination panel at/within the Equipment per all applicable electrical codes and regulations for each respective Equipment location; Location 1 , Location 2, Location 3

Product/Equipment

- 1) Accept, lift, unload, and inspect all Equipment from carrier for each respective Equipment location(s); Location 1 , Location 2, Location 3
- 2) Lift and mount Equipment listed in this quotation for each respective Equipment location(s); Location 1 , Location 2, Location 3
- 3) Provide and install flashing/trim around sign(s) to eliminate gaps between display faces

QUALIFICATIONS/CLARIFICATIONS

- 1) **Foundations:** For this quotation Daktronics basis for new foundation design is a class 4 soil with a minimum allowable lateral bearing pressure of 150 psf/ft per Chapter 18 of the International Building Code (IBC). The foundation excavation is based on the excavated area remaining open without collapsing to allow the placement of applicable reinforcement and/or structural columns and concrete. This quotation does not include casings, slurry, dewatering or any other soil stabilization. In the event rock, water, differing soil conditions other than class 4 soil per Chapter 18 of the International Building Code (IBC) or unforeseen conditions are encountered, the Customer will be responsible for any additional costs, plus overhead and profit of 20%.
- 2) **Electrical:** The maximum voltage is 120 volts line to neutral for all Equipment in this quotation for each respective Equipment location(s); Location 1 , Location 2, Location 3
- 3) **Electrical Demarcation:** For all Equipment locations is five (5) feet off grade on structure
- 4) **Access:** Daktronics requires unobstructed access to Equipment and control room installation site until display is 100%. Installation equipment (cranes, lifts, trucks, concrete trucks, etc.) are expected to have access directly to the scoreboard/structure location. No concrete pumping, concrete buggies, or crane picks over 10' distance from scoreboard structure are included
- 5) **Existing Conduit:** Costs to repair or replace damaged or obstructed conduit have not been included in this quote
- 6) **Project Scope:** Installation pricing may not comply with all bid specifications, divisions, or drawings. Installation pricing is based on the tasks identified above. Any change or addition to the tasks or descriptions may result in additional costs
- 7) **Damages and Wages:** Liquidated damages, prevailing wages, certified payroll or union labor have not been included in the installation pricing
- 8) **Building Penetrations:** Customer to provide all required building (wall/roof) penetrations for the installation of Daktronics provided wireless/radio components (external antennas, remote wireless access points, etc.) at the control location. Mount Daktronics provided wireless/radio components to the building in accordance with manufacturers recommendations. Building penetration location shall provide clear line-of-sight to the Equipment. Provide all conduit, with pull string, from control location equipment to the building penetration location

DAKTRONICS QUOTE # 890794-1-0 ALT #1

ATTACHMENT A

CUSTOMER RESPONSIBILITIES

General

- 1) Secure necessary sign permits, as required, for each respective Equipment location(s); Location 1 , Location 2, Location 3
- 2) Secure necessary construction permits, as required, for each respective Equipment location(s); Location 1 , Location 2, Location 3
- 3) Provide soil investigation report at time of order for each respective Equipment location(s); Location 1 , Location 2, Location 3
- 4) Mark location of the new Equipment as delineated in the quote for each respective Equipment location(s); Location 1 , Location 2, Location 3
- 5) All landscaping restoration, as required
- 6) Provide all landscaping, track, sidewalk and path protection along with site restoration, and/or sprinkler system repair work
- 7) Locate private underground utilities

Structures

- 1) Not applicable

Electrical & Data

- 1) Provide primary power to the demarcation point (reference clarifications below) per all applicable electrical codes and regulations. Actual primary power requirements, with over current protection, shall be based on available site power and all associated loads for the new Equipment for each respective Equipment location; Location 1 , Location 2, Location 3
- 2) Provide electrical panel board with all associated breakers per all applicable electrical codes and regulations. Actual primary power requirements, with over current protection, shall be based on associated loads for the new Equipment for each respective Equipment location; Location 1 , Location 2, Location 3

Product/Equipment

- 1) Provide storage of all Equipment and control equipment in a safe, dry, and secure location until installation for each respective Equipment location(s); Location 1 , Location 2, Location 3

DAKTRONICS RESPONSIBILITIES

General

- 1) Not applicable

Structures

- 1) Excavation of foundation(s) including spoils removal. Placement and finishing of concrete for foundation(s). For this quotation, Daktronics basis for foundation type for all Equipment locations is drilled pier
- 2) Steel fabrication and erection of structural column(s). Any Equipment location not specifically listed, either does not have structural column(s) or is not part of Daktronics project scope. The following Equipment location(s) are included in Daktronics quotation to fabricate and erect structural column(s); Location 1 , Location 2, Location 3
- 3) Finish coating on structural steel provided in this quotation is paint for the following Equipment locations; Location 1 , Location 2, Location 3

Electrical & Data

- 1) Provide secondary power conduits, conductors and power hook-up from demarcation point (reference clarifications below) to all Daktronics supplied load centers/termination panel at/within the Equipment per all applicable electrical codes and regulations for each respective Equipment location; Location 1 , Location 2, Location 3

Product/Equipment

- 1) Accept, lift, unload, and inspect all Equipment from carrier for each respective Equipment location(s); Location 1 , Location 2, Location 3
- 2) Lift and mount Equipment listed in this quotation for each respective Equipment location(s); Location 1 , Location 2, Location 3
- 3) Provide and install flashing/trim around sign(s) to eliminate gaps between display faces

QUALIFICATIONS/CLARIFICATIONS

- 1) **Foundations:** For this quotation Daktronics basis for new foundation design is a class 4 soil with a minimum allowable lateral bearing pressure of 150 psf/ft per Chapter 18 of the International Building Code (IBC). The foundation excavation is based on the excavated area remaining open without collapsing to allow the placement of applicable reinforcement and/or structural columns and concrete. This quotation does not include casings, slurry, dewatering or any other soil stabilization. In the event rock, water, differing soil conditions other than class 4 soil per Chapter 18 of the International Building Code (IBC) or unforeseen conditions are encountered, the Customer will be responsible for any additional costs, plus overhead and profit of 20%.
- 2) **Electrical:** The maximum voltage is 120 volts line to neutral for all Equipment in this quotation for each respective Equipment location(s); Location 1 , Location 2, Location 3
- 3) **Electrical Demarcation:** For all Equipment locations is five (5) feet off grade on structure
- 4) **Access:** Daktronics requires unobstructed access to Equipment and control room installation site until display is 100%. Installation equipment (cranes, lifts, trucks, concrete trucks, etc.) are expected to have access directly to the scoreboard/structure location. No concrete pumping, concrete buggies, or crane picks over 10' distance from scoreboard structure are included
- 5) **Existing Conduit:** Costs to repair or replace damaged or obstructed conduit have not been included in this quote
- 6) **Project Scope:** Installation pricing may not comply with all bid specifications, divisions, or drawings. Installation pricing is based on the tasks identified above. Any change or addition to the tasks or descriptions may result in additional costs
- 7) **Damages and Wages:** Liquidated damages, prevailing wages, certified payroll or union labor have not been included in the installation pricing
- 8) **Building Penetrations:** Customer to provide all required building (wall/roof) penetrations for the installation of Daktronics provided wireless/radio components (external antennas, remote wireless access points, etc.) at the control location. Mount Daktronics provided wireless/radio components to the building in accordance with manufacturers recommendations. Building penetration location shall provide clear line-of-sight to the Equipment. Provide all conduit, with pull string, from control location equipment to the building penetration location