




# DeKalb County Department of Planning & Sustainability

330 Ponce De Leon Avenue, Suite 500

Decatur, GA 30030

(404) 371-2155 / plandev@dekalbcountyga.gov



Michael Thurmond  
Chief Executive Officer

**Planning Commission Hearing Date: March 4, 2021**  
**Board of Commissioners Hearing Date: March 25, 2021**

## STAFF ANALYSIS

<b>Case No.:</b>	SLUP-21-124458	<b>Agenda #:</b> N-17
<b>Location/ Address:</b>	1762 and 1744 Panola Road, Stone Mountain, GA.	Commission District: 5 Super District: 7
<b>Parcel ID:</b>	16-037-02-007, -008	
<b>Request:</b>	To request a Special Land Use Permit (SLUP) to allow a convenience store with an accessory alcohol outlet in the C-1 (Local Commercial) District.	
<b>Property Owner:</b>	2020 Partners, LLC	
<b>Applicant/Agent:</b>	Mustaq Moosa	
<b>Acreage:</b>	1.38 acres	
<b>Existing Land Use:</b>	Undeveloped, wooded.	
<b>Surrounding Properties:</b>	North, Northeast, East, Southeast: Undeveloped, wooded (zoned R-100); South: a Dollar Store retail establishment (zoned C-1); Southwest, West, Northwest: Berean Christian Church (zoned C-1).	
<b>Adjacent Zoning:</b>	<b>North:</b> C-1 <b>South:</b> NS <b>East:</b> C-1 <b>West:</b> C-1	
<b>Comprehensive Plan:</b>	SUB (Suburban)	<b>Consistent</b> <input checked="" type="checkbox"/> <b>Inconsistent</b> <input type="checkbox"/>
<b>Proposed Density:</b> NA	<b>Existing Density:</b> NA	
<b>Proposed Units/Square Ft.:</b> 6,500 square foot convenience store with fuel pumps.	<b>Existing Units/Square Feet:</b> Vacant land.	
<b>Proposed Lot Coverage:</b> NA	<b>Existing Lot Coverage:</b> NA	

**Companion Applications:** The applicant has filed the following companion applications: Z-21-1244544 for a rezoning from R-100 to C-1 to allow for a convenience store with accessory fuel pumps and alcohol outlet, and SLUP-21-1244547 for accessory fuel pumps to a convenience store.

**Zoning History:** Based on DeKalb County records, it appears that the R-100 zoning of the property has not changed since adoption of the first zoning ordinance and map in 1956.

## **SUBJECT ANALYSIS**

The 1.38-acre project site is located on the northeast intersection of Panola Road and Young Road at 1744 and 1762 Panola Road in Stone Mountain, Georgia. The property is currently vacant and heavily wooded. The subject property is zoned R-100 (Residential Medium Lot) District.

## **PROJECT ANALYSIS**

The proposed request is to construct a 6,500 square foot convenience store with an accessory alcohol outlet. There is a companion rezoning application to rezone from R-100 to C-1 to allow for a convenience store (Z 21 1244544) and a companion Special Land Use Permit (SLUP) application to include accessory fuel pumps for the proposed convenience store in the C-1 (Local Commercial) district should the rezoning to C-1 be approved by the Board of Commissioners (SLUP 21 1244547). The proposed plan appears to comply with all requirements of the zoning ordinance except for the front yard building setback for the convenience store off of Young Road (50 foot required, 30 foot provided). However, the site is a triangle-shaped, double-frontage, corner lot which makes it difficult to comply with all zoning requirements. The *Zoning Ordinance* requires 13 parking spaces for the proposed 6,500 square foot convenience store, and the submitted site plan indicates compliance with 17 parking spaces provided including nine parking spaces in front of the proposed building and eight parking spaces at the proposed fuel pumps. The plan appears to comply with most of the Supplemental Regulations for the proposed alcohol outlet. For the Supplemental Regulations where the submitted information does not indicate if there is compliance, the Planning Department's recommended conditions of approval will require compliance to be demonstrated before the issuance of any building permits.

The site plan shows a retaining wall to be constructed along the north and eastern portion of the site, but the height of that retaining wall is not indicated. Retaining walls are limited to ten feet in height, unless a variance is obtained by the Board of Zoning Appeals. The site plan also shows an access drive around and behind the proposed building to facilitate safe and convenient ingress and egress within the site. The site plan does not indicate if this access drive will be used as a drive-through lane for a drive-through restaurant in the future. If a drive-through restaurant is proposed in the future, a Special Land Use Permit (SLUP) application shall be required to be submitted and approved by the Board of Commissioners.

The subject site has approximately 328 feet of frontage along Young Road and 347 feet of frontage along Panola Road. There is one proposed curb cut off Panola Road and one proposed curb cut off Young Road. Panola Road is a four-lane major arterial road with a center turn lane, curb and gutter, and no sidewalks. Young Road is a two-lane minor collector road with a center turn lane, curb and gutter, and no sidewalks. The proposed site plan is providing 5-foot wide sidewalks along Panola Road and Young Road. The DeKalb County Transportation Division of Public Works has indicated that the access point on Young Road needs to be relocated away from the traffic signal, and that the developer is required to upgrade the pedestrian features of the traffic signal at Panola Road at Young Road, as identified by the Transportation Division of Public Works. Additionally, internal sidewalks shall be provided to connect the building to public sidewalks along Panola and Young Road.

Additional criteria applicable to the C-1 zoning of the subject property is shown in the table on the next page:

STANDARD		C-1 REQUIREMENT	EXISTING/PROPOSED	COMPLIANCE
LOT WIDTH		100 feet	304 feet (Young Road)	YES
LOT AREA		20,000 square feet	60,113 square feet	YES
YARD SETBACKS	FRONT	60 feet (Panola Road)  50 feet (Young Road)	60 feet  30 feet	YES.  NO. Non-compliance will necessitate variances from the Board of Zoning Appeals.
	INTERIOR SIDE	20 feet	70 feet (east p/l) 180 feet (west p/l)	YES.
	REAR	30 feet	NA—no rear yard	NA. No rear yard.
MIN. OPEN SPACE		10%	50%	YES
BUILDING MATERIALS		All building facades facing a public street shall consist of at least 80% brick, stone, glass, decorative concrete, fiber cement siding, or hard coat stucco, or combination thereof.	Conceptual elevations appear to demonstrate compliance.	YES.
TRANS. BUFFERS		50 ft buffer required along east property line which abuts R-100 zoning	50 feet	YES
HEIGHT		2 story	1 story	YES
PARKING		13 spaces	17 spaces (includes 9 spaces in front of building and plus 8 spaces at the fuel pumps)	YES

MAX LOT COVERAGE	80%	50%	YES
SIDEWALKS AND STREETSCAPING	6-ft. sidewalk and 10-ft landscape strip along Panola Road and Young Road, with street trees every 40 feet on center. Internal sidewalks required to connect the building to public sidewalks along Panola and Young Road.	Sidewalks are proposed along Panola Road and Young Road. No landscape strips or street trees shown. No internal sidewalks shown on plan.	YES for sidewalks. Undetermined for 10-ft wide landscape strip and street trees 40 feet on center. No internal sidewalks shown on plan. (Non-compliance will necessitate variances)
STREET LIGHTS AND PEDESTRIAN LIGHTS	Street lights along the existing roads shall be at 80 ft on center.	No street lights or pedestrian lights shown.	Undetermined, information not provided. (Non-compliance shall necessitate variances)
PARKING LOT LANDSCAPING	One tree for every 8 parking spaces; one tree island for every 10 parking spaces	No trees or tree islands are shown for the nine proposed parking spaces in front of building.	No. Non-compliance shall necessitate variances.

**Article 4.2.8 Compliance with Supplemental Regulations (Alcohol Outlet)**

<b><u>STANDARDS</u></b>	<b><u>COMPLIANCE</u></b>
1. Alcohol outlets shall not be located within 300 feet of any school building, school grounds, educational facility, college campus, or adult entertainment establishment.	Undetermined. Information not provided. Planning Department recommended conditions of approval will require compliance.
2. Alcohol outlets shall not be located within 600 feet of a substance abuse treatment center owned, operated, or approved by the state or any county or municipal government.	Undetermined. Information not provided. Planning Department recommended conditions of approval will require compliance.
3. Alcohol sales as an accessory use to retail shall not exceed 20% of gross floor area.	Undetermined. Information not provided. Planning Department recommended conditions of approval will require compliance.



## LAND USE AND ZONING ANALYSIS

Section 27-7.4.6 of the DeKalb County Zoning Ordinance, “Special land use permit; criteria to be applied” states that the following criteria shall be applied in evaluating and deciding any application for a Special Land Use Permit. No application for a Special Land Use Permit shall be granted unless satisfactory provisions and arrangements have been made concerning each of the following factors, all of which are applicable to each application.

**A. Adequacy of the size of the site for the use contemplated and whether or not adequate land area is available for the proposed use including provision of all required yards, open space, off-street parking, and all other applicable requirements of the zoning district in which the use is proposed to be located:**

Based on the submitted site plan and information, as well as field investigation of the project site, it appears that the size of the site is adequate for the use contemplated. Alcohol outlets are allowed in the C-1 (Local Commercial) district, subject to approval of a SLUP. The C-1 district requires 20,000 square feet (approx. .46 acres), and the project site contains 1.38 acres. The *Zoning Ordinance* requires 13 parking spaces for the proposed 6,500 square foot convenience store, and the submitted site plan indicates compliance with 17 parking spaces provided including nine parking spaces in front of the proposed building and eight parking spaces at the proposed fuel pumps. The proposed plan appears to comply with all required open space and yard requirements except for the front yard building setback for the convenience store off of Young Road (50 foot required, 30 foot provided). However, the site is a triangle-shaped, double-frontage, corner lot which makes it difficult to comply with all building setback requirements. Additionally, the proposed alcohol outlet will be required to comply with all Supplemental Regulations for alcohol outlets as a recommended condition of approval by the Planning Department. Therefore, it appears that there is adequate land area available for the proposed use.

**B. Compatibility of the proposed use with adjacent properties and land uses and with other properties and land uses in the district:**

Based on the submitted information and site plan, it appears that the zoning proposal to allow a convenience store with an accessory alcohol outlet is appropriate at this major arteria/collector intersection and is consistent with the C-1 commercial-zoned property to the west across Panola Road containing an institutional use (Berean Christian Church) and vacant land and the commercial use (Family Dollar Store) across Young Road to the south. A 50-foot undisturbed transitional buffer along the northeast property line abutting residential zoning, along with a recommended condition of zoning approval requiring that all lighting be established so that no direct light is cast upon or adversely affects adjacent properties should provide compatibility with the single-family residential uses to the east. Additionally, the Planning Department is recommending as a condition of approval that there be compliance with all Supplemental Regulations relating to alcohol outlet.

**C. Adequacy of public services, public facilities, and utilities to serve the contemplated use:**

There will be no burdensome impacts on schools since the proposed request is for non-residential use. It does not appear that there will be a burdensome use of transportation facilities since the site has frontage along and access to a major arterial (Panola Road) and a collector road (Young Road). The DeKalb County Transportation Division of Public Works has indicated that the access point on Young Road needs to be relocated away from the traffic signal, and that the developer is required to upgrade the pedestrian features of the traffic signal at Panola Road at Young Road, as identified by the Transportation Division of Public Works. Additionally, internal

sidewalks shall be provided to connect the building to public sidewalks along Panola and Young Road. The applicant will need to obtain a sewer capacity letter from the Department of Watershed Management to verify if sewer capacity is available.

**D. Adequacy of the public street on which the use is proposed to be located and whether or not there is sufficient traffic carrying capacity for the proposed use, so as not to unduly increase traffic or create congestion in the area:**

Based on field investigation of the project site, the public street on which the proposed use is to be located is adequate and will not unduly increase traffic congestion since the site accesses a four-lane major arterial road (Panola Road) and a two-lane collector road (Young Road).

**E. Whether or not existing land uses located along access routes to the site would be adversely affected by the character of the vehicles or the volume of traffic to be generated by the proposed use:**

Based on the submitted site plan and information, as well as field investigation of the project site, it appears that the existing land uses located along access routes to the site would not be adversely affected by the character of the vehicles or the volume of traffic generated since the site accesses a four-lane major arterial road and a two-lane collector road.

**F. Ingress and egress to the subject property and to all proposed buildings, structures, and uses thereon, with particular reference to pedestrian and automotive safety and convenience, traffic flow and control, and access in the event of fire or other emergency:**

Based on the submitted site plan and information, as well as field investigation of the project site, it appears that ingress and egress to the subject property is adequate since the proposed use will be along a major arterial road and a collector road. Ingress and egress is enhanced with an internal drive behind the building which connects to private drives which access the north curb cut on Panola Road and the south curb cut on Young Road. The DeKalb County Transportation Division of Public Works has indicated that the access point on Young Road needs to be relocated away from the traffic signal, and that the developer is required to upgrade the pedestrian features of the traffic signal at Panola Road at Young Road, as needed, as identified by the Transportation Division of Public Works. Additionally, internal sidewalks shall be provided to connect the building to public sidewalks along Panola and Young Road.

**G. Whether or not the proposed use would create adverse impacts upon any adjoining land use by reason of noise, smoke, odor, dust, or vibration that would be generated by the proposed use:**

There are no anticipated adverse impacts on surrounding properties due to noise, smoke, odor, dust, or vibration generated by the proposed use. Based on the submitted information and site plan, it appears that the zoning proposal to allow a convenience store with an accessory alcohol outlet is appropriate at this major arteria/collector intersection and is consistent with the C-1 commercial-zoned property to the west across Panola Road containing an institutional use (Berean Christian Church) and vacant land and the commercial use (Family Dollar Store) across Young Road to the south. A 50-foot undisturbed transitional buffer along the northeast property line abutting residential zoning, along with a recommended condition of zoning approval requiring that all lighting be established so that no direct light is cast upon or adversely affects adjacent properties should provide compatibility with the single-family residential uses to the east. Additionally, the Planning Department is recommending as a condition of approval that there be compliance with all Supplemental Regulations relating to alcohol outlet, to reinforce the regulations themselves.

**H. Whether or not the proposed use would create adverse impacts upon any adjoining land use by reason of the hours of operation of the proposed use:**

Based on the submitted information and elevations, it appears that the proposed use would not create adverse impacts on the adjoining land use by reason of the hours of operation. A 50-foot undisturbed transitional buffer along the northeast property line abutting residential zoning, along with a recommended condition of zoning approval requiring that all lighting be established so that no direct light is cast upon or adversely affects adjacent properties should provide compatibility with the single-family residential uses to the east.

**I. Whether or not the proposed use would create adverse impacts upon adjoining land use by reason of the manner of operation of the proposed use:**

See criteria "H".

**J. Whether or not the proposed plan is otherwise consistent with the requirements of the zoning district classification in which the use is proposed to be located:**

The proposed plan appears to comply with all required open space, off-street parking, and yard requirements of the C-2 zoning district except for the front yard building setback off of Young Road (50 foot required, 30 foot provided). However, the site is a triangle-shaped, double-frontage, corner lot which makes it difficult to comply with all building setback requirements.

**K. Whether or not the proposed use is consistent with the policies of the comprehensive plan:**

Based on the submitted information, the zoning proposal to allow a convenience store with accessory alcohol outlet at the intersection of a major arterial (Panola Road) and collector road (Young Road) is consistent with the following policy of the 2035 Comprehensive Plan: "The non-residential development in suburban areas shall be limited to small-scale convenience goods/services to meet the needs of the surrounding residents. Small scale nonresidential development shall be limited to qualifying intersections (collector roadway and above)".

**L. Whether or not the proposed plan provides for all buffers and transitional buffer zones where required by the regulations of the district in which the use is proposed to be located:**

The proposed plan provides for a required 50-foot undisturbed transitional buffer along the eastern property line abutting residential zoning.

**M. Whether or not there is adequate provision of refuse and service areas:**

Based on the submitted information, ample refuse and service areas are provided. Recommended conditions of approval by the Planning Department will require that all refuse areas shall be constructed with an enclosure to match the building materials of the principal structure, and that outside trash receptacles for patrons at gasoline pumps and along store entrances be provided.

**N. Whether the length of time for which the special land use permit is granted should be limited in duration:**

The alcohol outlet would be within a permanent structure and should not be limited in duration.

**O. Whether or not the size, scale, and massing of proposed buildings are appropriate in relation to the size of the subject property and in relation to the size, scale, and massing of adjacent and nearby lots and buildings:**

Based on the submitted plan and information, the proposed convenience store and accessory alcohol outlet would be located in a one-story, 6,500 square foot building consistent with the one and two-story building heights in the surrounding area. Therefore, there are no impacts on the size, scale, and massing of adjacent and nearby lots and buildings.

**P. Whether the proposed plan would adversely affect historic building sites, districts, or archaeological resources:**

Based on the submitted site plan and information, as well as field investigation of the project site, it does not appear that the proposed plan would adversely affect historic buildings, sites, districts, or archaeological resources.

**Q. Whether the proposed use satisfies the requirements contained within the supplemental regulations for such special land use permit:**

Based on the submitted information, it cannot be determined if the proposed use complies with the Supplemental Regulations for alcohol outlet (Section 4.2.8 of the zoning ordinance) as described in the project analysis. However, the Planning Department's recommended conditions of approval will require compliance with all supplemental regulations be demonstrated before the issuance of any building permits.

**R. Whether or not the proposed building as a result of its proposed height, would create a negative shadow impact on any adjoining lot or building:**

Based on the submitted plan and information, as well as field investigation of the project site, the proposed alcohol outlet would be located in a one-story building consistent with the one and two-story building heights in the surrounding area and should not create a negative shadow impact on any adjoining lot or building. Therefore, the proposed alcohol outlet should not, as a result of its proposed building height, create a negative shadow impact on any adjoining lot or building.

**S. Whether the proposed use would be consistent with the needs of the neighborhood or of the community as a whole, be compatible with the neighborhood, and would not be in conflict with the overall objectives of the *Comprehensive Plan*:**

Based on the submitted information, the zoning proposal to allow a convenience store with an accessory alcohol outlet at the intersection of a major arterial (Panola Road) and collector road (Young Road) is consistent with the following policy of the 2035 Comprehensive Plan: "The non-residential development in suburban areas shall be limited to small-scale convenience goods/services to meet the needs of the surrounding residents. Small scale nonresidential development shall be limited to qualifying intersections (collector roadway and above)". It appears that the zoning proposal to allow a convenience store with an accessory alcohol outlet is appropriate at this major arteria/collector intersection and is consistent with the C-1 properties to the west across Panola Road containing an institutional use (Berean Christian Church) and vacant land and the commercial use (Family Dollar Store) across Young Road to the south. A 50-foot undisturbed transitional buffer along the northeast property line would screen the development from abutting residentially zoned property, and the recommended condition of zoning approval requiring that all lighting be established so that no direct light is cast upon or adversely affects adjacent properties should provide compatibility with the single-family neighborhoods to the east. Additionally, the Planning Department is recommending as a condition of approval that there be compliance with all Supplemental Regulations relating to alcohol outlet, to reinforce the regulations themselves.

**Staff Recommendation: WITHDRAWAL WITHOUT PREJUDICE**

The proposed request for an alcohol outlet as an accessory use to a convenience store is required to obtain a Special Land Use Permit (SLUP) since it is located in the C-1 (Local Commercial) zoning district. Based on the submitted information, the zoning proposal to allow a convenience store with an accessory alcohol outlet at the intersection of a major arterial and collector road is consistent with the following policy of the 2035 Comprehensive Plan: "The non-residential development in suburban areas shall be limited to small-scale convenience goods/services to meet the needs of the surrounding residents. Small scale nonresidential development shall be limited to qualifying intersections (collector roadway and above)" (Sec. 7.4.6.K). It appears that the zoning proposal is consistent with

the C-1 commercial-zoned property to the west across Panola Road containing an institutional use (Berean Christian Church) and vacant land and the commercial use (Family Dollar Store) across Young Road to the south (Sec 7.4.6.B).

Based on community input at the Planning Commission meeting on March 4<sup>th</sup>, the applicant has requested that the rezoning and companion SLUP applications be withdrawn without prejudice (see attached email dated March 9<sup>th</sup>, 2021). Therefore, it is the recommendation of the Department of Planning and Sustainability that the application be “Withdrawn Without Prejudice”.

**Attachments:**

1. Public Works Department Comments
  - a. Land Development Division
  - b. Traffic Engineering Division
2. Watershed Management Department Comments
3. Board of Health Comments
4. Board of Education Comments
5. Application
6. Site Plan
7. Zoning Map
8. Aerial Photograph
9. Photographs

**Re: N17 SLUP 21 1244548 alcohol outlet staff report email #3 of three emails**

Mustaq Moosa <Mustaq@cityviewdb.com>

Tue 3/9/2021 11:13 AM

To: Reid, John <jreid@dekalbcountyga.gov>

Cc: Williams, Matthew C. <mcwilliams@dekalbcountyga.gov>

Hi John

Thank you for sharing the options available.

At this time, the Owners of the property have decided to completely withdraw all applications without prejudice - this includes the Rezoning application and the 2 SLUPs. While understandable that the matter has to be brought up for discussion as it has been advertised, however, we request that the Commissioners not vote on the application. Please consider this email as the request to withdraw all applications.

I will attend the meeting on March 25 and request if you can send me the details once available. Much gratitude to you and Mathew for your continuous help on this project.  
Mustaq

On Tue, Mar 9, 2021 at 9:01 AM Reid, John <[jreid@dekalbcountyga.gov](mailto:jreid@dekalbcountyga.gov)> wrote:

Mustaq,

You are correct, if the Board of Commissioners denies a rezoning and/or SLUP application, there is a two year moratorium on re-considering a rezoning or SLUP per Section 7.2.2.H.1 (rezoning) and 7.2.2.H.3 (SLUPS) (see screenshot below).

If you could confirm that you are requesting that all three applications (one rezoning application to C-1 and two SLUP applications for fuel pumps and alcohol outlet) be "withdrawn without prejudice" via email so Staff can change their recommendation to "withdrawal without prejudice" prior to the March 25th Board of Commissioners meeting..


Please realize that the Board of Commissioners still must hear these cases on March 25th because they have been legally advertised, and it would be up to them to support a withdrawal recommendation.

Also please realize that a "withdrawal" recommendation is different from a "deferral" recommendation. If the applications are recommended to be withdrawn by the Board of Commissioners, then you would have to resubmit brand new application(s) and fees and the application(s) would go through the next available agenda cycle based on filing deadlines (however there would be no two year waiting period).

If the application(s) were "deferred" by the Board of Commissioners, then your current application(s) would continue to be considered but would go through another round (or possibly two rounds of community council, planning commission, and board of commissioner public hearings.

I just wanted you to be clear on the various options.

John



**From:** Mustaq Moosa <[Mustaq@cityviewdb.com](mailto:Mustaq@cityviewdb.com)>

**Sent:** Friday, March 5, 2021 10:48 PM

**To:** Williams, Matthew C. <[mcwilliams@dekalbcountyga.gov](mailto:mcwilliams@dekalbcountyga.gov)>

**Cc:** Reid, John <[jreid@dekalbcountyga.gov](mailto:jreid@dekalbcountyga.gov)>

**Subject:** Re: N17 SLUP 21 1244548 alcohol outlet staff report email #3 of three emails

Hi Mathew

As you are aware, our proposal to rezone the property at Panola and Young was denied during the meeting on Mar 4.

I am aware that the final decision will be made on March 25 during the BoC meeting.

I am also given to understand that if the BoC rejects the rezoning request, then there is a 2 year moratorium before reapplying.

Please confirm if this is correct.

If yes, then my Client would like to withdraw the application and not schedule it for voting.

Please let me know if this can be done.

Thank you

Mustaq

On Thu, Mar 4, 2021 at 12:19 PM Mustaq Moosa <[Mustaq@cityviewdb.com](mailto:Mustaq@cityviewdb.com)> wrote:

Hi John, Hi Mathew

Attached is the PPT presentation for the Panola-Young Road project.

This presentation is for the meeting today.

If there are any questions please let me know.

Thank you for all your help.

Mustaq

On Fri, Feb 26, 2021 at 1:05 PM Reid, John <[jreid@dekalbcountyga.gov](mailto:jreid@dekalbcountyga.gov)> wrote:

Mustaq,

Please see the attached ZOOM link information for attending the March 4 Planning Commission and March 25th Board of Commissioners meeting at 5:30 p.m.

Also attached are the Planning Department Staff Reports for 1762 Panola Road in three separate emails due to memory issues (N15 Z 21 1244544, N16 SLUP 21 1244547, and N17 SLUP 21 1244548).

Please email Matthew Williams your powerpoint presentations for the PC meeting as soon as possible.


Cordially,

John

--

Mustaq Moosa

404 704 6356




*Confidentiality Implied*

--

Mustaq Moosa

404 704 6356





*Confidentiality Implied*

--

Mustaq Moosa

404 704 6356



*Confidentiality Implied*



## DEKALB COUNTY GOVERNMENT PLANNING DEPARTMENT DISTRIBUTION FORM

The following areas below may warrant comments from the Development Division. Please respond accordingly as the issues relate to the proposed request and the site plan enclosed as it relates to Chapter 14. You may address applicable disciplines.

### DEVELOPMENT ANALYSIS:

- **Transportation/Access/Row**

Consult the Georgia DOT as well as the DeKalb County Transportation Department prior to land development permit. Verify widths from the centerline of the roadways to the property line for possible right-of-way dedication. Improvements within the right-of-way may be required as a condition for land development application review approval. Safe vehicular circulation is required. Paved off-street parking is required.

- **Storm Water Management**

Compliance with the Georgia Stormwater Management Manual, DeKalb County Code of Ordinances 14-40 for Stormwater Management and 14-42 for Storm Water Quality Control, to include Runoff Reduction Volume where applicable is required as a condition of land development permit approval. Use Volume Three of the G.S.M.M. for best maintenance practices. Use the NOAA Atlas 14 Point Precipitation Data set specific to the site. Recommend Low Impact Development features/ Green Infrastructure be included in the proposed site design to protect as much as practicable the statewaters and special flood hazard areas.

- **Flood Hazard Area/Wetlands**

The presence of FEMA Flood Hazard Area **was not** indicated in the County G.I.S. mapping records for the site; and should be noted in the plans at the time of any land development permit application. Encroachment of flood hazard areas require compliance with Article IV of Chapter 14 and FEMA floodplain regulations.

- **Landscaping/Tree Preservation**

Landscaping and tree preservation plans for any building, or parking lot must comply with DeKalb County Code of Ordinances 14-39 as well as Chapter 27 Article 5 and are subject to approval from the County Arborist.

- **Tributary Buffer**

State water buffer **was not** reflected in the G.I.S. records for the site. Typical state waters buffer have a 75' undisturbed stream buffer and land development within the undisturbed creek buffer is prohibited without a variance per DeKalb County Code of Ordinances 14-44.1.

- **Fire Safety**

Plans for land development permit must comply with Chapter 12 DeKalb County Code for fire protection and prevention.



DEKALB COUNTY GOVERNMENT  
PLANNING DEPARTMENT  
DISTRIBUTION FORM

NOTE: PLEASE RETURN ALL COMMENTS VIA EMAIL OR FAX TO EXPEDITE THE PROCESS TO MICHELLE M ALEXANDER [mmalexander@dekalbcountyga.gov](mailto:mmalexander@dekalbcountyga.gov) OR JOHN REID [jreid@DEKALBCOUNTYGA.GOV](mailto:jreid@DEKALBCOUNTYGA.GOV)

COMMENTS FORM:  
PUBLIC WORKS WATER AND SEWER

Case No.: Z-21-1244544

Parcel I.D. #: 16-037-02-007, 16-037-02-008

Address: 1762 and 1744 Panola Road

Stone Mountain, Georgia

WATER:

Size of existing water main: 8" DI and 16" DI Water Main (~~adequate~~ inadequate) *S.D*

Distance from property to nearest main: Adjacent to Property

Size of line required, if inadequate: N/A

SEWER:

Outfall Servicing Project: Snapfinger Creek Basin

Is sewer adjacent to property: Yes (X) No ( ) If no, distance to nearest line: Approximately 219 feet South of property

Water Treatment Facility: Snapfinger WTF ( ) adequate ( ) inadequate

Sewage Capacity; \* (MGPD)

Current Flow: 21.77 (MGPD)

COMMENTS:

\* Please note that the sewer capacity has not been reviewed or approved for this project. A Sewer Capacity Request (SCR) must be completed and submitted for review. This can be a lengthy process and should be addressed early in the process.

*Capacity Restricted Area S.D*

Signature:



DEKALB COUNTY GOVERNMENT  
PLANNING DEPARTMENT  
DISTRIBUTION FORM

**NOTE:** PLEASE RETURN ALL COMMENTS VIA EMAIL OR FAX TO EXPEDITE THE PROCESS TO MICHELLE M ALEXANDER [mmalexander@dekalbcountyga.gov](mailto:mmalexander@dekalbcountyga.gov) OR JOHN REID [jreid@DEKALBCOUNTYGA.GOV](mailto:jreid@DEKALBCOUNTYGA.GOV)

COMMENTS FORM:  
PUBLIC WORKS WATER AND SEWER

Case No.: SLUP-21-1244547

Parcel I.D. #: 16-037-02-007, 16-037-02-008

Address: 1762 and 1744 Panola Road

Stone Mountain, Georgia

WATER:

Size of existing water main: 8" DI and 16" DI Water Main (~~adequate~~/inadequate)

S-D

Distance from property to nearest main: Adjacent to Property

Size of line required, if inadequate: N/A

SEWER:

Outfall Servicing Project: Snapfinger Creek Basin

Is sewer adjacent to property: Yes (X) No ( ) If no, distance to nearest line: Approximately 219 feet South of property

Water Treatment Facility: Snapfinger WTF ( ) adequate ( ) inadequate

Sewage Capacity; \* (MGPD)

Current Flow: 21.77 (MGPD)

COMMENTS:

\* Please note that the sewer capacity has not been reviewed or approved for this project. A Sewer Capacity Request (SCR) must be completed and submitted for review. This can be a lengthy process and should be addressed early in the process.

Capacity Restricted Area  
S-D

Signature: [Handwritten Signature]



# DEKALB COUNTY GOVERNMENT PLANNING DEPARTMENT DISTRIBUTION FORM

**NOTE:** PLEASE RETURN ALL COMMENTS VIA EMAIL OR FAX TO EXPEDITE THE PROCESS TO MICHELLE M ALEXANDER [mmalexander@dekalbcountyga.gov](mailto:mmalexander@dekalbcountyga.gov) OR JOHN REID [jreid@DEKALBCOUNTYGA.GOV](mailto:jreid@DEKALBCOUNTYGA.GOV)

## COMMENTS FORM: PUBLIC WORKS WATER AND SEWER

Case No.: SLUP-21-1244548

Parcel I.D. #: 16-037-02-007, 16-037-02-008

Address: 1762 and 1744 Panola Road

Stone Mountain, Georgia

### WATER:

Size of existing water main: 8" DI and 16" DI Water Main (~~adequate~~/adequate) *S=1*

Distance from property to nearest main: Adjacent to Property

Size of line required, if inadequate: N/A

### SEWER:

Outfall Servicing Project: Snapfinger Creek Basin

Is sewer adjacent to property: Yes (X) No ( ) If no, distance to nearest line: Approximately 219 feet South of property

Water Treatment Facility: Snapfinger WTF ( ) adequate ( ) inadequate

Sewage Capacity; \* (MGPD)

Current Flow: 21.77 (MGPD)

### COMMENTS:

\* Please note that the sewer capacity has not been reviewed or approved for this project. A Sewer Capacity Request (SCR) must be completed and submitted for review. This can be a lengthy process and should be addressed early in the process.

*Capacity Restricted Area*  
*S.F.*

Signature: *[Handwritten Signature]*



N-15

# DEKALB COUNTY GOVERNMENT PLANNING DEPARTMENT DISTRIBUTION FORM

NOTE: PLEASE RETURN ALL COMMENTS VIA EMAIL OR FAX TO EXPEDITE THE PROCESS TO  
MICHELLE ALEXANDER [MMALEXANDER@DEKALBCOUNTYGA.GOV](mailto:MMALEXANDER@DEKALBCOUNTYGA.GOV) OR JOHN REID  
[JREID@DEKALBCOUNTYGA.GOV](mailto:JREID@DEKALBCOUNTYGA.GOV)

## COMMENTS FORM: PUBLIC WORKS TRAFFIC ENGINEERING

Case No.: Z-21-1244544 Parcel I.D. #: 16-037-02-007

Address: 1762  
Parola Rd  
Stu Mill, Ga 30086

Young Rd Adjacent Roadway (s): Major  
\_\_\_\_\_  
(classification) (classification)

Capacity (TPD) _____	Capacity (TPD) _____
Latest Count (TPD) _____	Latest Count (TPD) _____
Hourly Capacity (VPH) _____	Hourly Capacity (VPH) _____
Peak Hour. Volume (VPH) _____	Peak Hour. Volume (VPH) _____
Existing number of traffic lanes _____	Existing number of traffic lanes _____
Existing right of way width _____	Existing right of way width _____
Proposed number of traffic lanes _____	Proposed number of traffic lanes _____
Proposed right of way width _____	Proposed right of way width _____

Please provide additional information relating to the following statement.

According to studies conducted by the Institute of Traffic Engineers (ITE) 6/7<sup>TH</sup> Edition (whichever is applicable), churches generate an average of fifteen (15) vehicle trip end (VTE) per 1,000 square feet of floor area, with an eight (8%) percent peak hour factor. Based on the above formula, the \_\_\_\_\_ square foot place of worship building would generate \_\_\_\_\_ vehicle trip ends, with approximately \_\_\_\_\_ peak hour vehicle trip ends.

Single Family residence, on the other hand, would generate ten (10) VTE's per day per dwelling unit, with a ten (10%) percent peak hour factor. Based on the above referenced formula, the \_\_\_\_\_ (Single Family Residential) District designation which allows a maximum of \_\_\_\_\_ units per acres, and the given fact that the project site is approximately \_\_\_\_\_ acres in land area, \_\_\_\_\_ daily vehicle trip end, and \_\_\_\_\_ peak hour vehicle trip end would be generated with residential development of the parcel.

### COMMENTS:

Reviewed, nothing found that would disrupt  
traffic flow.

Signature: [Handwritten Signature]



W-16

# DEKALB COUNTY GOVERNMENT PLANNING DEPARTMENT DISTRIBUTION FORM

NOTE: PLEASE RETURN ALL COMMENTS VIA EMAIL OR FAX TO EXPEDITE THE PROCESS TO  
MICHELLE ALEXANDER [MMALEXANDER@DEKALBCOUNTYGA.GOV](mailto:MMALEXANDER@DEKALBCOUNTYGA.GOV) OR JOHN REID  
[JREID@DEKALBCOUNTYGA.GOV](mailto:JREID@DEKALBCOUNTYGA.GOV)

## COMMENTS FORM: PUBLIC WORKS TRAFFIC ENGINEERING

Case No.: SLUP-21-1244547 Parcel I.D. #: 16-037-02-007

Address: 1762  
Parola, Rd  
STW MTN GA 30086

### Adjacent Roadway (s):

_____	_____
(classification)	(classification)

Capacity (TPD) _____	Capacity (TPD) _____
Latest Count (TPD) _____	Latest Count (TPD) _____
Hourly Capacity (VPH) _____	Hourly Capacity (VPH) _____
Peak Hour. Volume (VPH) _____	Peak Hour. Volume (VPH) _____
Existing number of traffic lanes _____	Existing number of traffic lanes _____
Existing right of way width _____	Existing right of way width _____
Proposed number of traffic lanes _____	Proposed number of traffic lanes _____
Proposed right of way width _____	Proposed right of way width _____

Please provide additional information relating to the following statement.

According to studies conducted by the Institute of Traffic Engineers (ITE) 6/7<sup>TH</sup> Edition (whichever is applicable), churches generate an average of fifteen (15) vehicle trip end (VTE) per 1,000 square feet of floor area, with an eight (8%) percent peak hour factor. Based on the above formula, the \_\_\_\_\_ square foot place of worship building would generate \_\_\_\_\_ vehicle trip ends, with approximately \_\_\_\_\_ peak hour vehicle trip ends.

Single Family residence, on the other hand, would generate ten (10) VTE's per day per dwelling unit, with a ten (10%) percent peak hour factor. Based on the above referenced formula, the \_\_\_\_\_ (Single Family Residential) District designation which allows a maximum of \_\_\_\_\_ units per acres, and the given fact that the project site is approximately \_\_\_\_\_ acres in land area, \_\_\_\_\_ daily vehicle trip end, and \_\_\_\_\_ peak hour vehicle trip end would be generated with residential development of the parcel.

### COMMENTS:

Reviewed, nothing found that would disrupt traffic flow

Signature: [Handwritten Signature]



N-17



# DEKALB COUNTY GOVERNMENT PLANNING DEPARTMENT DISTRIBUTION FORM

NOTE: PLEASE RETURN ALL COMMENTS VIA EMAIL OR FAX TO EXPEDITE THE PROCESS TO  
MICHELLE ALEXANDER [MMALEXANDER@DEKALBCOUNTYGA.GOV](mailto:MMALEXANDER@DEKALBCOUNTYGA.GOV) OR JOHN REID  
[JREID@DEKALBCOUNTYGA.GOV](mailto:JREID@DEKALBCOUNTYGA.GOV)

## COMMENTS FORM: PUBLIC WORKS TRAFFIC ENGINEERING

Case No.: SLUP-21-1244546 Parcel I.D. #: 16-037-02-007

Address: 1762  
Panola Rd  
STALWART, GA 30088

Young Rd Adjacent Roadway (s): Wayne  
\_\_\_\_\_  
(classification) (classification)

Capacity (TPD) _____	Capacity (TPD) _____
Latest Count (TPD) _____	Latest Count (TPD) _____
Hourly Capacity (VPH) _____	Hourly Capacity (VPH) _____
Peak Hour. Volume (VPH) _____	Peak Hour. Volume (VPH) _____
Existing number of traffic lanes _____	Existing number of traffic lanes _____
Existing right of way width _____	Existing right of way width _____
Proposed number of traffic lanes _____	Proposed number of traffic lanes _____
Proposed right of way width _____	Proposed right of way width _____

Please provide additional information relating to the following statement.

According to studies conducted by the Institute of Traffic Engineers (ITE) 6/7<sup>TH</sup> Edition (whichever is applicable), churches generate an average of fifteen (15) vehicle trip end (VTE) per 1, 000 square feet of floor area, with an eight (8%) percent peak hour factor. Based on the above formula, the \_\_\_\_\_ square foot place of worship building would generate \_\_\_\_\_ vehicle trip ends, with approximately \_\_\_\_\_ peak hour vehicle trip ends.

Single Family residence, on the other hand, would generate ten (10) VTE's per day per dwelling unit, with a ten (10%) percent peak hour factor. Based on the above referenced formula, the \_\_\_\_\_ (Single Family Residential) District designation which allows a maximum of \_\_\_\_\_ units per acres, and the given fact that the project site is approximately \_\_\_\_\_ acres in land area, \_\_\_\_\_ daily vehicle trip end, and \_\_\_\_\_ peak hour vehicle trip end would be generated with residential development of the parcel.

COMMENTS:

Reviewed, nothing found that would disrupt  
Traffic flow.

Signature: [Signature]

N1. No Comment

N2 & N3. Coordinate and provide the required right of way for the GDOT Managed Lanes I-285 East Project prior to permitting. GDOT PM: Tim Matthews at [TMatthews@dot.ga.gov](mailto:TMatthews@dot.ga.gov). Rockbridge Road is classified as a minor arterial. Please note the infrastructure requirements in Chapter 5 of the Zoning Code and Chapter 14-190 of the Land Development Code. A right of way dedication of 40 from centerline or such that all public infrastructure (sidewalks/streetlights) are within right of way, whichever greater. Required: 10- foot landscape strip, 6-foot sidewalk, bike lanes, streetlights. All access points must meet minimum intersection and stopping sight distance requirements per AASHTO Greenbook for 35 mph and presented (signed and sealed by a professional engineer)with the land development permit documents.

N4 & N5. Covington Hwy is a state route. Review and approval by GDOT District 7 (Justin Hatch at [Juhatch@dot.ga.gov](mailto:Juhatch@dot.ga.gov)) required prior to issuance land development permit. Covington Hwy is classified as a major arterial. Please note the infrastructure requirements in Chapter 5 of the Zoning Code and Chapter 14-190 of the Land Development Code. A right of way dedication of 50 from centerline or such that all public infrastructure (sidewalks/streetlights) are within right of way, whichever greater. Required at a minimum (GDOT may have additional requirements): 10- foot landscape strip, 6-foot sidewalk, bike lanes or multiuse path, streetlights. All access points must meet minimum intersection and stopping sight distance requirements per AASHTO Greenbook for the posted speed limit and presented (signed and sealed by a professional engineer)with the land development permit documents.

N6 & N7. Pine Mountain Road is classified as a local residential. Please note the infrastructure requirements in Chapter 5 of the Zoning Code and Chapter 14-190 of the Land Development Code. A right of way dedication of 27.5 feet from centerline or such that all public infrastructure (sidewalks/streetlights) are within right of way, whichever greater. Required: 6- foot landscape strip, 5-foot sidewalk, streetlights. All access points must meet minimum intersection and stopping sight distance requirements per AASHTO Greenbook for the posted speed limit and presented (signed and sealed by a professional engineer)with the land development permit documents.

Please note that we received complaints about truck traffic on this street and it is posted no trucks. Consideration should be given to how to handle truck access and traffic. Limit all truck access to SR 124 Turner Hill Road. No truck access on Pine Mountain Rd.

N8. No Comment

N9. This development requires a traffic study (337 units) be presented to identify required improvements prior to zoning. I recommend deferral until a traffic study is submitted so that we can incorporate the result of the traffic study into the zoning conditions. Traffic study should address requirements for left turning lanes and right turn lane on North Druid Hills at the Mount Moriah Road and the need for a potential traffic signal. Please confirm the existing right of way on Mount Moriah Road. The county records show a 60 foot right of way and it appears that the development is encroaching on the right of way. The study should also address the lanes needed to accommodate the traffic exiting Mount Moriah Rd at the intersection. Direct pedestrian access is to be provided from the public sidewalks to the proposed development. North Druid Hills Road is classified as a major arterial. Please note the infrastructure requirements in Chapter 5 of the Zoning Code and Chapter 14-190 of the Land Development Code. A right of way dedication of 50 from centerline or such that all public infrastructure

(sidewalks/streetlights) are within right of way, whichever greater. Required at a minimum: 10- foot landscape strip, 6-foot sidewalk, bike lanes or multiuse path, streetlights. All access points must meet minimum intersection and stopping sight distance requirements per AASHTO Greenbook for the posted speed limit and presented (signed and sealed by a professional engineer)with the land development permit documents. Mount Moriah Road is classified as a local road. Please note the infrastructure requirements in Chapter 5 of the Zoning Code and Chapter 14-190 of the Land Development Code. A right of way dedication of 27.5 feet from centerline or such that all public infrastructure (sidewalks/streetlights) are within right of way, whichever greater. Required at a minimum: 6- foot landscape strip, 5-foot sidewalk, streetlights. Mount Moriah Road must be brought up to minimum county standards to include at least 22 feet of pavement along entire property frontage. All access points must meet minimum intersection and stopping sight distance requirements per AASHTO Greenbook for the posted speed limit and presented (signed and sealed by a professional engineer)with the land development permit documents.

N10 & N11. Pine Mountain Road is classified as a local. Please note the infrastructure requirements in Chapter 5 of the Zoning Code and Chapter 14-190 of the Land Development Code. A right of way dedication of 27.5 feet from centerline or such that all public infrastructure (sidewalks/streetlights) are within right of way, whichever greater. Required: 6- foot landscape strip, 5-foot sidewalk, streetlights. All access points must meet minimum intersection and stopping sight distance requirements per AASHTO Greenbook for the posted speed limit and presented (signed and sealed by a professional engineer) with the land development permit documents.

N12. Requesting a traffic study be completed prior to zoning to determine the impacts of the development on the intersection of Rockbridge Road at Mountain Park Trail and the proposed driveway on Rockbridge Road. Only one access point of Mountain Park Trail. The access point on Mountain Park Trail must be shifted to the rear property line away from Rockbridge Road. Please note the minimum driveway/street separation required in Section 14-200 (6). Remove acceleration lane from Rockbridge Road frontage. Provide direct pedestrian access from public right of way to the proposed destinations. Rockbridge Road is classified as a minor arterial. Please note the infrastructure requirements in Chapter 5 of the Zoning Code and Chapter 14-190 of the Land Development Code. A right of way dedication of 40 from centerline or such that all public infrastructure (sidewalks/streetlights) are within right of way, whichever greater. Required: 10- foot landscape strip, 6-foot sidewalk, bike lanes, streetlights. Mountain Park Trail is classified as a local. Please note the infrastructure requirements in Chapter 5 of the Zoning Code and Chapter 14-190 of the Land Development Code. A right of way dedication of 27.5 feet from centerline or such that all public infrastructure (sidewalks/streetlights) are within right of way, whichever greater. Required: 6- foot landscape strip, 5-foot sidewalk, streetlights. All access points must meet minimum intersection and stopping sight distance requirements per AASHTO Greenbook for 35 mph and presented (signed and sealed by a professional engineer)with the land development permit documents.

N13. Northern Ave is classified as a collector road. Please note the infrastructure requirements in Chapter 5 of the Zoning Code and Chapter 14-190 of the Land Development Code. A right of way dedication of 35 from centerline or such that all public infrastructure (sidewalks/streetlights) are within right of way, whichever greater. Required: 10- foot landscape strip, 6-foot sidewalk, bike lanes or multiuse path, streetlights. . All access points must meet minimum intersection and stopping sight

distance requirements per AASHTO Greenbook for the posted speed limit and presented (signed and sealed by a professional engineer)with the land development permit documents.

N14. No comment.

N15, N16 and N17. Panola Road is classified as a major arterial. Please note the infrastructure requirements in Chapter 5 of the Zoning Code and Chapter 14-190 of the Land Development Code. A right of way dedication of 50 feet from centerline or such that all public infrastructure (sidewalks/streetlights) are within right of way, whichever greater. Required at a minimum: 10- foot landscape strip, 6-foot sidewalk, bike lanes or multiuse path, streetlights. All access points must meet minimum intersection and stopping sight distance requirements per AASHTO Greenbook for the posted speed limit and presented (signed and sealed by a professional engineer)with the land development permit documents. Young Road is classified as a collector road. Please note the infrastructure requirements in Chapter 5 of the Zoning Code and Chapter 14-190 of the Land Development Code. A right of way dedication of 35 feet from centerline or such that all public infrastructure (sidewalks/streetlights) are within right of way, whichever greater. Required: 10- foot landscape strip, 6-foot sidewalk, bike lanes, streetlights. All access points must meet minimum intersection and stopping sight distance requirements per AASHTO Greenbook for 35 mph and presented (signed and sealed by a professional engineer)with the land development permit documents. Please note the minimum driveway/street separation required in Section 14-200 (6). Applies to driveways on the opposite side of the road also. Access point on Young Road needs to be relocated away from the traffic signal. The developer is required to upgrade the pedestrian features of the traffic signal at Panola Road at Young Road, as needed, as identified by the Transportation Division of Public Works. A pedestrian connection must be provided from the public sidewalk to the building entrances.

N18. Clairmont Road is a state route. Review and approval by GDOT District 7 required prior to issuance land development permit. Clairmont Road is classified as a major arterial. Only one access point allowed on Clairmont Road located away from the intersection with N Williamsburg Dr. Please note the infrastructure requirements in Chapter 5 of the Zoning Code and Chapter 14-190 of the Land Development Code. A right of way dedication of 50 from centerline or such that all public infrastructure (sidewalks/streetlights) are within right of way, whichever greater. Required at a minimum (GDOT may have additional requirements): 10- foot landscape strip, 6-foot sidewalk, bike lanes or multiuse path, streetlights. All access points must meet minimum intersection and stopping sight distance requirements per AASHTO Greenbook for the posted speed limit and presented (signed and sealed by a professional engineer)with the land development permit documents. N. Williamsburg Drive is classified as a local road. Please note the infrastructure requirements in Chapter 5 of the Zoning Code and Chapter 14-190 of the Land Development Code. A right of way dedication of 27.5 feet from centerline or such that all public infrastructure (sidewalks/streetlights) are within right of way, whichever greater. Required at a minimum: 6- foot landscape strip, 5-foot sidewalk, streetlights. Only one access point allowed on N Williamsburg Road located away from the intersection on Clairmont Road. All access points must meet minimum intersection and stopping sight distance requirements per AASHTO Greenbook for the posted speed limit and presented (signed and sealed by a professional engineer) with the land development permit documents.

N19. No Comment

N20. Clifton Springs Road is classified as a minor arterial. Please note the infrastructure requirements in Chapter 5 of the Zoning Code and Chapter 14-190 of the Land Development Code. A right of way dedication of 40 feet from centerline or such that all public infrastructure (sidewalks/streetlights) are within right of way, whichever greater. Required at a minimum: 10-foot landscape strip, 6-foot sidewalk, bike lanes or multiuse path, streetlights. All access points must meet minimum intersection and stopping sight distance requirements per AASHTO Greenbook for the posted speed limit and presented (signed and sealed by a professional engineer) with the land development permit documents. If interior roads are to public. They will need to meet the requirements for a local road. Please note the infrastructure requirements in Chapter 5 of the Zoning Code and Chapter 14-190 of the Land Development Code. A right of way dedication of 27.5 feet from centerline or such that all public infrastructure (sidewalks/streetlights) are within right of way, whichever greater. Required: 6-foot landscape strip, 5-foot sidewalk, streetlights. All access points must meet minimum intersection and stopping sight distance requirements per AASHTO Greenbook for the posted speed limit and presented (signed and sealed by a professional engineer) with the land development permit documents.



Board of Health

02/15/2021

To: Mr. John Reid, Senior Planner  
From: Ryan Cira, Environmental Health Manager  
Cc: Alan Gaines, Technical Services Manager  
Re: Rezone Application Review

General Comments:

DeKalb County Health Regulations prohibit use of on-site sewage disposal systems for:

- multiple dwellings
- food service establishments
- hotels and motels
- commercial laundries
- funeral homes
- schools
- nursing care facilities
- personal care homes with more than six (6) clients
- child or adult day care facilities with more than six (6) clients
- residential facilities containing food service establishments

If proposal will use on-site sewage disposal, please contact the Land Use Section (404) 508-7900.

Any proposal, which will alter wastewater flow to an on-site sewage disposal system, must be reviewed by this office prior to construction.

This office must approve any proposed food service operation or swimming pool prior to starting construction.

Public health recommends the inclusion of sidewalks to continue a preexisting sidewalk network or begin a new sidewalk network. Sidewalks can provide safe and convenient pedestrian access to a community-oriented facility and access to adjacent facilities and neighborhoods.

For a public transportation route, there shall be a 5ft. sidewalk with a buffer between the sidewalk and the road. There shall be enough space next to sidewalk for bus shelter's concrete pad installation. Recommendation: Provide trash can with liner at each bus stop with bench and monitor for proper removal of waste.

Since DeKalb County is classified as a Zone 1 radon county, this office recommends the use of radon resistant construction.

Board of Health


- N.1 **TA-21-1244539 2021-2108**  
**County-Wide (All District)**  
**36**
- N.2 **LP-21-1243933 2021-2109/18-011-06-001,18-011-06-004,18-011-06-005,18-011-06-006,18-011-06-007** District 04 Super District 06  
 3581 Rockbridge Road, Stone Mountain, GA 30083  
 3605 Rockbridge Road, Stone Mountain, GA 30083  
 3611 Rockbridge Road, Stone Mountain, GA 30083  
 3599 Rockbridge Road, Stone Mountain, GA 30083  
 3593 Rockbridge Road, Stone Mountain, GA 30083  
 3581 Rockbridge Road, Stone Mountain, GA 30083  
 - **Please review general comments**  
 - **Septic system installed on September 23, 1960 for property 3605**  
 - **Septic system installed on September 23, 1960 for property 3611**  
 Total acres 4.8
- N.3 **Z-21-1243934 2021-2110 / 18-011-06-001, 18-011-06-004,18-011-06-005,18-011-06-006,18-011-06-007** District 04 Super District 06  
 3581 Rockbridge Road, Stone Mountain, GA 30083  
 3605 Rockbridge Road, Stone Mountain, GA 30083  
 3611 Rockbridge Road, Stone Mountain, GA 30083  
 3599 Rockbridge Road, Stone Mountain, GA 30083  
 3593 Rockbridge Road, Stone Mountain, GA 30083  
 3581 Rockbridge Road, Stone Mountain, GA 30083  
 - **Please review general comments**  
 - **Septic system installed on September 23, 1960 for property 3605**  
 - **Septic system installed on September 23, 1960 for property 3611**  
 Total acres 4.8
- N.4 **LP-21-1244555 2021-2111 / 15-162-04-008** District 05 Super District 07  
 5011 Covington Highway, Decatur, GA 30035  
 - Please review general comments  
 Total acres 0.61
- N.5 **Z-21-1244408 202102112 / 15-162-04-008** District 05 Super District 07  
 5011 Covington Highway, Decatur, GA 30045  
 - Please review general comments  
 Total acres 0.61
- N.6 **LP-21-1244580 2021-2113 / 16-168-01-008** District 05 Super District 07  
 2346 Pine Mountain Street, Lithonia, GA 30058  
 - Please review general comments  
 Total acres 1.2



Board of Health

- N.7    **Z-21-1244581 2021-2114 / 16-168-01-008**    District 05 Super District 07  
2346 Pine Mountain Street, Lithonia, GA 30058  
- Please review general comments  
Total acres 1.2
- N.8    **TA-21-1244599 2021-2115**    District 02 Super District 06  
North Druid Hills Briarcliff Node, Atlanta, GA 30329  
- Please review general comments  
Total acres (not stated)
- N.9    **Z-21-1244535 2021-2116 / 18-152-01-005, 18-152-01-006, 18-152-01-054**  
District 02 Super District 06  
2490 North Druid Hills Road, Atlanta, GA 30329  
- Please review general comments  
- Several surrounding properties with septic system installed  
Total acres 5.6
- N.10    **LP-21-1244541 2021-2117 / 16-167-08-010**    District 05 Super District 07  
2328 Pine Mountain Street, Lithonia, GA 30058  
- Please review general comments  
- Several surrounding properties with septic system installed  
Total acres 0.79
- N.11    **Z-21-1244542 2021-2118 / 16-167-08-010**    District 05 Super District 07  
2328 Pine Mountain Street, Lithonia, GA 30058  
- Please review general comments  
- Several surrounding properties with septic system installed  
Total acres 0.79





**SITE SUMMARY TABLE**

<b>AREA</b>	
TOTAL PROPERTY AREA:	1.30 AC
TRACT ONE:	0.72 AC
TRACT TWO:	0.58 AC
BUILDING AREA:	6,500 SF
IMPERVIOUS AREA:	0.83 AC (49%)
<b>ZONING</b>	
OVERLAY:	NONE
EXISTING PROPERTY ZONING:	R100
ADJACENT ZONING:	C3 (SOUTH ACROSS STREET); R100 (EAST) C1 (WEST ACROSS STREET)
<b>PROPOSED ZONING</b>	
PROPERTY ZONING:	C1
<b>EXISTING ZONING BUILDING SETBACKS</b>	
PANOLA RD FRONT YARD:	50' WITH R100
YOUNG RD FRONT YARD:	40' WITH R100
SIDE/REAR YARD:	10' WITH R100
<b>C1 BUILDING SETBACKS</b>	
PANOLA RD FRONT YARD:	50'
YOUNG RD FRONT YARD:	50'
REQUESTED VARIANCE TO YOUNG RD FRONTAGE:	30'
SIDE/REAR YARD:	30'
<b>BUFFER / LANDSCAPE STRIPS</b>	
PANOLA RD:	10' LANDSCAPE STRIP
YOUNG RD FRONT YARD:	10' LANDSCAPE STRIP
SIDE/REAR YARD:	50' CLASS C BUFFER AGAINST RESIDENTIAL
<b>PARKING:</b>	
MINIMUM (1 PER 500 SF):	6400 / 500 = 13 SPACES
PROPOSED:	16 (INCLUDING 2 HC SPACES & 8 PUMP SPACES)

**CONCEPTUAL SITE PLAN**  
 FOR:  
**1762 & 1744 PANOLA ROAD**  
 STONE MOUNTAIN, GA.  
 DOUGLAS COUNTY, GA  
 PARCELS: 16 037 02 008; 16 037 02 007

No.	Revision/Issue	Date

**RASK**  
 CIVIL ENGINEERING  
 409 ROSE LANE  
 WOODSTOCK, GA 30188  
 (404) 226-6795

**OWNER / DEVELOPER:**  
 2020 PARTNERS LLC

**CONTACT:**

Issue	Date	Scale
	11/3/20	C0.0
		1"=20'



N. 15 Z-21-1241244544  
SLUP-21-1244547  
SLUP-21-1244548

Building Design Rendering 1



**CONCEPTUAL BUILDING VIEW**  
1744 and 1762 Panola Road, Stone Mountain, Dekalb County






MATERIAL LEGEND

1. GLASS STOREFRONT
2. ENTRANCE PIERS CLAD IN BRICK
3. FRONT AND SIDE FAÇADE CLAD IN BRICK
4. METAL CANOPY
5. METAL COPING
6. SPACE FOR SIGNAGE
7. LANDSCAPING AT THE BUILDING
8. OUTDOOR SEATING







DeKalb County Parcel Map

0 0.0075 0.015 0.03 0.045 0.06


Date Printed: 2/2/2021



DeKalb County GIS disclaimer

The maps and data contained on DeKalb County's Geographic Information System (GIS) are subject to constant change. While DeKalb County strives to provide accurate and up-to-date information, the information is provided "as is" without warranty, representation or guarantee of any kind as to the content, sequence, accuracy, timeliness or completeness of any of the database information provided herein. DeKalb County explicitly disclaims all representations and warranties, including, without limitation, the implied warranties of merchantability and fitness for a particular purpose. In no event shall DeKalb County be liable for any special, indirect, or consequential damages whatsoever resulting from loss of use, data, or profits, whether in an action of contract, negligence, or other actions, arising out of or in connection with the use of the maps and/or data herein provided. The maps and data are for illustration purposes only and should not be relied upon for any reason. The maps and data are not suitable for site-specific decision-making nor should it be construed or used as a legal description. The areas depicted by maps and data are approximate, and are not necessarily accurate to surveying or engineering standards.









404.371.2155 (o)  
404.371.4556 (f)  
DeKalbCountyGa.gov

Clark Harrison Building  
330 W. Ponce de Leon Ave  
Decatur, GA 30030

DEPARTMENT OF PLANNING & SUSTAINABILITY

SPECIAL LAND USE PERMIT APPLICATION

Amendments will not be accepted after 5 working days after the filing date.

Date Received: \_\_\_\_\_ Application No.: \_\_\_\_\_

APPLICANT NAME: Mustaq Moosa

Daytime Phone #: 404 704 6356 Fax #: \_\_\_\_\_

Mailing Address: 1400 Indian Trail Lilburn Road, Norcross GA

E-mail: \_\_mustaq@cityviewdb.com

OWNER NAME: 2020 Partners LLC or

more than one owner, attach contact information for each owner)

Daytime Phone #: 770 356 1321 Fax #: \_\_\_\_\_

Mailing Address: 1134 Gavinwood PI, Decatur, GA 30033

E-mail: mansoorqamruddin@gmail.com

SUBJECT PROPERTY ADDRESS OR LOCATION: 1744 & 1762 Panola Road, Stone Mountain,

DeKalb County, GA, 30088

District(s): 16th Land Lot(s): 37 Block(s): \_\_\_\_\_ Parcel(s): 16 037 02 008  
and 16 037 02 007

Acreage or Square Feet: 1.38 AC Commission District(s): \_\_\_\_\_ Existing Zoning: R 100 / Proposed C-1

Proposed Special Land Use (SLUP): Packaged Beer and Wine license

I hereby authorize the staff of the Planning and Development Department to inspect the property that is the subject of this application.

Owner: \_\_\_\_\_ Agent:  Signature of Applicant:   
(Check One)

Printed Name of Applicant: Mustaq Moosa

Notary Signature and Seal:





404.371.2155 (o)  
404.371.4556 (f)  
DeKalbCountyGa.gov

Clark Harrison Building  
330 W. Ponce de Leon Ave  
Decatur, GA 30030

DEPARTMENT OF PLANNING & SUSTAINABILITY

SPECIAL LAND USE PERMIT APPLICATION AUTHORIZATION

The property owner should complete this form or a similar, signed and notarized form if the individual who will file the application with the County is not the property owner.

Date: Dec 21, 2020


TO WHOM IT MAY CONCERN:

(I) (WE), 2020 Partners LLC (contact person: Mansoor Qamruddin)  
Name of Owner(s)

being (owner) (owners) of the subject property described below or attached hereby delegate authority to  
Mustaf Moosa  
Name of Applicant or Agent

to file an application on (my) (our) behalf.

*Ammi Muhammad*  
Notary Public



*Mansoor Qamruddin*

Owner 2020 Partners LLC / signed by Manager

Notary Public \_\_\_\_\_ Owner \_\_\_\_\_

Notary Public \_\_\_\_\_ Owner \_\_\_\_\_

Notary Public \_\_\_\_\_ Owner \_\_\_\_\_





404.371.2155 (o)  
404.371.4556 (f)  
DeKalbCountyGa.gov

Clark Harrison Building  
330 W. Ponce de Leon Ave  
Decatur, GA 30030

Chief Executive Officer  
Michael Thurmond

**DEPARTMENT OF PLANNING & SUSTAINABILITY**

Director  
Andrew A. Baker, AICP

**SPECIAL LAND USE PERMIT CHECKLIST**

(SUBMIT 4 COMPLETE, COLLATED, HARDCOPY SETS AND 1 SET IN PDF FORMAT ON FLASH DRIVE OR CD)

- \_\_\_\_\_ 1. Mandatory **Pre-Application Conference** with Planning & Sustainability staff. **Pre-Application form** to be completed in pre-application meeting. Please call (404) 371-2155 to schedule pre-app conference.
- \_\_\_\_\_ 2. Hold a **Pre-Submittal Community Meeting** with surrounding neighborhood associations and residents. Notify staff in advance of date, time, and location of meeting. **Provide documentation** (i.e., meeting notice, sign-in sheets, letter(s) from homeowners associations).
- \_\_\_\_\_ 3. **Application Form**. Form must be completely filled out and be the first page of the packet.
- \_\_\_\_\_ 4. Notarized **Authorization Form**, if the applicant is not the owner of the subject property, which
  - \_\_\_\_\_ a. is signed and notarized by all owners of the subject property;
  - \_\_\_\_\_ b. contains the mailing address and phone number of any applicant or agent who is authorized to represent the owner(s) of the subject property; and
  - \_\_\_\_\_ c. includes a warranty deed, if ownership is less than 2 consecutive years.
- \_\_\_\_\_ 5. **Written Legal Description** of subject property, in metes and bounds.
- \_\_\_\_\_ 6. **Boundary Survey** (showing existing buildings, structures, and improvements), prepared and sealed within the past ten years by a professional engineer or land surveyor registered in the State of Georgia, consistent with the plat(s) on the Official Tax Record. Applicant shall certify that the Boundary Survey is complete and currently accurate. **Site plans shall be drawn to scale** showing all proposed development or redevelopment projects, proposed buildings, structures, and improvements. Site plans must include the following:
  - \_\_\_\_\_ a. Complete boundaries of subject property including curb cuts, internal vehicular circulation facilities, and sidewalks;
  - \_\_\_\_\_ b. Location of buildings, structures, setback lines, buffer lines, and parking;
  - \_\_\_\_\_ c. Location of any 100-year floodplains, streams, and stream buffer lines;
  - \_\_\_\_\_ d. Notation of the total acreage or square footage of the subject property;
  - \_\_\_\_\_ e. Landscaping, trees, open space, and undisturbed buffers;
  - \_\_\_\_\_ f. Notation of building square footages and heights, residential density calculations, existing and proposed lot coverage, required and proposed parking, and open space calculations;
  - \_\_\_\_\_ g. Copies of site plans:
    - 1. Full-size site plans (at least 11" x 17"): 4 copies, folded.
    - 2. Site plan reduced to 8 1/2" x 11": 4 copies
- \_\_\_\_\_ 7. **Building Elevations**, renderings or details of materials proposed for compliance to Article 5, Ordinance
- \_\_\_\_\_ 8. **Letter of Application** identifying the proposed zoning classification, the reason for the rezoning request, the existing and proposed use of the property, and detailed characteristics of the proposed use (e.g., floor area, height of building, number of units, mix of unit types, hours of operation, etc. Include any statement of conditions agreed upon by the applicant.
- \_\_\_\_\_ 9. Written documented, detailed analysis of the impact of the proposed zoning map amendment with respect to each of the standards and factors specified in Article 7.
- \_\_\_\_\_ 10. Campaign disclosure statement, if applicable, to be filed in compliance with State law.
- \_\_\_\_\_ 11. **Application fee - \$400.00**. Payable to DeKalb County.

**INCOMPLETE APPLICATIONS WILL NOT BE ACCEPTED**

**If subject property is made up of parcels located on opposite sides of a public street, a separate application is required for each parcel.**



## DEPARTMENT OF PLANNING & SUSTAINABILITY

---

**A. Filing Fee: \$400.** Filing fees shall not be refunded at any time following the deadline for amendments.

**B. Criteria:** Sec. 27-873. Special land use permits; criteria to be applied. The following criteria shall be applied by the Department of Planning and Sustainability, the Planning Commission, and the Board of Commissioners in evaluating and deciding any application for a special land use permit. No application for a special land use permit shall be granted by the Board of Commissioners unless satisfactory provisions and arrangements have been made concerning each of the following factors, all of which are applicable to each application:

A. Adequacy of the size of the site for use contemplated and whether or not adequate land area is available for the proposed use including provision of all required yards, open space, off-street parking, and all other applicable requirements of the zoning district in which the use is proposed to be located;

B. Compatibility of the proposed use with adjacent properties and land uses and with other properties and land uses in the district;

C. Adequacy of public services, public facilities, and utilities to serve the use contemplated;

D. Adequacy of the public street on which the use is proposed to be located and whether or not there is sufficient traffic-carrying capacity for the use proposed so as not to unduly increase traffic and create congestion in the area;

E. Whether or not existing land uses located along access routes to the site will be adversely affected by the character of the vehicles or the volume of traffic generated by the proposed use;

F. Ingress and egress to the subject property and to all proposed buildings, structures, and uses thereon, with particular references to pedestrian and automotive safety and convenience, traffic flow and control, and access in the event of fire or other emergency;

G. Whether or not the proposed use will create adverse impacts upon any adjoining land use by reason of noise, smoke, odor, dust, or vibration generated by the proposed use;

H. Whether or not the proposed use will create adverse impacts upon any adjoining land use by reason of the hours of operation of the proposed use;

I. Whether or not the proposed use will create adverse impacts upon any adjoining land use by reason of the manner of operation of the proposed use;

J. Whether or not the proposed plan is consistent with all of the requirements of the zoning district classification in which the use is proposed to be located;

K. Whether or not the proposed use is consistent with the policies of the Comprehensive Plan;

L. Whether or not the proposed plan provides for all required buffer zones and transitional buffer zones where required by the regulations of the district in which the use is proposed to be located;

M. Whether or not there is adequate provision of refuse and service areas;

N. Whether the length of time for which the special land use permit is granted should be limited in duration;

O. Whether or not the size, scale and massing of proposed buildings are appropriate in relation to the size of the subject property and in relation to the size, scale and massing of the adjacent and nearby lots and buildings;

P. Whether the proposed plan will adversely affect historic buildings, sites, districts, or archaeological resources;

Q. Whether the proposed use satisfies the requirements contained within the Supplemental Regulations for such special land use permit.

R. Whether or not the proposed building as a result of its proposed height will create a negative shadow impact on any adjoining lot or building.

S. Whether the proposed use would result in a disproportional proliferation of that or similar uses in the subject character area.

T. Whether the proposed use would be consistent with the needs of the neighborhood or of the community as a whole, be compatible with the neighborhood, and would not be in conflict with the overall objectives of the comprehensive plan.

**C. Additional Criteria is contained in Supplemental Regulations of Zoning Ordinance:** Sec. 27-874. Additional criteria for specified uses: "In addition to the criteria contained in Sec. 27-873 and Sec. 27-863 listed above, which each applicant for special land use permit is required to meet, Article IV, Supplemental Regulations of the DeKalb County Zoning Ordinance shall apply to that specific land use being applied for. No application for a Special Land Use permit for the uses specified shall be granted by the Board of Commissioners unless it is determined that all requirements contained within the zoning district in which such property is located, and the criteria contained in Section 27-873 and Article IV, Supplemental Regulations have been met."





404.371.2155 (o)  
404.371.4556 (f)  
DeKalbCountyGa.gov

Clark Harrison Building  
330 W. Ponce de Leon Ave  
Decatur, GA 30030

Chief Executive Officer  
Michael Thurmond

**DEPARTMENT OF PLANNING & SUSTAINABILITY**

Director  
Andrew A. Baker, AICP

**SPECIAL LAND USE PERMIT CHECKLIST**

(SUBMIT 4 COMPLETE, COLLATED, HARDCOPY SETS AND 1 SET IN PDF FORMAT ON FLASH DRIVE OR CD)

- \_\_\_\_\_ 1. Mandatory **Pre-Application Conference** with Planning & Sustainability staff. **Pre-Application form** to be completed in pre-application meeting. Please call (404) 371-2155 to schedule pre-app conference.
- \_\_\_\_\_ 2. Hold a **Pre-Submittal Community Meeting** with surrounding neighborhood associations and residents. Notify staff in advance of date, time, and location of meeting. **Provide documentation** (i.e., meeting notice, sign-in sheets, letter(s) from homeowners associations).
- \_\_\_\_\_ 3. **Application Form**. Form must be completely filled out and be the first page of the packet.
- \_\_\_\_\_ 4. Notarized **Authorization Form**, if the applicant is not the owner of the subject property, which
  - \_\_\_\_\_ a. is signed and notarized by all owners of the subject property;
  - \_\_\_\_\_ b. contains the mailing address and phone number of any applicant or agent who is authorized to represent the owner(s) of the subject property; and
  - \_\_\_\_\_ c. includes a warranty deed, if ownership is less than 2 consecutive years.
- \_\_\_\_\_ 5. **Written Legal Description** of subject property, in metes and bounds.
- \_\_\_\_\_ 6. **Boundary Survey** (showing existing buildings, structures, and improvements), prepared and sealed within the past ten years by a professional engineer or land surveyor registered in the State of Georgia, consistent with the plat(s) on the Official Tax Record. Applicant shall certify that the Boundary Survey is complete and currently accurate. **Site plans shall be drawn to scale** showing all proposed development or redevelopment projects, proposed buildings, structures, and improvements. Site plans must include the following:
  - \_\_\_\_\_ a. Complete boundaries of subject property including curb cuts, internal vehicular circulation facilities, and sidewalks;
  - \_\_\_\_\_ b. Location of buildings, structures, setback lines, buffer lines, and parking;
  - \_\_\_\_\_ c. Location of any 100-year floodplains, streams, and stream buffer lines;
  - \_\_\_\_\_ d. Notation of the total acreage or square footage of the subject property;
  - \_\_\_\_\_ e. Landscaping, trees, open space, and undisturbed buffers;
  - \_\_\_\_\_ f. Notation of building square footages and heights, residential density calculations, existing and proposed lot coverage, required and proposed parking, and open space calculations;
  - \_\_\_\_\_ g. Copies of site plans:
    - 1. Full-size site plans (at least 11" x 17"): 4 copies, folded.
    - 2. Site plan reduced to 8 1/2" x 11": 4 copies
- \_\_\_\_\_ 7. **Building Elevations**, renderings or details of materials proposed for compliance to Article 5, Ordinance
- \_\_\_\_\_ 8. **Letter of Application** identifying the proposed zoning classification, the reason for the rezoning request, the existing and proposed use of the property, and detailed characteristics of the proposed use (e.g., floor area, height of building, number of units, mix of unit types, hours of operation, etc. Include any statement of conditions agreed upon by the applicant.
- \_\_\_\_\_ 9. Written documented, detailed analysis of the impact of the proposed zoning map amendment with respect to each of the standards and factors specified in Article 7.
- \_\_\_\_\_ 10. Campaign disclosure statement, if applicable, to be filed in compliance with State law.
- \_\_\_\_\_ 11. **Application fee - \$400.00**. Payable to DeKalb County.

**INCOMPLETE APPLICATIONS WILL NOT BE ACCEPTED**

**If subject property is made up of parcels located on opposite sides of a public street, a separate application is required for each parcel.**



## DEPARTMENT OF PLANNING & SUSTAINABILITY

- A. Filing Fee:** \$400. Filing fees shall not be refunded at any time following the deadline for amendments.
- B. Criteria:** Sec. 27-873. Special land use permits; criteria to be applied. The following criteria shall be applied by the Department of Planning and Sustainability, the Planning Commission, and the Board of Commissioners in evaluating and deciding any application for a special land use permit. No application for a special land use permit shall be granted by the Board of Commissioners unless satisfactory provisions and arrangements have been made concerning each of the following factors, all of which are applicable to each application:
- A. Adequacy of the size of the site for use contemplated and whether or not adequate land area is available for the proposed use including provision of all required yards, open space, off-street parking, and all other applicable requirements of the zoning district in which the use is proposed to be located;
  - B. Compatibility of the proposed use with adjacent properties and land uses and with other properties and land uses in the district;
  - C. Adequacy of public services, public facilities, and utilities to serve the use contemplated;
  - D. Adequacy of the public street on which the use is proposed to be located and whether or not there is sufficient traffic-carrying capacity for the use proposed so as not to unduly increase traffic and create congestion in the area;
  - E. Whether or not existing land uses located along access routes to the site will be adversely affected by the character of the vehicles or the volume of traffic generated by the proposed use;
  - F. Ingress and egress to the subject property and to all proposed buildings, structures, and uses thereon, with particular references to pedestrian and automotive safety and convenience, traffic flow and control, and access in the event of fire or other emergency;
  - G. Whether or not the proposed use will create adverse impacts upon any adjoining land use by reason of noise, smoke, odor, dust, or vibration generated by the proposed use;
  - H. Whether or not the proposed use will create adverse impacts upon any adjoining land use by reason of the hours of operation of the proposed use;
  - I. Whether or not the proposed use will create adverse impacts upon any adjoining land use by reason of the manner of operation of the proposed use;
  - J. Whether or not the proposed plan is consistent with all of the requirements of the zoning district classification in which the use is proposed to be located;
  - K. Whether or not the proposed use is consistent with the policies of the Comprehensive Plan;
  - L. Whether or not the proposed plan provides for all required buffer zones and transitional buffer zones where required by the regulations of the district in which the use is proposed to be located;
  - M. Whether or not there is adequate provision of refuse and service areas;
  - N. Whether the length of time for which the special land use permit is granted should be limited in duration;
  - O. Whether or not the size, scale and massing of proposed buildings are appropriate in relation to the size of the subject property and in relation to the size, scale and massing of the adjacent and nearby lots and buildings;
  - P. Whether the proposed plan will adversely affect historic buildings, sites, districts, or archaeological resources;
  - Q. Whether the proposed use satisfies the requirements contained within the Supplemental Regulations for such special land use permit.
  - R. Whether or not the proposed building as a result of its proposed height will create a negative shadow impact on any adjoining lot or building.
  - S. Whether the proposed use would result in a disproportional proliferation of that or similar uses in the subject character area.
  - T. Whether the proposed use would be consistent with the needs of the neighborhood or of the community as a whole, be compatible with the neighborhood, and would not be in conflict with the overall objectives of the comprehensive plan.
- C. Additional Criteria is contained in Supplemental Regulations of Zoning Ordinance:** Sec. 27-874. Additional criteria for specified uses: "In addition to the criteria contained in Sec. 27-873 and Sec. 27-863 listed above, which each applicant for special land use permit is required to meet, Article IV, Supplemental Regulations of the DeKalb County Zoning Ordinance shall apply to that specific land use being applied for. No application for a Special Land Use permit for the uses specified shall be granted by the Board of Commissioners unless it is determined that all requirements contained within the zoning district in which such property is located, and the criteria contained in Section 27-873 and Article IV, Supplemental Regulations have been met."

## Legal Description

All that tract or parcel of land lying and being in Land Lot 37 of the 16th Land District, Dekalb County, Georgia and being more particularly described as follows:

BEGINNING at a point at the northern most intersection of the southerly right-of-way line of Panola Road (variable r/w) and the mitered right-of-way line between Panola Road and Young Road (variable r/w), said point being the TRUE POINT OF BEGINNING;

thence along said right-of-way line of Panola Road, N 33°34'10" E a distance of 347.47 feet to a point, thence leaving said right-of-way line, S 63°42'43" E a distance of 53.59 feet to a point, thence S 23°36'17" E a distance of 255.28 feet to a point on a curve on said northerly right-of-way line of Young Road, said curve having a radius of 794.44 feet, thence along said right-of-way along the arc of a said curve a distance of 343.91 feet to a point, said arc subtended by a chord bearing S 71°25'26" W, a distance of 341.23 feet to a point on the mitered right-of-way line, thence along said mitered right-of-way line, N 18°08'10" W a distance of 29.66 feet to a point, thence N 11°17'40" W a distance of 49.62 feet to a point, and the TRUE POINT OF BEGINNING.

Said property contains 60,229 square feet or 1.38 acres, more or less.

A new legal description was created for the combination of the two tracts, and the record legal descriptions went to the centerline of road less and except the current right-of-ways. And, because the survey is on the grid north bearing base.



TITLE NOTES:  
 TITLE INFORMATION SUPPLIED BY CLIENT ON JULY 27, 2020.  
 SUBJECT PROPERTY HAS ACCESS TO PREVIOUSLY DEDICATED RIGHT OF WAY OF PANOLA AND YOUNG ROADS.  
 SCHEDULE B EXCEPTIONS:  
 1. EASEMENT FROM J LAX YOUNG TO GEORGIA POWER COMPANY, DATED DECEMBER 5, 1939, FILED FOR RECORD DECEMBER 28, 1939, RECORDED IN DEED BOOK 508, PAGE 300, DEKALB COUNTY RECORDS. (BLANKET EASEMENT)  
 2. RIGHT OF WAY DEED FROM ANGELINE THEO TO DEPARTMENT OF TRANSPORTATION, DATED DECEMBER 5, 1991, FILED FOR RECORD DECEMBER 9, 1991, RECORDED IN DEED BOOK 7122, PAGE 336, FULTON COUNTY RECORDS. (THE WIDENING OF PANOLA ROAD)  
 3. RIGHT OF WAY DEED FROM ANGELINE THEO TO DEPARTMENT OF TRANSPORTATION, DATED DECEMBER 5, 1991, FILED FOR RECORD DECEMBER 9, 1991, RECORDED IN DEED BOOK 7122, PAGE 340, FULTON COUNTY RECORDS. (THE WIDENING OF PANOLA ROAD)

NOTES:  
 THE PROPERTY IS ZONED R-100. SITE AREAS 60,229 SF FT OR 1.38 ACRES.  
 CURRENT MIN. BLDG. SETBACKS: PER COUNTY COUNTY MUNICODÉ FRONT+40' or 50', SIDE+10', REAR+40'  
 THE FIELD DATA UPON WHICH THIS PLAT IS BASED HAS A RELATIVE POSITIONAL PRECISION OF 0.03', AND WAS ADJUSTED USING A LEAST SQUARES ADJUSTMENT.  
 A PRECISION FORCUS 35 TOTAL STATION WAS USED TO OBTAIN LINEAR AND ANGULAR MEASUREMENTS. LINEAR DISTANCES SHOWN ARE GROUND HORIZONTAL DISTANCES.  
 THIS MAP OR PLAT HAS BEEN CALCULATED FOR CLOSURE AND IS ACCURATE WITHIN ONE FOOT IN 1,000,000+ FEET.  
 FIELD WORK WAS COMPLETED ON AUGUST 24, 2020.  
 ELEVATIONS ESTABLISHED ARE BASED ON NAVD83 DATUM AND WERE ESTABLISHED USING GPS EQUIPMENT ON eGPS REFERENCE STATIONS.  
 BEARINGS AND DISTANCES SHOWN HEREON WERE FIELD MEASURED AND ARE IN SUBSTANTIAL AGREEMENT WITH THE DESCRIPTION UNLESS OTHERWISE NOTED HEREON.  
 SPG SURVEYING, LLC DOES NOT WARRANT THE EXISTENCE OR NONEXISTENCE OF ANY WETLANDS OR HAZARDOUS WASTE IN THE SURVEY AREA.  
 NO PART OF THIS PROPERTY IS LOCATED WITHIN A SPECIAL FLOOD HAZARD AREA (ZONE AE) DEFINED BY F.I.R.M. COMMUNITY PANEL NUMBER 13089C0156J, EFFECTIVE DATE OF MAY 16, 2013, DEKALB COUNTY, GEORGIA, AND UNINCORPORATED AREAS.  
 UNLESS STATED OTHERWISE HEREON, ONLY EVIDENCE OF EASEMENTS OR STRUCTURES THERETO WHICH ARE READILY APPARENT FROM A CASUAL ABOVE GROUND VIEW OF THE PREMISES ARE SHOWN. THE PREMISES SHOWN AND DESCRIBED HEREON ARE SUBJECT TO ANY EXISTING EASEMENTS, RIGHT-OF-WAYS, RESTRICTIONS, AND SETBACK LINES WHETHER OR NOT THEY ARE SHOWN ON THE PLAT HEREON OR WHETHER OR NOT RECORDED IN THE PUBLIC RECORDS. NO LIABILITY IS ASSUMED BY THE UNDERSIGNED FOR LOSS THAT MAY BE ASSOCIATED WITH THE EXISTENCE OF ANY EASEMENTS.  
 REPRODUCTIONS OF THIS PLAT ARE NOT VALID UNLESS SEALED AND SIGNED WITH AN ORIGINAL SIGNATURE.  
 INFORMATION REGARDING THE REPUTED PRESENCE, SIZE, CHARACTER & LOCATION OF EXISTING UNDERGROUND UTILITIES AND STRUCTURES IS SHOWN HEREON AND WAS BASED ON VISIBLE ABOVE GROUND EVIDENCE SUCH AS MANHOLES, CATCH BASINS, FIRE HYDRANTS, WATER METERS, ETC. THERE IS NO CERTAINTY OF THE ACCURACY OF THIS INFORMATION AND IT SHALL BE CONSIDERED IN THAT LIGHT BY THOSE USING THIS DRAWING. THE LOCATION AND ARRANGEMENT OF UNDERGROUND UTILITIES AND STRUCTURES SHOWN HEREON MAY BE INACCURATE AND UTILITIES AND STRUCTURES NOT SHOWN MAY BE ENCOUNTERED. THE OWNER, HIS EMPLOYEES, HIS CONSULTANTS AND HIS CONTRACTORS SHALL HEREBY DISTINCTLY UNDERSTAND THAT THE SURVEYOR IS NOT RESPONSIBLE FOR THE CORRECTNESS OR SUFFICIENCY OF THIS INFORMATION.  
 NO EVIDENCE OF RECENT EARTH MOVING WORK, BUILDING CONSTRUCTION, OR BUILDING ADDITIONS OBSERVED DURING THE PROCESS OF CONDUCTING THE FIELDWORK.  
 NO EVIDENCE OF RECENT STREET OR SIDEWALK CONSTRUCTION OR REPAIRS OBSERVED DURING THE PROCESS OF CONDUCTING THE FIELDWORK.  
 NO WETLAND MARKERS WERE OBSERVED DURING THE PROCESS OF CONDUCTING THE FIELDWORK.  
 NO OBSERVED EVIDENCE IN THE PROCESS OF CONDUCTING THE FIELDWORK OF CEMETERIES OR BURIAL GROUNDS.  
 NO ENCHROACHMENTS EXIST ON THIS PROPERTY.

SURVEY NOTES:  
 PARCELS #1 & #2 - LEGAL DESCRIPTION HAS VAGUE CALLS AND DESCRIPTIONS CALL FOR PARCELS TO THE CENTERLINE OF ROADS, LESS AND EXCEPT THE PORTIONS LYING WITHIN THE RIGHTS OF WAYS OF PANOLA AND YOUNG ROADS.  
 CAN'T READ THE RIGHT OF WAY PLAN DRAWINGS BY GDOT. PRINT IS TOO SMALL SENT BY CLIENT. USED GRAPHICS FROM GDOT PLANS.

THIS BLOCK IS RESERVED FOR THE CLERK OF SUPERIOR COURT

LEGAL DESCRIPTION:  
 All that tract or parcel of land lying and being in Land Lot 37 of the 16th Land District, DeKalb County, Georgia and being more particularly described as follows:  
 BEGINNING at a point at the northern most intersection of the southerly right-of-way line of Panola Road (variable r/w) and the mitered right-of-way line between Panola Road and Young Road (variable r/w), said point being the TRUE POINT OF BEGINNING;  
 thence along said right-of-way line of Panola Road, N 33° 34' 10" E a distance of 347.47 feet to a point, thence leaving said right-of-way line, S 63° 42' 43" E a distance of 53.59 feet to a point, thence S 23° 36' 17" E a distance of 255.28 feet to a point on a curve on said northerly right-of-way line of Young Road, said curve having a radius of 794.44 feet, thence along said right-of-way along the arc of a said curve a distance of 343.91 feet to a point, said arc subtended by a chord bearing S 71° 25' 26" W, a distance of 341.23 feet to a point on the mitered right-of-way line, thence along said mitered right-of-way line, N 18° 08' 10" W a distance of 29.66 feet to a point, thence N 11° 17' 40" W a distance of 49.62 feet to a point, and the TRUE POINT OF BEGINNING.  
 Said property contains 60,229 square feet or 1.38 acres, more or less.  
 A new legal description was created for the combination of the two tracts, and the record legal descriptions went to the centerline of road less and except the current right-of-ways. And, because the survey is on the grid north bearing base.

GRID NORTH  
 GA. WEST ZONE

VICINITY MAP  
 NOT TO SCALE

LEGEND

- IPF IRON PIN FOUND
- LL LAND LOT
- LLL LAND LOT LINE
- (MH) MANHOLE
- POB POINT OF BEGINNING
- N/F NOW OR FORMERLY
- BSL BUILDING SETBACK LINE
- JB JUNCTION BOX
- DI DROP INLET
- DS DOUBLE WING CATCH BASIN
- HW HEADWALL
- SS SINGLE WING CATCH BASIN
- SL STORM LINE
- DE DRAINAGE EASEMENT
- SS SANITARY SEWER LINE
- SSE SANITARY SEWER EASEMENT
- W WATER MAIN
- WM WATER METER
- WV WATER VALVE
- FH FIRE HYDRANT
- G GAS LINE
- FO FIBER OPTIC
- UT UNDERGROUND TEL.
- UE UNDERGROUND ELEC.
- OE OVERHEAD ELEC.
- UP UTILITY POLE
- S SIGN
- HW HARDWOOD
- P PINE

GRAPHIC SCALE  
 30 15 0 30 60 FT  
 SCALE: 1" = 30'

Owners:  
 2020 Partners LLC  
 First American Bank and Trust  
 Chicago Title Insurance Company


TO: CMB DESIGN GROUP  
 THIS IS TO CERTIFY THAT THIS MAP OR PLAT AND THE SURVEY ON WHICH IT IS BASED WERE MADE IN ACCORDANCE WITH THE 2016 MINIMUM STANDARD DETAIL REQUIREMENTS FOR ALTA/NSPS LAND TITLE SURVEYS, JOINTLY ESTABLISHED AND ADOPTED BY ALTA AND NSPS, AND INCLUDES ITEMS 2-5, 7(a), 8, 9, 10(a)&(b), 11, 13, 14, 16-19 OF TABLE A THEREOF. THE FIELDWORK WAS COMPLETED ON AUGUST 25, 2020.

Steven P Griggs  
 DATE OF PLAT OR MAP: AUGUST 26 2020  
 STEVEN P. GRIGGS, RLS NO. 2845

GEORGIA  
 8-26-2020  
 LAND SURVEY  
 STEVEN P. GRIGGS

CMB Design Group, LLC  
 11877 Douglas Rd  
 Suite 102  
 Johns Creek, GA 30005  
 www.CMBDESIGNGROUP.com  
 cmandb@bellsouth.net


SHIRT 1 OF 1



ALTA/NSPS Land Title Survey of #1744 & 1762 Panola Road Land Lot 37, 16th District, DeKalb County, GA		For: CMB Design Group	
BY:		DATE:	
REVISIONS		FILE NO.	202006.01
		DRAWN BY:	SG
		APPROVED BY:	SG
		REVIEWED BY:	SG
		DATE:	08/24/2020
		PROJECT NO.	202006.001

DATE: 8/26/2020  
 TIME: 10:00 AM  
 FILE: 1744\_1762\_Panola\_Road






**SITE SUMMARY TABLE**

<b>AREA</b>	
TOTAL PROPERTY AREA:	1.30 AC
TRACT ONE:	0.72 AC
TRACT TWO:	0.58 AC
BUILDING AREA:	6,500 SF
IMPERVIOUS AREA:	0.63 AC (49%)
<b>ZONING</b>	
OVERLAY:	NONE
EXISTING PROPERTY ZONING:	R100
ADJACENT ZONING:	C3 (SOUTH ACROSS STREET); R100 (EAST) C1 (WEST ACROSS STREET)
<b>PROPOSED ZONING</b>	
PROPERTY ZONING:	C1
<b>EXISTING ZONING BUILDING SETBACKS</b>	
PANOLA RD FRONT YARD:	50' WITH R100
YOUNG RD FRONT YARD:	40' WITH R100
SIDE/REAR YARD:	10' WITH R100
<b>C1 BUILDING SETBACKS</b>	
PANOLA RD FRONT YARD:	60'
YOUNG RD FRONT YARD:	50'
REQUESTED VARIANCE TO YOUNG RD FRONTAGE:	30'
SIDE/REAR YARD:	30'
<b>BUFFER / LANDSCAPE STRIPS</b>	
PANOLA RD:	10' LANDSCAPE STRIP
YOUNG RD FRONT YARD:	10' LANDSCAPE STRIP
SIDE/REAR YARD:	50' CLASS C BUFFER AGAINST RESIDENTIAL
<b>PARKING:</b>	
MINIMUM (1 PER 500 SF):	6400 / 500 = 13 SPACES
PROPOSED:	18 (INCLUDING 2 HC SPACES & 8 PUMP SPACES)

**CONCEPTUAL SITE PLAN**  
 FOR:  
**1762 & 1744 PANOLA ROAD**  
 STONE MOUNTAIN, GA.  
 DOUGLAS COUNTY, GA  
 PARCELS: 16 037 02 008, 16 037 02 007





No.	Revision/Issue	Date

**RASK**  
 CIVIL ENGINEERING  
 409 ROSE LANE  
 WOODSTOCK, GA 30188  
 (404) 226-6795

**OWNER/DEVELOPER:**  
 2020 PARTNERS LLC

**CONTACT:**

<b>Project</b>	<b>Sheet</b>
<b>Date</b> 11/3/20	C0.0
<b>Scale</b> 1"=20'	







**CONCEPTUAL BUILDING VIEW**  
**1744 and 1762 Panola Road, Stone Mountain, Dekalb County**





MATERIAL LEGEND

1. GLASS STOREFRONT
2. ENTRANCE PIERS CLAD IN BRICK
3. FRONT AND SIDE FAÇADE CLAD IN BRICK
4. METAL CANOPY
5. METAL COPING
6. SPACE FOR SIGNAGE
7. LANDSCAPING AT THE BUILDING
8. OUTDOOR SEATING



**CONCEPTUAL BUILDING VIEW**  
1744 and 1762 Panola Road, Stone Mountain, Dekalb County

From: Jeffrey Smith  
To: **Planning and Zoning  
Department – Dekalb  
County Ga.**

**Intent Title: Letter of Impact on property**  
**Location: 1762 & 1744 Panola Road and Young Road Corner**

This letter is a description of factors needed to meet the Special Land Use approval

- A. The combination of both of these parcels works perfectly for the requested use. A gas pump layout as shown on our plans and the convenience store take up the central part of the site, and allows for easy access into and out of the site, and keeps buffers against residential.
- B. Compatibility with adjoining uses works well. The Residential to the north east will be blocked by an existing 50' vegetative buffer, and roads surround the other 2 sides on the corner.
- C. There is plenty of adequate public services, facilities and utilities available at this site.
- D. The shape of this corner lot allows for easy traffic flows and won't create congestion.
- E. Existing land use will not impact the character or volume of vehicles in the area.
- F. The shape of the lot and the use proposed will work perfectly on this site, allowing access from both sides with ability to add decel lanes if needed.
- G. This use will not create adverse impacts on adjoining land uses by reason of noise, smoke, odor, dust or vibration. This property will adhere by all codes for property storage of gas tanks to avoid smells. Noise will not be an issue with this use.
- H. This use will not create adverse impacts on the adjoining land uses by reason of hours of operation. All lighting will be directly lit downward, with no off site spread. Management will not allow large groups to gather outside on property. The use will be a high use for local police and will be visible by many to help keep safe. The hours will adhere to local laws.
- I. This use will not create any adverse impacts to adjoining land uses by reason of the manner of operation. This is for gas fill ups, and retail purchases indoors with no loitering allowed per county ordinances.
- J. The proposed plan is consistent with all zoning requirements of this district and will abide by all codes.
- K. The proposed plan does fit within the context of the comprehensive plan for this area.
- L. The proposed plan is designed specifically to adhere to all buffer zones required, and was designed to retain the natural buffers along the north east side. All landscape strips are added per code as well.
- M. This proposed plan allows for adequate refuse and service areas.
- N. This proposed plan will adhere to a timely duration for implementation.
- O. The size, scale and massing of the proposed building and gas canopy are designed to not to impact the neighborhood aesthetics. It is a single story building with very nice finishes. The size and massing will not affect the look of the surrounding area.
- P. This proposed use will not adversely affect any historic buildings, sites, districts, or archaeological resources.
- Q. The proposed use satisfies the requirements for such special uses.

- R. The proposed single story height of the building pulled back 50' from the street will not be a negative impact.
- S. This proposed use will be more of a boutique gas station convenience store and will not disproportionately proliferate similar uses in the area.
- T. The proposed use is consistent with the needs of the community. Atlanta is such a vehicular community and having a convenience store with gas station on a major corner with residential nearby will be popular use by all. It will not conflict with overall comprehensive plan of the area.

Sincerely,

A rectangular image showing a handwritten signature in blue ink on a light-colored background. The signature is cursive and appears to read 'Jeff Smith'.

Jeffrey Smith (Representative for Cityview)

---



From: Jeffrey Smith  
To: **Planning and Zoning  
Department – Dekalb  
County Ga.**

**Intent Title: Request for Land Use Change for Cityview to Allow Beer and Wine Sales**  
**Location: 1762 & 1744 Panola Road and Young Road Corner**

This letter is a request to the Dekalb County Planning and Zoning Department to please grant us a land use change that would allow us to sell beer and wine at a proposed convenience store with gas pumps in on the corner of 1762 & 1744 Panola Road and Young Road.

The existing site is on a triangle parcel of land and would be a convenient site for this use. Cityview and request a rezoning from R100 to C1 for this use as well. The location is currently an undeveloped wooden lot that would probably not be developed into a residential site because of its shape and location surrounded by major streets.

The store will be of high quality design, with nice finishes, and property will be lit with LED lighting to avoid unwanted people from gathering around for no reason. Management does not want this type of gas station. This is considered more of a high end gas station convenience store for the community.

Sincerely,

A rectangular box containing a handwritten signature in blue ink, which appears to be "Jeffrey Smith".

Jeffrey Smith (Representative for Cityview)

---

