



Atlanta GA
 2560 Moreland Avenue SE
 Atlanta, GA 30315
 (404) 622-1921

Customer Proposal Letter

DeKalb County Georgia Department of Purchasing and Contracting
 1300 COMMERCE DRIVE
 DECATUR, 30030
 (404) 297-3280

Tommy, thank you for the opportunity to earn your business. We look forward to working with you on your business needs. Please accept the following proposal.

VEHICLE

Make Isuzu Model NRR Year 2024 Stock Number To Be Determined

Additional Vehicle and Accessories Description To be delivered on or about Spring/Summer 2024

2024 Isuzu NRR truck chassis with a sign truck body mounted and delivered.

Georgia State Contract 99999-SPD-SPD00000155-0001

Quantity	1	Total
Truck Price per Unit	<u>\$197,549.00</u>	<u>\$197,549.00</u>
Discount	<u>\$5000.00</u>	<u>\$5000.00</u>
Net Sales Price	<u>\$192,549.00</u>	<u>\$192,549.00</u>
Optional Extended Warranty(ies)		
State Sales Tax		
Documentary Fee	<u>\$0.00</u>	<u>\$0.00</u>
Administration Fee	<u>\$0.00</u>	<u>\$ 0.00</u>
Vehicle Inventory Tax		
Additional Taxes		
Tire Recycling Program		
Battery Disposal Fee		
Out of State Vehicle Fee		
Rebate(s)		
Total Sales Price (Including Rebate(s))	<u>\$192,549.00</u>	<u>\$192,549.00</u>
Trade Allowance (see DISCLAIMER Below)		<u>\$0.00</u>

Sales Representative

Kurt Hohlstein

Purchaser

signature

printed name

signature

printed name

Accepted by Sales Manager or General Manager

title

date

signature

printed name

Kurt Hohlstein
 9-1-2023

Quote good until

Note: The above Customer Proposal is a quotation only. Sale terms subject to approval of Sales Manager of Dealer.

DISCLAIMER: Any order based on this Proposal subject to Customer executing Dealer's standard form Retail Purchase Order incorporating above terms. Any documentary fees, state tax, title, registration and license fees subject to adjustment and change. Actual F.E.T. to be paid by Dealer, subject to adjustment. Any F.E.T. variance will be responsibility of Dealer. Manufacturer has reserved the right to change the price to Dealer of any vehicle not currently in Dealer's stock, without notice to Dealer. If Quoted Vehicle(s) not currently in Dealer's stock, Dealer reserves right to change Quotation Total to reflect any price increases from Manufacturer. This Proposal is based upon Dealer's current and expected inventory, which is subject to change. Dealer not obligated to retain any specific vehicles in stock, nor maintain any specific inventory level. Dealer shall not be obligated to fulfill Proposal in event quoted vehicle(s) not in stock or available within requested delivery schedule at time Proposal accepted. Dealer shall not be liable for any delay in providing or inability to provide Quoted Vehicle(s), where such inability or delay is due, in whole or in part, to any cause beyond the reasonable control of Dealer or is without the gross negligence or intended misconduct of Dealer. Above listed Trade Value based upon current appraisal of Trade Vehicle(s). Dealer may adjust Trade Value of Trade Vehicle(s) to reflect changes in condition and/or mileage of Trade Vehicle(s) between date of current appraisal and acceptance of this Proposal by Customer.



RUSH ISUZU TRUCK ATLANTA

William "Kurt" Hohlstein jr

DEKALB COUNTY DIESELSIGN TRUCK #2




Current report content is based on data as of 2023-08-21 06:51:01. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.

RUSH ISUZU TRUCK ATLANTA

William "Kurt" Hohlstein jr

DEKALB COUNTY DIESELSIGN TRUCK #2 (2024 NRR Cab Chassis, 3U2 132.5"WB, 110"CA, 19,500 GVWR. White, 30 Gallon Stainless Steel In-Rail Fuel Tank with power windows, power door locks and air conditioning

Weight Distribution



Driver/Passenger Weight	350.0 lbs.
Wheelbase (WB)	132.5 inches
Cab-to-Axle (CA)	110 inches
Body Length	
Body Weight	
Back of Cab (BOC)	7.7 inches

**** You must fill in body length and weight to enable body and payload weight calculations.**

Front Wt.	4,628.10 lbs.	66%
Rear Wt.	2,340.00 lbs.	34%
GVWR	19,500.00 lbs.	
GVW	6,968.10 lbs.	
Remaining Payload Weight	12,531.90 lbs.	

Weight (lbs.)	Front	Rear	Total
Chassis	4,251.00	2,337.00	6,588.00
Chassis Equipment	27.10	3.00	30.10
Subtotal	4,278.10	2,340.00	6,618.10
Driver/Passengers	350.00	0.00	350.00
Body/Body Equipment	0.00	0.00	0.00
Payload	0.00	0.00	0.00
Total	4,628.10	2,340.00	6,968.10
GAWR/GVWR	7,275.00	13,660.00	19,500.00
GCWR			25,500.00

Chassis Equipment:

Code	Item	Center of Gravity	Front Axle	Rear Axle	Total
54	White, 30 Gallon Stainless Steel In-Rail Fuel Tank with power windows, power door locks and air conditioning		0.00 lbs.	0.00 lbs.	0.00 lbs.
WAG	60 months / 200,000 Miles PLUS		0.00 lbs.	0.00 lbs.	0.00 lbs.
IF6	Fire Extinguisher and Triangle Kit mounted in rear organizer on standard cab and under rear seat on crew cab		19.00 lbs.	0.00 lbs.	19.00 lbs.
UZF	Back up alarm		0.00 lbs.	1.00 lbs.	1.00 lbs.
IH2	Engine emergency shutdown system HWT, LWL, LOP		0.00 lbs.	0.00 lbs.	0.00 lbs.
IL9	PTO enable switch and engine idle up switch recommended for PTO and idle applications only		0.10 lbs.	0.00 lbs.	0.10 lbs.
I8L	High visibility seat belt (driver and RH passenger seat)		0.00 lbs.	0.00 lbs.	0.00 lbs.
I2V	Audio System with 7" diagonal color touch-screen with backup camera (camera shipped loose)		2.00 lbs.	2.00 lbs.	4.00 lbs.
I0W	Heated dual remote control mirrors (17" head)		4.00 lbs.	0.00 lbs.	4.00 lbs.
I3Z	Spare keys (2 additional, 4 keys in total)		0.00 lbs.	0.00 lbs.	0.00 lbs.
I6L	LED lighting package		0.00 lbs.	0.00 lbs.	0.00 lbs.
I72	Block heater with receptacle		2.00 lbs.	0.00 lbs.	2.00 lbs.
I4I	30 Gallon Stainless Steel In-Rail Fuel Tank		0.00 lbs.	0.00 lbs.	0.00 lbs.

Current report content is based on data as of 2023-08-21 06:51:01. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



RUSH ISUZU TRUCK ATLANTA

William "Kurt" Hohlstein jr

DEKALB COUNTY DIESELSIGN TRUCK #2 (2024 NRR Cab Chassis, 3U2 132.5"WB, 110"CA, 19,500 GVWR. White, 30 Gallon Stainless Steel In-Rail Fuel Tank with power windows, power door locks and air conditioning

Selected Model and Options

	Code	Description	Weight
Model	3U2 54	NRR Cab Chassis 132.5"WB, 110"CA White, 30 Gallon Stainless Steel In-Rail Fuel Tank with power windows, power door locks and air conditioning	
Tires			
Engine	I5H	LRR (low rolling resistance)	0.0 lbs.
Transmission	I1B	4HK1-TC, diesel engine 317 CID (5.19L), 215 HP at 2550 RPM: 452 ft.-lb. gross torque at 1850 RPM. 4 cylinder, 16 valve, four cycle, overhead cam, turbocharged, inter-cooled, water cooled EGR valve, direct injection, electronically controlled common rail fuel system, engine cruise control function. Oil level check switch and light. Engine Warning system with audible warning for low oil pressure, high coolant temperature, and low coolant level.	0.0 lbs.
Wheelbase	I1W	Aisin A465id 6-speed automatic transmission, Ratios: 3.742, 2.003, 1.343,	0.0 lbs.
Air Cleaner	IA9	132.5 inches, includes ladder type channel frame. Full C section straight frame 33.5 inches wide. Yield strength 44,000 psi; section modulus 7.20 in ³ RBM 316,800 lb./ft./in. per rail. 110"CA	0.0 lbs.
Alternator	KNX	Dry Paper single element. (Donaldson brand) Air cleaner canister standard with air restriction indicator in the driver's Multi-Information Display (MID).	0.0 lbs.
Battery	I2C	140 AMP. with integral regulator.	0.0 lbs.
Exhaust	IX1	Dual 12-Volt maintenance free group 31 750 CCA batteries with threaded posts	0.0 lbs.
Front Axle	IX7	Single horizontal with DPF/SCR exhaust system	0.0 lbs.
Front Suspension	I26	"I"-beam rated at 7,275 lbs. Includes integral hydraulic power steering. Ratio 18.8-20.9:1.	0.0 lbs.
Front Wheels	ID8	8440 lbs. Capacity semi elliptical tapered leaf spring. Includes shock absorbers and stabilizer bar	0.0 lbs.
Front Tires	IB9	19.5" x 6", 6-hole disc, painted white	0.0 lbs.
Rear Suspension	XTN/R3M	225/70R19.5F (12 ply) tubeless Radial, all season	0.0 lbs.
	ID9	14,550 lbs. capacity. Semi-elliptical main and	0.0 lbs.

Current report content is based on data as of 2023-08-21 06:51:01. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.

RUSH ISUZU TRUCK ATLANTA

William "Kurt" Hohlstein jr

DEKALB COUNTY DIESELSIGN TRUCK #2 (2024 NRR Cab Chassis, 3U2 132.5"WB, 110"CA, 19,500 GVWR. White, 30 Gallon Stainless Steel In-Rail Fuel Tank with power windows, power door locks and air conditioning

Selected Model and Options

	Code	Description	Weight
Rear Axle		auxiliary multi-leaf springs. Includes shock absorbers.	
	ID3	Single-speed, 14,550 lb. capacity with oil lubricated rear wheel bearings.	0.0 lbs.
Ratio			
	011	5.571:1	0.0 lbs.
Rear Wheels			
	IC1	19.5" x 6", 6-hole disc, painted white	0.0 lbs.
Rear Tires			
	YTN/S3M	225/70R19.5F (12 ply) tubeless Radial, all season tread.	0.0 lbs.
Fuel Tank			
	I4I	30 Gallon Stainless Steel In-Rail Fuel Tank	0.0 lbs.
Seat			
	AQB	Driver seat is reclining high back. Two single occupant fold down seats with tray backs.	0.0 lbs.
Brakes			
	K40	Butterfly valve type exhaust brake	0.0 lbs.
	IE1	Vacuum + Power Assist; hydraulic 4-wheel disc brakes with 4-channel ABS. Mechanical, transmission mounted parking brake. Non-asbestos semi metallic linings are standard.	0.0 lbs.
Air Conditioning			
	C60	Air conditioner	0.0 lbs.
Power Windows & Door Locks			
	IL0	Yes	0.0 lbs.
Floor Mats			
	IQ6	Standard Floor Mats	0.0 lbs.
Model Option			
	54	White, 30 Gallon Stainless Steel In-Rail Fuel Tank with power windows, power door locks and air conditioning	0.0 lbs.
Additional Options			
	IF6	Fire Extinguisher and Triangle Kit mounted in rear organizer on standard cab and under rear seat on crew cab	19.0 lbs.
	UZF	Back up alarm	1.0 lbs.
	IH2	Engine emergency shutdown system HWT, LWL, LOP	0.0 lbs.
	IL9	PTO enable switch and engine idle up switch recommended for PTO and idle applications only	0.1 lbs.
	I8L	High visibility seat belt (driver and RH passenger seat)	0.0 lbs.
	I2V	Audio System with 7" diagonal color touch-screen with backup camera (camera shipped loose)	4.0 lbs.
	I0W	Heated dual remote control mirrors (17" head)	4.0 lbs.

Current report content is based on data as of 2023-08-21 06:51:01. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



RUSH ISUZU TRUCK ATLANTA

William "Kurt" Hohlstein jr

DEKALB COUNTY DIESELSIGN TRUCK #2 (2024 NRR Cab Chassis, 3U2 132.5"WB, 110"CA, 19,500 GVWR. White, 30 Gallon Stainless Steel In-Rail Fuel Tank with power windows, power door locks and air conditioning

Selected Model and Options

	Code	Description	Weight
Assistance System	I3Z	Spare keys (2 additional, 4 keys in total)	0.0 lbs.
	I6L	LED lighting package	0.0 lbs.
	I72	Block heater with receptacle	2.0 lbs.
Accessories	I5I	Electronic Vehicle Stability Control (EVSC) include ASR (Anti-Slip Regulation)	0.0 lbs.
	IX2	Rear body dome lamp switch	0.1 lbs.
Extended Warranty	8RP	AM/FM/CD radio with Aux input/USB port and Bluetooth RPO	0.0 lbs.
	WAG	60 months / 200,000 Miles PLUS	0.0 lbs.

Current report content is based on data as of 2023-08-21 06:51:01. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



70 Pike Industrial Way
Milner, GA 30257

Estimate

Date	Estimate #
8/31/2023	23172

Name / Address
Rush Truck Center - Atlanta 2560 Moreland Ave. Atlanta, GA 30315

Additional Info

Rep	P.O. No.	Approx Lead Time	Terms	Make / Model	C/A & SRW-DRW
MATT		16-20 Weeks	Net 30	Isuzu NRR	132" WB DRW

Description	Qty	Cost	Total
DeKalb County Street Maintenance Tommy Corely			
Chassis: Isuzu NRR Diesel 132" Wheelbase Lead Time: 16-20 Weeks After Chassis Delivery			
Provide Body and Scissor Lift for Street Maintenance 8" Channel Long Sills x 13 ft. Long Front 6 ft. to be Decked with 11 ga. Steel Under Scissor Lift 96" Wide x 7 ft. Flatbed Behind Scissor Lift 3" Channel Cross-Members at 12" On-Center 1/8" Tread Plate Floor 1/4" x 4" Side Rails	1		
Passenger Side Underbody: Wheel Chock Holder in Front of Tire (2) Wheel Chocks with Rope 18" x 18" x 30" Behind Tire			
Passenger Side Topside: 30" Railing from 1.5" Square Tubing as Described 0.5" Gap at Floor 9" Solid at 0.5" from Floor 1.5" Square Tubing at 18.25" from Floor Aluminum Chest Box: 24" Width x 24" Height x 49" Length with Top Opening Lid Mounted Passenger Side Rear Corner			

Phone #	Fax #	E-mail	Web Site	Subtotal
770-228-9974	770-228-7573	sales@kandkmfg.com	www.kandkmfg.com	
				Sales Tax (0.0%)
				Total

Estimates are valid for 7 days unless otherwise noted.



70 Pike Industrial Way
Milner, GA 30257

Estimate

Date	Estimate #
8/31/2023	23172

Name / Address
Rush Truck Center - Atlanta 2560 Moreland Ave. Atlanta, GA 30315

Additional Info

Rep	P.O. No.	Approx Lead Time	Terms	Make / Model	C/A & SRW-DRW
MATT		16-20 Weeks	Net 30	Isuzu NRR	132" WB DRW

Description	Qty	Cost	Total
<p>Driver Side Underbody: Wheel Chock Holder in Front of Tire (2) Wheel Chocks with Rope 18" x 18" x 24" Behind Tire</p> <p>Driver Side Topside: 30" Railing from 1.5" Square Tubing Sign Compartment as Described 81" Inside Length x 26.5" Inside Width x 30" Height (5) Long Dividers 81" Length x 30" Height * Dividers designed to have modular sub-dividers that can be mounted in 2 inch increments the length of the sign compartment. (11) Short Dividers 4.38" Wide x 24" Height Compartment Layout as Described (6) Compartments Approx. 81" Length x 4.38" Wide (4) Sub Compartments 40.5" Length x 4.38" Wide (1) Sub Compartment 32" Length x 4.38" Wide (2) Sub Compartment 14.5" Length x 4.38" Wide (2) Sub Compartment 55" Length x 4.38" Wide (1) Sub Compartment 49" Length x 4.38" Wide (3) Extra Short Dividers 4.38" Wide x 24" Height Shipped Loose Tool Holder on Inside of Sign Compartment Holders to be Evenly Spaced with Drain Hole in Center (4) 4" Square Tubing x 30" Height (4) 2" Square Tubing x 30" Height</p> <p>Rear Bumper: Grip Strut Steps, 32" Wide</p>			

Phone #	Fax #	E-mail	Web Site	Subtotal
770-228-9974	770-228-7573	sales@kandkmfg.com	www.kandkmfg.com	
				Sales Tax (0.0%)
				Total

Estimates are valid for 7 days unless otherwise noted.



70 Pike Industrial Way
Milner, GA 30257

Estimate

Date	Estimate #
8/31/2023	23172

Name / Address
Rush Truck Center - Atlanta 2560 Moreland Ave. Atlanta, GA 30315

Additional Info

Rep	P.O. No.	Approx Lead Time	Terms	Make / Model	C/A & SRW-DRW
MATT		16-20 Weeks	Net 30	Isuzu NRR	132" WB DRW

Description	Qty	Cost	Total
<p>(2) Heavy Duty, Full Height Grab Handles (2) Steps 11" Height x 10" Width Fold Down Gate Mounted on Top Step to Secure Sign Posts Railing from 3" Channel with Dock Bumpers at Top 29" Rear Opening to Access Bed Load Area</p> <p>Under Body Sign Post Storage Compartments: (3) Compartments 4.5" x 12'-6" (2) Compartments 4.5" x 11'-6" (2) Compartments 4.5" x 10'-6" *Posts can be accessed from the top for easy removal.</p> <p>Toolbox at Entrance of Platform: 36" Length x 14" W x 10" Height 1/8" TRD Construction, Pad Lock Tabs</p> <p>Stamm Manufacturing SLT-5 Scissor Lift 60" Lift, Traverse 60" Left and Right 12V Emergency Power Unit 60" x 96" Platform Deep Cycle Battery 36" Bed Gate + (2) End Gates 1,000 lb. Capacity Vertical & 750 lb. Traversed Hydraulic Outrigger on Passenger Side Mast Type Crane, 500 lb. Capacity, 6 ft. Reach Electric / Hydraulic with Winch Winch Cable to Reach within 4 ft. of Ground when Elevated Upper Tool Circuit Outlets</p>			

Phone #	Fax #	E-mail	Web Site	Subtotal
770-228-9974	770-228-7573	sales@kandkmfg.com	www.kandkmfg.com	
				Sales Tax (0.0%)
				Total

Estimates are valid for 7 days unless otherwise noted.

Estimate



70 Pike Industrial Way
Milner, GA 30257

Date	Estimate #
8/31/2023	23172

Name / Address
Rush Truck Center - Atlanta 2560 Moreland Ave. Atlanta, GA 30315

Additional Info

Rep	P.O. No.	Approx Lead Time	Terms	Make / Model	C/A & SRW-DRW
MATT		16-20 Weeks	Net 30	Isuzu NRR	132" WB DRW

Description	Qty	Cost	Total
25' Twin Line Hose Reel on Platform for Tool Circuit Additional Crane Mount on Opposite Side of Platform Hardware Tray on D/S Railing Toolbox Center Front of Platform 48" Length x 6" Width x 12" Height Mounted on 3" Risers Top Opening Lid with Pad Lock Tabs Milk Crate Holder Mounted on D/S Front of Platform PTO and Hydraulic Pump Installed 25 Gallon Hydraulic Reservoir Hydraulic Oil Filter Hydraulic Oil Cooler w/ 12v Fan Adjustable Flow Control Valve Aluminum Housing Flow Meter with Temperature and Pressure Gauges Emergency Hydraulic Shut Off Valve All Valves Labeled with Engraved Aluminum Labels (No Exceptions) Front Stand Assembly to Mount Hydraulic Components and Strobe Lights LED Federal Spec 108 DOT Lighting Modular Wiring Harness with OEM Chassis Adapter Rear Lights Mounted Above Top Step and Recessed Paint: Zinc Epoxy Primer (No Exceptions) White Powder Coat Top Coat Anti-Slip Coating on Steps, Load Area, Step Toolbox and Scissor Lift Platform Strobe Lights: Whelen Dominator D4 AAAA Amber Strobe Lights (No Exceptions)			

Phone #	Fax #	E-mail	Web Site	Subtotal
770-228-9974	770-228-7573	sales@kandkmfg.com	www.kandkmfg.com	
				Sales Tax (0.0%)
				Total

Estimates are valid for 7 days unless otherwise noted.

Estimate



70 Pike Industrial Way
Milner, GA 30257

Date	Estimate #
8/31/2023	23172

Name / Address
Rush Truck Center - Atlanta 2560 Moreland Ave. Atlanta, GA 30315

Additional Info

Rep	P.O. No.	Approx Lead Time	Terms	Make / Model	C/A & SRW-DRW
MATT		16-20 Weeks	Net 30	Isuzu NRR	132" WB DRW

Description	Qty	Cost	Total
(2) Facing Rear, Mounted on Railing (1) Facing Front, Above Cab, Mounted on Riser Stand Rear View Camera with Monitor Mounted on Dash			
Labor to Pick Up Chassis from Rush Truck Center - Atlanta	1		
Labor to Deliver Chassis to Rush Truck Center - Atlanta	1		

Phone #	Fax #	E-mail	Web Site	Subtotal
770-228-9974	770-228-7573	sales@kandkmfg.com	www.kandkmfg.com	
<p>Thank you for allowing us to give you an estimate. If all information on the estimate, including chassis information is correct, please sign above to process order. The lead time above is estimated and is our "target" date of completion. This date is subject to the date of the quote. A 4% processing fee will be applied to all credit and debit card purchases. Deposits are non-refundable.</p>				Sales Tax (0.0%)
				Total

Estimates are valid for 7 days unless otherwise noted.