

#### Atlanta GA 2560 Moreland Avenue SE Atlanta, GA 30315 (404) 622-1921

## **Customer Proposal Letter**

DeKalb County Georgia Department of Purchasing and Contracting 1300 COMMERCE DRIVE DECATUR, 30030 (404) 297-3280

Tommy, thank you for the opportunity to earn your business. We look forward to working with you on your business needs. Please accept the following proposal.

VEHICLE	nowing proposal.			
Make Isuzu Model	FTR Year 2024	Stock Number To Be Determned		
Additional Vehicle and Acce		To be delivered on or about	Jan/Feb 2024	
	n 16ft Tire body (Per Specs) e.	mounted and delivered to Dekalb.	Jan/Feb 2024	
Quantity		1 To	al	
Truck Price per Unit			<u>\$159,813.00</u>	
Georgia State Contract Disc	ount	-7.000.00	<u>-7.000.00</u>	
Net Sales Price Optional Extended Warranty State Sales Tax		\$152,813.00	\$152,813.00	
Documentary Fee				
Administration Fee Vehicle Inventory Tax Additional Taxes Tire Recycling Program Battery Disposal Fee Out of State Vehicle Fee Rebate(s) Total Sales Price (Including I			\$152,813.00 \$0.00	
	L'AIMLIT BEIOWY		1	
Sales Representative		Kurt Hohlstein		
Purchaser	signature	printed name A 687	OMS/EN	
	signature	printed name	2	
Accepted by Sales Manager or General Manager	title	date // - 1 9	-1023	
•	signature	printed name		
Quote good until	Note: The above Customer Proposal is a quotation only. Sale terms subject to approval of Sales Manager of Dealer.			

DISCLAIMER: Any order based on this Proposal subject to Customer executing Dealer's standard form Retail Purchase Order incorporating above terms. Any documentary fees, state tax, title, registration and license fees subject to adjustment and change. Actual F.E.T. to be paid by Dealer, subject to adjustment. Any F.E.T. variance will be responsibility of Dealer. Manufacturer has reserved the right to change the price to Dealer of any vehicle not currently in Dealer's stock, without notice to Dealer. If Quoted Vehicle(s) not currently in Dealer's stock, Dealer reserves right to change Quotation Total to reflect any price increases from Manufacturer. This Proposal is based upon Dealer's current and expected inventory, which is subject to change. Dealer not obligated to retain any specific vehicles in stock, nor maintain any specific inventory level. Dealer shall not be obligated to fulfill Proposal in event quoted vehicle(s) not in stock or available within requested delivery schedule at time Proposal accepted. Dealer shall not be liable for any delay in providing or inability to provide Quoted Vehicle(s), where such inability or delay is due, in whole or in part, to any cause beyond the reasonable control of Dealer or is without the gross negligence or intended misconduct of Dealer. Above listed Trade Value based upon current appraisal of Trade Vehicle(s). Dealer may adjust Trade Value of Trade Vehicle(s) to reflect changes in condition and/or mileage of Trade Vehicle(s) between date of current appraisal and acceptance of this Proposal by Customer.

RTC Q-300-7/12



# **DEKALB COUNTY TIRE SERVICE TRUCK**



Current report content is based on data as of 2023-08-21 07:37:35. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.




#### RUSH ISUZU TRUCK ATLANTA

Michael "Michael John" Lovell

DeKalb MT2 (2024 FTR, MT2 170"WB, 145"CA, 25,950 GVWR. White, standard model specifications with power windows, power door locks, air conditioning, 5.57 final ratio, 11R22.5G tires, 21,000 multi leaf suspension, steel wheel type, and 50 gallon aluminum fuel tank

### **Weight Distribution**



Front Wt.	7,030.63 lbs.	66%	
Rear Wt.	3,673.97 lbs.	34%	
GVWR	25,950.00 lbs.		
GVW	10,704,60 lbs.	10,704.60 lbs.	
Remaining Payload Weight	15,245.40 lbs.		

Driver/Passenger Weight	350.0 lbs.
Wheelbase (WB)	170 inches
Cab-to-Axle (CA)	145 inches
Body Length	
Body Weight	
Back of Cab (BOC)	10.4 inches

\*\* You must fill in body length and weight to enable body and payload weight calculations.

Weight (lbs.)	Front	Rear	Total	
Chassis	6,498.00	3,467.00	9,965.00	
Chassis Equipment	182.63	206.97	389.60	
Subtotal	6,680.63	3,673.97	10,354.60	
Driver/Passengers	350.00	0.00	350.00	
Body/Body Equipment	0.00	0.00	0.00	
Payload	0.00	0.00	0.00	
Total	7,030.63	3,673.97	10,704.60	
GAWR/GVWR	12,000.00	19,000.00	25,950.00	
GCWR			30,000.00	

Current report content is based on data as of 2023-09-14 04:36:09. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



### **RUSH ISUZU TRUCK ATLANTA**

Michael "Michael John" Lovell

DeKalb MT2 (2024 FTR, MT2 170"WB, 145"CA, 25,950 GVWR. White, standard model specifications with power windows, power door locks, air conditioning, 5.57 final ratio, 11R22.5G tires, 21,000 multi leaf suspension, steel wheel type, and 50 gallon aluminum fuel tank

	Code	Description	Weight
Model			TTOIGHT
	MT2	FTR 170"WB, 145"CA	
	G1	White, standard model specifications with power	
		windows, power door locks, air conditioning, 5.57	
		final ratio, 11R22.5G tires, 21,000 multi leaf	
		suspension, steel wheel type, and 50 gallon	
Vahiala Appliantian		aluminum fuel tank	
Vehicle Application	DO2	Twody Assaltant	
Emissisus	RQ2	Truck Application	0.0 lbs.
Emissions	NOF	50 OLD 5 1 1	
Tivos	NG5	50 State Emission	0.0 lbs.
Tires			
	I5H	LRR (low rolling resistance)	0.0 lbs.
<u></u>	5S8	11R22.5 G	0.0 lbs.
Engine			
	IE8	Cummins B6.7, diesel engine, 408 CID (6.7L), 260	0.0 lbs.
		HP at 2400 RPM, 660 lbft. gross torque at 1600	
		RPM, 6-cylinder, turbocharged, inter-cooled, EGR cooler, high pressure common rail fuel system, and	
		single module aftertreatment.	
Transmission			
······································	Y6E	Allison RDS 2550 / 6 speed trans w/ PTO gear	0.0 lbs.
Wheelbase		The second secon	0.0 lb3.
	44W	170" Wheelbase 145"CA	0.0 lbs.
Air Cleaner			0.0 ib3.
	E6U	Dry paper single element. (Donaldson)	0.0 lbs.
Alternator		21) paper enigle element. (Dental aden)	
	KW1	160 AMP, with integral regulator.	0.0 lbs.
Battery		1997 AM , With Integral regulator.	
	IX1	Dual 12-Volt maintenance free group 31 750 CCA	0.0 lbs.
	17(1	batteries with threaded posts	0.0 lbs.
Exhaust			
	IOB	Single module Cummins aftertreatment w/ DPF &	0.0 lbs.
	.02	SCR, exhaust cooler, and electronic exhuast	0.0 153.
		restriction.	
Front Axle			
	40C	Dana E1254-W 12,000 lbs. capacity	0.0 lbs.
Rear Suspension			
	34L	21,000 lbs. capacity	0.0 lbs.
	SAS	Multi leaf, bolted	0.0 lbs.
Rear Axle			
	M20	Dana S19-140 single-speed axle, 19,000 lbs.	0.0 lbs.
		capacity with synthetic lubricant	2.0 1001
Ratio			
	011	5.571:1	0.0 lbs.
Fuel Tank			
	70A	Left hand rail	0.0 lbs.

Current report content is based on data as of 2023-09-14 04:36:09. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.

г	2000	-1
г	'age	- 1

C	1-1	2022	1	O ! - !	T		• 10000000
CODVEIGHT	(C)	/11/3	ISHZH	Commercial	I THICK OF	America	Inc

India:	1.
Initia	60



## **RUSH ISUZU TRUCK ATLANTA**

Michael "Michael John" Lovell

DeKalb MT2 (2024 FTR, MT2 170"WB, 145"CA, 25,950 GVWR. White, standard model specifications with power windows, power door locks, air conditioning, 5.57 final ratio, 11R22.5G tires, 21,000 multi leaf suspension, steel wheel type, and 50 gallon aluminum fuel tank

Code	e Description	Weigh
THE	50 Gallon Fuel Tank Capacity	355.5 lbs
Seat		
A56	Level air suspension seat with RH armrest driver seat	0.0 lbs
Brakes		
Z06	Full air dual circuit, s-cam, drum	0.0 lbs
Air Conditioning		O.U D.S
C60	Air conditioner	0.0 lbs
Power Windows & Door Lock		0.0 lbs
ILC		0.01
Floor Mats	1 63	0.0 lbs
IQ6	Standard Floor Moto	
	Standard Floor Mats	0.0 lbs
Model Option		
G1	White, standard model specifications with power windows, power door locks, air conditioning, 5.57 final ratio, 11R22.5G tires, 21,000 multi leaf suspension, steel wheel type, and 50 gallon aluminum fuel tank	0.0 lbs
Additional Options		
UZF	Back up alarm	1.0 lbs
IH2		0.0 lbs
IL9	PTO enable switch and engine idle up switch recommended for PTO and idle applications only	0.1 lbs
17L	· · · · · · · · · · · · · · · · · · ·	0.0 lbs.
I8P		27.0 lbs
12V		4.0 lbs
13Z		0.0 lbs.
172	, , , , , , , , , , , , , , , , , , , ,	2.0 lbs.
I6L	THE REPORT OF THE PROPERTY OF	2.0 lbs. 0.0 lbs.
CAB		U.U IDS.
729	Arc white color	
Mirrors	ATO WHITE COID	0.0 lbs.
**************************************	Plack mirror boad with block store	
DJ6	Black mirror head with black stays	0.0 lbs.
Frame		
7KJ	Straight frame, 80,000 PSI, 33.5 wide	0.0 lbs.
Front Springs		
34K	12,000 lbs. capacity	0.0 lbs.
Accessories		
8RP	Radio AM/FM/CD with Bluetooth	0.0 lbs.
IX2		0.1 lbs.
Air Compressor		0.1 lb3.
104	17 CFM turbocharged heavy duty.	0.0 lbs.
Extended Warranty	S. M. tarboonarged neary daty.	U.U IDS.
A5A	Federal EPA Emission Engines, Cummins Protection Plan 1 (PD1) with Cummins Aftertreatment	0.0 lbs.

Current report content is based on data as of 2023-09-14 04:36:09. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.

Page	2
------	---

#### Interstate Truck Equipment, Inc.

2740 Sullivan Rd. · P. O. Box 87457 · Atlanta, Georgia 30337 (404) 763-3411 · Fax (404) 763-3447 · www.interstatetruck.com

November 17, 2023

Mr. Kurt Hohlstein Rush Truck Center 2560 Moreland Ave. Atlanta, Ga 30315

RE: Dekalb County

Dear Mr. Hohlstein:

The following is a confirmation of our telephone conversation concerning:

16' Flatbed 3/16 Treadplate Floors 3" Crossmembers on 12' centers Headboard w/window cut out Permanent stake racks Lights and Reflectors ICC Bumper Toolbox for air tools (2) Air Hose Reels Spray on bedliner Thieman TT 20 ETL 8630 + 5 B/G T/R Liftgate 2000 lb. Capacity Toplifter Vanair UDSM 60 CFM Compressor (2) Amber Beacon Strobes Back up camera Back up alarm Mud Flaps Mounted

Thank you for this opportunity to quote this equipment. I look forward to hearing from you soon.

Sincerely,

Dean Whitwood Vice President

DW:mw

