



DeKalb County Department of Planning & Sustainability

330 Ponce De Leon Avenue, Suite 500

Decatur, GA 30030

(404) 371-2155 / plandev@dekalbcountyga.gov

Michael Thurmond
Chief Executive Officer

Planning Commission Hearing Date: September 6, 2018, 6:30 P.M
Board of Commissioners Hearing Date: September 25, 2018, 6:30 P.M.

STAFF ANALYSIS

Case No.: CZ-18-1235133 **Agenda #:** N. 23

Location/Address: 1361 Stephens Road and 1098-1116 Briar Cove Circle **Commission District:** 02 **Super District:** 06

Parcel ID: 18-106-10-017,18-106-10-045,18-106-10-046,18-106-10-047,18-106-10-048,18-106-10-049,18-106-10-050,18-106-10-051,18-106-10-052,18-106-10-053,18-106-10-054,18-106-10-055,18-106-10-056,18-106-10-057,18-106-10-058,18-106-10-059,18-106-10-060,18-106-10-061,18-106-10-062,18-106-10-063

Request: A Major Modification to zoning conditions pursuant to CZ-061087 to amend the site plan of a townhome subdivision.

Property Owner/Agent: Etian Varon/Carl Westmoreland

Applicant/Agent: Director of Planning and Sustainability

Acreage: 2.38

Existing Land Use: The development is under construction. The land has been cleared and townhomes have been framed for construction.

Surrounding Properties: To the north, south, and west: single family residential; to the east and across Briarcliff Road: mix of single family and multi-family residential.

Adjacent Zoning: **North:** R-85 **South:** R-85 **East:** MR-1 **West:** R-85

Comprehensive Plan: SUB Consistent Inconsistent

Proposed Density: 8 d.u./acre	Existing Density: na
Proposed Units/Square Ft.: 19 dwelling units	Existing Units/Square Feet: Proposed units are under construction
Proposed Lot Coverage: 38% impervious	Existing Lot Coverage: Under construction as proposed.

Zoning History:

On June 12, 2006, The Board of Commissioners approved rezoning the subject property from R-85 to R-A8 with 14 conditions (see attached conditions and originally approved site plan; three of the 14 conditions added on the site plan itself). Field conditions and an expansion of the per-unit footprint necessitated changes to the original site plan. The proposed site plan changes require a Major Modification because one of the changes moves a building closer to a property line. Applicant requests a total of two zoning conditions pursuant to CZ-061087 to be amended, along with the approval of an amended site plan for the 19 unit single family townhome development.

The following table compares the current proposal with the approved conditions and site plan:

Approved Proposal	Proposed Revisions
Residential Uses: (Total units) 19 single-family attached homes Total: 19 units	Residential Uses: (Total units) 19 single-family attached homes Total: 19 units
A row of 10 units in the front along Briarcliff Rd; 9 units behind.	A row of 11 units in the front along Briarcliff Rd; 8 units behind.
Briarcliff Rd.: Right-in and Right-out access with raised median	Briarcliff Rd: Right-in only access, as approved by GDOT

PROJECT ANALYSIS

Subject property has 221 feet of road frontage along Stephens Road and around 300 feet of frontage along Briarcliff. No land disturbance permitting was pursued on the property until 2013. Between 2013 and 2015, permitting continued only intermittently under three different extensions and various resubmittals. In September 2015 an LDP plan set met environmental and infrastructure regulations, however it included a design layout that varied from the original concept plan approved at zoning (see proposed site plan attached dated April 7, 2016).

Specifically, because of the shape of the property and the steep topography on the southwest side of the property and the location of the access easement and drainage pipe servicing the detention pond required by engineering, two of the units sited in the rear row had to be moved. Additionally zoning conditions required a 2,000 square foot minimum unit size, expanding the overall footprint from that which was depicted on the original site plan.

These factors generated modifications of the site, moving one unit from the rear to the front (closer to the street) and reorienting one of the rear units.

Approved CZ-061087 conditions requested to be modified:

Condition No. 1: Subject to approval from the Development Department, the Subject Property will be zoned R-A8 and developed substantially in accordance with the conceptual site plan ~~prepared by LBG M Engineering dated February 2, 2006~~ April 7, 2016, (the "Site Plan") ~~and~~ with amended Condition #2 regarding access and as otherwise in accordance with certain hand-written road improvements dated April 19, 2006 required by John Gurbal, Director of the DeKalb County Transportation Department and further recommendations by the Transportation Department by facsimile on same plan regarding a landscaped median on Stephens Drive (hereinafter "Transportation Improvements").

Condition No. 2: The existing driveways will be consolidated and all vehicular access to the Subject Property shall be as designed [as indicated on the April 7, 2016 site plan and as approved by the GDOT and DeKalb County Transportation Division](#) ~~by the Transportation Improvements~~. Such road improvement shall include a right in ~~only/right out~~ on Briarcliff Road with a raised median and a right in/left out on Stephens Drive with a raised island and a “No Right Turn” sign located internal to the development at the entrance.

If modifications approved, additional amendment to mitigate impact:

Condition 10. A six foot opaque, decorative fence shall be installed along the southern property boundary that is shared by Mr. Homer Cheung. Additionally, a row of Leyland Cypress or other ever green trees shall be planted inside the fence to provide additional screening for Mr. Cheung. [Developer shall provide enhanced landscaping in the front yard area located between Unit 11 and the property line along Stephens Drive, including but not limited to a minimum of two trees of 6 foot in height at planting located within the widest dimension of the yard and one row of shrubs. Planting plan to be approved by County Arborist.](#)

LAND USE AND ZONING ANALYSIS

Section 27-832 of the Zoning Ordinance, “Standards and factors governing review of proposed amendments to the official zoning map” states that the following standards and factors shall govern the review of all proposed amendments to the zoning maps.

A. Whether the zoning proposal is in conformity with the policy and intent of the comprehensive plan:

The proposal continues to comply with the policy and intent of the comprehensive plan.

B. Whether the zoning proposal will permit a use that is suitable in view of the use and development of adjacent and nearby properties:

The proposed modifications do not affect the approved use of single-family homes, which are a use that is compatible with surrounding properties.

C. Whether the property to be affected by the zoning proposal has a reasonable economic use as currently zoned:

The proposed modifications will maintain the economic use that prior government approval has established.

D. Whether the zoning proposal will adversely affect the existing use or usability of adjacent or nearby property:

Although complying with or exceeding the zoning district front yard setback, the proposed placement of a unit from the rear row to the front and closer to street property lines will generate a visual impact from the street-view along Stephens Road. Additional screening will help mitigate the visual impact.

E. Whether there are other existing or changing conditions affecting the use and development of the property, which give supporting grounds for either approval or disapproval of the zoning proposal:

The original site plan showed smaller units than what Condition # 8 subsequently required (minimum 2,000 square feet with a two car garage). Compliance with the zoning condition resulted in wider units, which expanded the cumulative footprint of the units.

Further, because of the shape of the property, and the steep topography on the southwest side of the property, the access easement needed to service the detention pond needed to go through the area where the last two units would have been. There is also a drainage pipe through that same area.

The resulting design solution proposes moving one unit to the front row (nearer to the street and further away from adjacent uses) and the other to be re-oriented (turned another sideways. The alternative would be to prohibit one or both of the units modified by field conditions and the expanded footprint (see site plan).

While the design change adds no additional density, it moves the unit closer to the street-frontage property, thus necessitating a Major Modification consideration by the Board. The approved site plan showed two blocks of single family homes attached units, a row of ten units in the front along Briarcliff and nine units behind, right-in and right-out from Briarcliff Road; Condition #1 requires “substantial compliance” to that site plan.

F. Whether the zoning proposal will adversely affect historic buildings, sites, districts, or archaeological resources:

The proposed modifications have no such adverse effects.

G. Whether the zoning proposal will result in a use which will or could cause an excessive or burdensome use of existing streets, transportation facilities, utilities, or schools:

The proposed modifications will not cause burdensome use of existing streets. The ingress and egress proposed changes to the Briarcliff Road curb-cut access meet operational needs as determined by GDOT.

H. Whether the zoning proposal adversely impacts the environment or surrounding natural resources:

The proposed modifications result from topographic conditions and the detention pond location necessitated by hydrological conditions: civil engineering determined the location of the access easement for maintenance on the detention pond as well as the location of the drainage pipes. These stormwater management technologies are required for management of environmental resources.

Compliance with the Governing Zoning Ordinance (adopted 1999)

R-A8 STANDARD	REQUIRED/ALLOWED	PROVIDED/PROPOSED	COMPLIANCE
SETBACKS	FRONT: 5-FT & 20-FT FOR GARAGE IN FRONT SIDE: 15-FT REAR: 30-FT	FRONT: VARIES BETWEEN 15-30 FT ALONG BIARCLIFF; 5-10 FT ALONG STEPHENS SIDE: 5-FT REAR: 30-FT	Yes
LOT COVERAGE	50% max	38% of impervious surface	Yes

STAFF RECOMMENDATION: APPROVAL OF THE FOLLOWING MODIFIED CONDITIONS

The requested modifications would not change the development to the extent that it would become inconsistent with the policies of the Comprehensive Plan. The modifications would not alter the impact of the development on adjacent or nearby residential properties, however an additional unit closer to the road does generate a visual impact on Stephens Road. The requested modifications would not change the number of residential units. Therefore, the Department of Planning and Sustainability recommends “Approval” of the requested modifications, provided the developer mitigate the visual impact of the 11th unit.

Staff recommends that Conditions 1, 2, and 10 be modified as indicated below to reflect approval of the attached, proposed site plan, and further recommends additional language to Condition 10 pertaining to landscaping requirements as follows:

1. Subject to approval from the Development Department, the Subject Property will be zoned R-A8 and developed substantially in accordance with the conceptual site plan ~~prepared by LBG M Engineering dated February 2, 2006~~ April 7, 2016, (the “Site Plan”) ~~and~~ with amended Condition #2 regarding access and as otherwise in accordance with certain hand-written road improvements dated April 19, 2006 required by John Gurbal, Director of the DeKalb County Transportation Department and further recommendations by the Transportation Department by facsimile on same plan regarding a landscaped median on Stephens Drive (hereinafter “Transportation Improvements”).
2. The existing driveways will be consolidated and all vehicular access to the Subject Property shall be as designed as indicated on the April 7, 2016 site plan and as approved by the GDOT and DeKalb County Transportation Division ~~by the Transportation Improvements~~. Such road improvement shall include a right in only/right out on Briarcliff Road with a raised median and a right in/left out on Stephens Drive with a raised island and a “No Right Turn” sign located internal to the development at the entrance.
10. A six foot opaque, decorative fence shall be installed along the southern property boundary that is shared by Mr. Homer Cheung. Additionally, a row of Leyland Cypress or other evergreen trees shall be planted inside the fence to provide additional screening for Mr. Cheung. Developer shall provide enhanced landscaping in the front yard area located between Unit 11 and the property line along Stephens Drive, including but not limited to a minimum of two trees of 6 foot in height at planting located within the widest dimension of the yard and one row of shrubs. Planting plan to be approved by County Arborist.

Recommended conditions without mark-ups:

1. Subject to approval from the Development Department, the Subject Property will be zoned R-A8 and developed substantially in accordance with the conceptual site plan dated April 7, 2016, (the “Site Plan”) with amended Condition #2 regarding access and as otherwise in accordance with certain hand-written road improvements dated April 19, 2006 required by John Gurbal, Director of the DeKalb County Transportation Department and further recommendations by the Transportation Department by facsimile on same plan regarding a landscaped median on Stephens Drive (hereinafter “Transportation Improvements”).

2. The existing driveways will be consolidated and all vehicular access to the Subject Property shall be as designed as indicated on the April 7, 2016 site plan and as approved by the GDOT and DeKalb County Transportation Division. Such road improvement shall include a right in only on Briarcliff Road with a raised median and a right in/left out on Stephens Drive with a raised island and a “No Right Turn” sign located internal to the development at the entrance.
3. The developer shall construct a 4 foot wide and approximately 50 foot long landscaped median on Stephens Drive to be located as shown on the Transportation Improvements, which will further preclude residents from the proposed development from turning right out of the development. Exact location and length of median to be determined by DeKalb County Transportation Department, and should accommodate residents across Stephens Drive from the proposed development. Landscaping for the Stephens Drive median shall be determined after consultation with the County Arborist and the Biltmore Estates neighborhood committee. Landscaped medium must be completed before issuance of and certificate of occupancy.
4. The height of any buildings on the Subject Property shall be restricted to three stories.
5. Underground utilities shall be utilized.
6. Any exterior lights shall be screened, shielded and/or shaded so as to minimize glare and the casting of light outside of the new development.
7. The front façade and sides of each building shall consist of brick, masonry stucco, stacked stone, shake, and/or other masonry products (excluding the architectural treatment of features such as gables, dormers, bay windows, fireplace chases and/or any other cantilevered areas.
8. Each townhome shall have a minimum of 2,000 square feet of heated floor space and a two car garage.
9. All open space, park space, landscaping, architectural controls and other common areas shall become the responsibility of mandatory Homeowners’ Association established by the Developer for this community.
10. A six foot opaque, decorative fence shall be installed along the southern property boundary that is shared by Mr. Homer Cheung. Additionally, a row of Leyland Cypress or other evergreen trees shall be planted inside the fence to provide additional screening for Mr. Cheung. Developer shall provide enhanced landscaping in the front yard area located between Unit 11 and the property line along Stephens Drive, including but not limited to a minimum of two trees of 6 foot in height at planting located within the widest dimension of the yard and one row of shrubs. Planting plan to be approved by County Arborist.

11. In an effort to improve pedestrian access in the Biltmore Estates community, the Applicant shall install sidewalks from the Subject Property's northeast boundary line on Stephen Drive to its intersection with Biltmore Drive, subject to approval by DeKalb County and/or property owners on Stephens Drive where no County right-of-way exists along their property where the sidewalks are proposed.

Attachments:

1. Proposed Site Plan (April 7, 2016)
2. Original Conditions
3. Recommended Conditions
4. Original Site Plan
5. Zoning Map
6. Land Use Map
7. Aerial Photograph



R3-2
24'x24'


N 13066.33-0200
E 2245459.2177

- LEGEND**
- EXISTING BUILDING
 - LAMP POLE
 - UTILITY POLE
 - SBH
 - SEWERY SEWER MANHOLE
 - ELECTRICAL MANHOLE
 - STORM MANHOLE
 - WATER METER
 - FIRE HYDRANT
 - WATER VALVE
 - DOUBLE WING CATCH BASIN
 - SINGLE WING CATCH BASIN
 - HEADWALL
 - IRON PIN FOUND
 - IRON PIN SET
 - IRON OR FURNACE
 - DEED BOOK
 - PLAT BOOK
 - PAVE
 - RIGHT OF WAY
 - BARBED WIRE FENCE
 - LAND LOT LINE
 - POINT OF BEGINNING
 - SEWAGE MAIN
 - BUILDING RETAIN WALL
 - CONCRETE CONCRETE METAL PIPE
 - CONCRETE METAL PIPE
 - REINFORCED CONCRETE PIPE
 - POLYETHYLENE GLASS REINFORCED CONCRETE PIPE
 - MANHOLE INLET
 - CLEAN OUT

- UTILITIES**
- SEWAGE SERVICE**
- PUBLIC SEWER PROVIDED BY DEKALB COUNTY.
- WATER SERVICE**
- PUBLIC WATER SERVICE PROVIDED BY DEKALB COUNTY.
 - WATER SERVICE IS ADEQUATE FOR PROPOSED PROJECT.
 - DEKALB COUNTY WATER AND SEWER DEPARTMENT APPROVAL IS REQUIRED PRIOR TO ISSUANCE OF DEVELOPMENT PERMIT.
- IRE/MARSHAL NOISE**
- TWO-HOUR SEPARATION/FIRE PROTECTION REQUIRED FOR ALL BUILDING STRUCTURES.



Know what's below. Call before you dig.




Site Analysis


Total Lot Area: 2.38 +/- AC.
Disturbed Area: 1.73 Ac.
Proposed Use: Single Family Condos (Min. 2,000 SF.)

Setbacks	Distance
Front	5'
Side	15'
Rear	30'
Buffer	20' (transition)
Max. Bldg. Ht.	31'

Parking Req'd: 4/Unit Parking Shown: 4/Unit
Parking spaces include: 2 Car Garages and 2 Driveway Spaces per Unit.



- OWNER & DEVELOPMENT NOTES:**
- PROPERTY ADDRESS: 2008 BRIARCLIFF ROAD ATLANTA, GA 30329
 - OWNER/DEVELOPER: ESTAN WARD, 825 OLIVARDE DRIVE ATLANTA, GA 30338 PHONE: (404) 574-0300
 - ENGINEER: PYRAMID EDC CONSULTANTS, INC. 4151 MEMORIAL DRIVE BUILDING A, SUITE 210A DECATUR, GA 30022 PHONE: (404) 297-0730
 - THE PROPERTY IS LOCATED WITHIN LAND LOT 106 OF THE 18TH DISTRICT, DEKALB COUNTY, GA.
 - THE PROPERTY IS 2.38 +/- ACRES AND IS ZONED R-42.
 - STEPHENS DRIVE RIGHT-OF-WAY DEDICATION 448 SF (0.01 AC.)



- GENERAL NOTES:**
- ALL SILT BARRIERS MUST BE PLACED AS ACCESS IS OBTAINED DURING GRADING OR DRAINAGE SHALL BE DONE FIRST. ALL BARRIER INSTALLATION AND DETENTION FACILITIES ARE CONSTRUCTED.
 - SILT BARRIERS TO BE PLACED AS SHOWN AND/OR DIRECTED BY PROJECT ENGINEER AND/OR CITY/COUNTY INSPECTOR.
 - NOTIFY WATER & SEWER INSPECTOR AT 404-308-3643 PRIOR TO START OF CONSTRUCTION.
 - CONTRACTOR SHALL BE RESPONSIBLE FOR FIELD VERIFYING ALL EXISTING FEATURES SHOWN ON THESE PLANS PRIOR TO STARTING CONSTRUCTION.
 - ALL EROSION CONTROL MEASURES SHALL BE INSTALLED AND OPERATIONAL PRIOR TO GRADING.
 - ON SITE SIGNING AND STRIPING TO BE PROVIDED BY THE OWNER.
 - DEKALB COUNTY SANITATION DEPARTMENT IS NOT RESPONSIBLE FOR GARbage PICK UP ON PRIVATE STREETS.
 - ALL FILL AREAS MUST BE COMPACTED TO A MINIMUM 95% STANDARD PROCTOR.
 - EQUIPMENT AND MATERIALS SHALL BE STORED IN AREAS DESIGNATED BY THE OWNER. CONSTRUCTION AND STORAGE AREAS SHALL BE KEPT NEAT AND CLEAN AT ALL TIMES.
 - ALL CONSTRUCTION VEHICLES SHALL PARK IN AREAS DESIGNATED BY THE OWNER.
 - DIRT FOR FILL SHALL BE CLEAN, COHESIVE CLAY OR SANDY CLAY FREE OF DEBRIS, ORGANICS AND DELETERIOUS MATERIAL.
 - EROSION AND SILTATION CONTROL DEVICES MUST BE INSTALLED PRIOR TO START OF OTHER CONSTRUCTION AND MAINTAINED UNTIL PERMANENT EROSION COVER IS ESTABLISHED.
 - NECESSARY BARRICADES, SUFFICIENT LIGHTS, SIGNS AND OTHER TRAFFIC CONTROL METHODS AS MAY BE NECESSARY FOR THE PROTECTION AND SAFETY OF THE PUBLIC SHALL BE PROVIDED IN ACCORDANCE WITH THE MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES AND MAINTAINED WHEN WORKING IN CLOSE PROXIMITY TO PUBLIC ROADS.
 - THE CONTRACTOR SHALL EXERCISE EXTREME CAUTION WHEN EXCAVATING MANHOLES, PIPES OR OTHER STRUCTURES SHOWN ON THE PLANS.
 - ALL WASTE/DEBRIS FROM DEMOLITION OPERATIONS SHALL BE HAULLED OFFSITE AND DEPOSITED OF TO AN APPROVED LANDFILL.
 - THE 15'-8'-0" (+/-) NOTIFICATION SHALL BE GIVEN TO ALL UNDERGROUND UTILITY COMPANIES NOT LESS THAN THREE (3) WORKING DAYS BEFORE YOU DIG OR BLAST CONTACT THE UTILITIES PROTECTION CENTER AT (404) 325-5000 OR 1-800-325-7411 MONDAY THROUGH FRIDAY FROM 7:00 AM UNTIL 7:00 PM. FOR FURTHER INFORMATION IN ADDITION, PLEASE NOTIFY THE FOLLOWING AGENCIES:
 - a. THE DEKALB COUNTY PUBLIC WORKS-WATER AND SEWER DEPARTMENT (770) 821-7300
 - b. ATLANTA GAS LIGHT COMPANY (404) 584-4458 OR (404) 584-4253 OR 1-800-282-7411
 - c. GEORGIA POWER COMPANY (404) 823-4344 OR 1-800-282-7411
 - CUT AND FILL SLOPES SHALL NOT EXCEED 3:1 V:H.
 - MEASURES AND PRACTICES SHALL OCCUR PRIOR TO LAND DISTURBING ACTIVITIES ON SITE AND BE MAINTAINED UNTIL PERMANENT GROUND COVER IS ESTABLISHED.
 - LENGTH OF RIP RAP AREA SHALL BE SIX TIMES THE DIAMETER OF THE STORM DRAIN.
 - EXCESS GROUND MEASURES WILL BE MAINTAINED AT ALL TIMES. ADDITIONAL EROSION CONTROL MEASURES AND PRACTICES WILL BE INSTALLED IF DEEMED NECESSARY BY ON-SITE INSPECTION.
 - SEDIMENT AND EROSION CONTROL MEASURES AND PRACTICES TO BE INSPECTED DAILY.
 - ALL DISTURBED AREAS TO BE GRASSED AS SOON AS CONSTRUCTION PHASES PERMIT.

Pyramid EDC Consultants, Inc.
Civil Engineering & Development Consultants
4151 Memorial Drive
Building A, Suite 210A
Decatur, GA 30022
PH: 404.297.0730
mailto:pyramid@edc.com

REVISIONS

Date	Description
10/27/2017	ISSUE FOR PERMIT
11/15/2017	ISSUE FOR PERMIT




Emory Cove
Land Lot 106 - 18th District
DeKalb County, Georgia

PER Project # 071-P128
Date: 18 APR 07
Design by: MAB



SITE INFORMATION

TOTAL AREA OF SITE = 2.38 AC.
TOTAL DISTURBED AREA = 1.73 AC.
% IMPERVIOUS = 38% (0.90 AC.)



R-28 (SINGLE FAMILY RESIDENTIAL) DISTRICT

- 1. The lot or lots to be developed shall be fully zoned R-28.
- 2. The lot or lots to be developed shall be fully zoned R-28.
- 3. The lot or lots to be developed shall be fully zoned R-28.
- 4. The lot or lots to be developed shall be fully zoned R-28.
- 5. The lot or lots to be developed shall be fully zoned R-28.
- 6. The lot or lots to be developed shall be fully zoned R-28.
- 7. The lot or lots to be developed shall be fully zoned R-28.
- 8. The lot or lots to be developed shall be fully zoned R-28.
- 9. The lot or lots to be developed shall be fully zoned R-28.
- 10. The lot or lots to be developed shall be fully zoned R-28.

SITE INFORMATION

TRACT 1 - 1.25 ACRES
 TRACT 2 - 0.75 ACRES
 TRACT 3 - 0.75 ACRES
 TRACT 4 - 0.75 ACRES
 TRACT 5 - 0.75 ACRES
 TRACT 6 - 0.75 ACRES
 TRACT 7 - 0.75 ACRES
 TRACT 8 - 0.75 ACRES
 TRACT 9 - 0.75 ACRES
 TRACT 10 - 0.75 ACRES
 TRACT 11 - 0.75 ACRES
 TRACT 12 - 0.75 ACRES
 TRACT 13 - 0.75 ACRES
 TRACT 14 - 0.75 ACRES
 TRACT 15 - 0.75 ACRES
 TRACT 16 - 0.75 ACRES
 TRACT 17 - 0.75 ACRES
 TRACT 18 - 0.75 ACRES
 TRACT 19 - 0.75 ACRES
 TRACT 20 - 0.75 ACRES
 TRACT 21 - 0.75 ACRES
 TRACT 22 - 0.75 ACRES
 TRACT 23 - 0.75 ACRES
 TRACT 24 - 0.75 ACRES
 TRACT 25 - 0.75 ACRES
 TRACT 26 - 0.75 ACRES
 TRACT 27 - 0.75 ACRES
 TRACT 28 - 0.75 ACRES
 TRACT 29 - 0.75 ACRES
 TRACT 30 - 0.75 ACRES
 TRACT 31 - 0.75 ACRES
 TRACT 32 - 0.75 ACRES
 TRACT 33 - 0.75 ACRES
 TRACT 34 - 0.75 ACRES
 TRACT 35 - 0.75 ACRES
 TRACT 36 - 0.75 ACRES
 TRACT 37 - 0.75 ACRES
 TRACT 38 - 0.75 ACRES
 TRACT 39 - 0.75 ACRES
 TRACT 40 - 0.75 ACRES
 TRACT 41 - 0.75 ACRES
 TRACT 42 - 0.75 ACRES
 TRACT 43 - 0.75 ACRES
 TRACT 44 - 0.75 ACRES
 TRACT 45 - 0.75 ACRES
 TRACT 46 - 0.75 ACRES
 TRACT 47 - 0.75 ACRES
 TRACT 48 - 0.75 ACRES
 TRACT 49 - 0.75 ACRES
 TRACT 50 - 0.75 ACRES
 TRACT 51 - 0.75 ACRES
 TRACT 52 - 0.75 ACRES
 TRACT 53 - 0.75 ACRES
 TRACT 54 - 0.75 ACRES
 TRACT 55 - 0.75 ACRES
 TRACT 56 - 0.75 ACRES
 TRACT 57 - 0.75 ACRES
 TRACT 58 - 0.75 ACRES
 TRACT 59 - 0.75 ACRES
 TRACT 60 - 0.75 ACRES
 TRACT 61 - 0.75 ACRES
 TRACT 62 - 0.75 ACRES
 TRACT 63 - 0.75 ACRES
 TRACT 64 - 0.75 ACRES
 TRACT 65 - 0.75 ACRES
 TRACT 66 - 0.75 ACRES
 TRACT 67 - 0.75 ACRES
 TRACT 68 - 0.75 ACRES
 TRACT 69 - 0.75 ACRES
 TRACT 70 - 0.75 ACRES
 TRACT 71 - 0.75 ACRES
 TRACT 72 - 0.75 ACRES
 TRACT 73 - 0.75 ACRES
 TRACT 74 - 0.75 ACRES
 TRACT 75 - 0.75 ACRES
 TRACT 76 - 0.75 ACRES
 TRACT 77 - 0.75 ACRES
 TRACT 78 - 0.75 ACRES
 TRACT 79 - 0.75 ACRES
 TRACT 80 - 0.75 ACRES
 TRACT 81 - 0.75 ACRES
 TRACT 82 - 0.75 ACRES
 TRACT 83 - 0.75 ACRES
 TRACT 84 - 0.75 ACRES
 TRACT 85 - 0.75 ACRES
 TRACT 86 - 0.75 ACRES
 TRACT 87 - 0.75 ACRES
 TRACT 88 - 0.75 ACRES
 TRACT 89 - 0.75 ACRES
 TRACT 90 - 0.75 ACRES
 TRACT 91 - 0.75 ACRES
 TRACT 92 - 0.75 ACRES
 TRACT 93 - 0.75 ACRES
 TRACT 94 - 0.75 ACRES
 TRACT 95 - 0.75 ACRES
 TRACT 96 - 0.75 ACRES
 TRACT 97 - 0.75 ACRES
 TRACT 98 - 0.75 ACRES
 TRACT 99 - 0.75 ACRES
 TRACT 100 - 0.75 ACRES

THIS IS A JUDICIAL MAP PREPARED BY
 A PROFESSIONAL SURVEYOR IN ACCORDANCE WITH
 THE PROVISIONS OF THE SURVEYING ACT
 OF THE STATE OF MISSOURI.

L BGM CONSULTING

1200 South Main Street, Suite 200
 Kansas City, MO 64105
 TEL: 781-510-2020
 FAX: 781-510-2021

REZONING EXHIBIT

EMORY HEIGHTS TOWNSHIPS

MAP NO. 18-1235133
 SHEET NO. 1 OF 1
 DATE: 10/15/2018

NO. 18-1235133	RZ-1
----------------	------

Conditions of Zoning for CZ No. 06-1087 - Application filed by Eitan Varon
(revised 05-22-06)


1. Subject to approval from the Development Department, the Subject Property will be zoned R-A8 and developed substantially in accordance with the conceptual site plan prepared by LBGM Engineering dated February 2, 2006 (the "Site Plan") and in accordance with certain hand-written road improvements dated April 19, 2006 required by John Gurbal, Director of the DeKalb County Transportation Department and further recommendations by the Transportation Department by facsimile ~~dated~~ *on some plans* regarding a landscaped median on Stephens Drive (hereinafter "Transportation Improvements"). Commissioner Gannon will submit Site Plan with Transportation Improvements for the record.
2. The existing driveways will be consolidated and all vehicular access to the Subject Property shall be as designed by the Transportation Improvements. Such road improvements shall include a right in/right out on Briarcliff Road with a raised median and a right in/left out on Stephens Drive with a raised island and a "NO Right Turn" sign located internal to the development at the entrance.
3. The developer shall construct a 4 foot wide and approximately 50 foot long landscaped median on Stephens Drive to be located as shown on the Transportation Improvements, which will further preclude residents from the proposed development from turning right out of the development. Exact location and length of median to be determined by DeKalb County Transportation Department, and should accommodate residents across Stephens Drive from the proposed development. Landscaping for the Stephens Drive median shall be determined after consultation with the County Arborist and the Biltmore Estates neighborhood committee. *Landscaped median must be completed before issuance of any certificates of occupancy.*
4. The height of any buildings on the Subject Property shall be restricted to three stories.
5. Underground utilities shall be utilized.
6. Any exterior lights shall be screened, shielded and/or shaded so as to minimize glare and the casting of light outside of the new development.
7. The front facade and sides of each building shall consist of brick, masonry stucco, stacked stone, shake, and/or other masonry products (excluding the architectural treatment of features such as gables, dormers, bay windows, fireplace chases and/or any other cantilevered areas.
8. Each townhome shall have a minimum of 2,000 square feet of heated floor space and a two car garage.
9. All open space, park space, landscaping, architectural controls and other common areas shall become the responsibility of a mandatory Homeowners' Association established by the Developer for this community.


10. A six foot opaque, decorative fence shall be installed along the southern property boundary that is shared by Mr. Homer Cheung. Additionally, a row of Leyland Cypress or other ever green trees shall be planted inside the fence to provide additional screening for Mr. Cheung.

11. In an effort to improve pedestrian access in the Biltmore Estates community, the Applicant shall install sidewalks from the Subject Property's northeast boundary line on Stephens Drive to its intersection with Biltmore Drive, subject to approval by DeKalb County *and/or property owners on Stephens Drive where no County right-of-way exists along their property where the sidewalks are proposed.*

May 28, 2006

Katherine Pearson







Euclade Ct

Briarcliff Rd

Stephens Dr

Subject Property