



<i>Metro Waterproofing, Inc.</i>				
ITEM NO.	ITEM DESCRIPTION	UNIT	UNIT PRICE	TOTAL PRICE
Weekend Work Only				
1	Double T Flange (T-Biscuits) - remove existing joint sealant and backer rod by mechanical means, clean joint to remove surface contaminants, and install T-Biscuits, as shown, with proper size backer rod and BASF Master Seal NP2 multi-component polyurethane sealant	Lump Sum		\$35,620.00
2	Random Cracks - rout and seal visible hairline cracks in deck slab, as shown, to a nominal 3/8-inch width/depth and install BASF Master Seal NP2 multi-component polyurethane sealant, repair to be completed on unit costs basis,	200 Linear Foot	\$7.00	\$1,400.00
3	Random Concrete Spall Repairs - remove existing spalled concrete, as shown, by mechanical means and install new polymer modified cementitious repair mortar to match adjacent concrete profile, repairs to be completed on unit costs basis,	100 Square Foot	\$50.00	\$5,000.00
During Normal Work Business (Hours M-F 8:00 a.m. - 5:00 p.m)				
4	Sealant Replacement - remove existing joint sealant and backer rod by mechanical means, clean joint to remove surface contaminants, and install proper size backer rod with BASF Master Seal NP2 multi-component polyurethane sealant at top level, elevated slab joints and deck elevation vertical wall joints. Work to be completed simultaneously with traffic coating repair.	Lump Sum		\$24,737.00
5	Traffic Coating - Bead blast existing concrete slab to remove surface contaminants and install NeoGard AutoGard FC urethane fast curing heavy duty vehicular traffic coating system at top level, elevated slab only. Includes removal and replacement coating at pedestrian bridge to parking deck and deck restriping. Deck access broken into thirds (3rds) with each third (3rd) closed for presented duration.	Lump Sum		\$123,172.00
Grand Total				\$189,929.00
Number of Bids Received:		5		
LSBE Participation Benchmark/GFE		1% GFE approved		
Attendance at the Mandatory LSBE Meeting (Yes/No)		Yes		
Attendace at Mandatory Pre-Bid Conference (Yes/No)		Yes		
Separate Sealed Price Schedule (Yes/No)		Yes		
NOTES - DETAIL JUSTIFICATION				
Recommend Award to the lowest, responsive and responsible bidder: Metro Waterproofing, Inc., 2935 Alcove Drive, Scottdale, GA 30079				
Notes:				
1)Restocon Corporation was deemed non-responsive due to failure to provide LSBE participation or a Good Faith Effort and failure to provide a copy of their business license, as required.				
2)Holbrook Waterproofing Company of Georgia was deemed non-responsive due to failure to complete and utilized the official Revised Invitation to Bid in accordance with Addendum 1.				
3)Southern Preservation Systems was deemed non-responsive due to failure to provide the Subcontractor Affidavit and References and failure to provide a copy of their business license, as required.				
4)TCM Waterproofing LLC was deemed non-responsive due to failure to provide LSBE participation or a Good Faith Effort and failure to provide Contractor References, Contractor Affidavit, Bidder/Proposer Statement of Compliance and a copy of their business license, as required				
Witness Signature:	<i>Emolola Avonusi</i>			
Agent Signature:	<i>Jennifer Schofield</i>			