	Department of Purchasing and Contracting NON-COMPETITIVE PROCUREMENT REQUEST FORM
22	Requesting Department: Innovation & Technolog Department Contact Person: Angela GreenTelephone: 470_755-2241 Email: adgreen@dekalbcountyga.gov
	Requisition Number:       Suggested Supplier:       Speridian Technologies         Estimated Amount of Purchase:       \$ 212,640.00
	<b>Emergency</b> (For Emergency Requests, Please check this box and answer <b>all</b> questions below.)
	1. Date and Time of Emergency Occurrence
	2. Please state the nature of the emergency posing a risk to public health, welfare, safety or resources:
	<ul> <li>3. State how the Estimated Amount was determined to be Fair and Reasonable (attach supporting documentation):</li> <li>I Sole Source (Please check box and answer all of the following completely.)</li> </ul>
	1. Provide and explanation why the product, service or supplier requested is the only method that can satisfy the requirements. Please explain why alternatives are unacceptable. Be specific with regard to specification, features, characteristics, requirements, capabilities and compatibility. (Attach additional documents, if necessary): Speridian Technologies, through its implementation of its "GOV CX City 311" solution and Oracle Platinum Partner, and further confirms that Speridian is the sole source provider for ongoing maintenance & operations (M&O) support for the application.
	2. Will this purchase obligate us to a particular vendor for future purchases? (Either in terms of maintenance that only this vendor will be able to perform and/or if we purchase this item, will we need more "like" items in the future to match this one?) Explain in detail.
	Yes, as long as we continue using County GOV CX City 311.
	3. Explain the impact to the County or Public if this request is not approved.
	We will not have maintenance and support for this system.

I hereby request that this non-competitive procurement request be approved for the purchase of the above stated work, material, equipment, commodity, or service.

	700.000	
Department Director (Typed/Printed Name)	Signature: Signed by: John A Matelski Date & Time: 12 Jan, 2022 08:31:19 EST	_Date:
Do Not Write Below – for the Department of Pu	rchasing and Contracting Use On	ly
Procurement Agent (Typed/Printed Name) Marion K. Dean	Signature: <i>Marion Dean</i>	Date: 1-27-2022
Procurement Manager (Typed/Printed Name) Phyllis A. Head	_Signature:	_Date:
Approved Not Approved		
Signature:, Director, Department of	f Purchasing and Contracting Da	te:



# Public Notice of Proposed Award of Sole Source Procurement

#### Section A – Description of Proposed Sole Source Procurement

Description of Supplies/Services: Application Maintenance and Support for DeKalb County GOV CX City 311

Demonstration of Contractor's Unique Qualifications: Speridian Technologies is a Public Sector Oracle Gold Partner and authorized reseller of Oracle CRM/CX software and services. Speridian developed and certified with Oracle their "Gov CX City 311 Accelerator" for Oracle Service Cloud implementation for Oracle Service Cloud for 311 CRM Systems for the County.

#### Section B – To Be Completed by the Department of Purchasing and Contracting

**Market Survey Results** 

Date Public Notice posted on website: January 21, 2022

Date Public Notice closed: January 27, 2022

**Review of Offers** 

Were any offers received (Yes/No): No

Number of offers received:0

**Responders:** 0

Purchasing Agent review and recommendation: Speridian Technologies specifically designed and implemented the County's "GOV CX City 311" solution and Oracle Platform Partner by migrating from Oracle's EBS Customer Relationship Management (CRM) System to Oracle Service Cloud. The GOV CX City 311 was implemented in 2017. Speridian is the only Oracle Partner that can provide the proprietary GOV CX 311 services. Due to their leveraging services relevant to this transaction, my recommendation is to approve the sole source, Speridian Technologies for annual maintenance & operations (M&O) support for the application. The coverage term is from March 1, 2022 through February 28, 2023. Agenda 2022-1133 has been prepared for the February 22, 2022 BOC Meeting. Amount Spent to date is \$0.00.

Marion Dean

Agent Signature

January 27, 2022

Procurement Manager Signature

Date

Date

Purchasing and Contracting Department, Maloof Administration Building • 1300 Commerce Drive, 2<sup>nd</sup> Floor • Decatur, Georgia 30030 • 404-371-7051 Office • 404-371-7006 Fax Website: www.dekalbcountyga.gov



January 3, 2021

Re: Maintenance & Operations (M&O) Support for Speridian GOV CX 311

Attn: Phyllis A. Head, Procurement Manager - DeKalb County Government

This letter confirms that Speridian Technologies, through its implementation of its "GOV CX City 311" solution and Oracle Platinum Partner, and further confirms that Speridian is the sole source provider for ongoing maintenance & operations (M&O) support for the application.

To reiterate, DeKalb's 311 application has been specifically designed for migrating from Oracle's EBS CRM to Oracle Service Cloud leveraging Speridian's GOV 311 pre-built feature functionality and is enabling DeKalb County and its citizens to enjoy modern, high-quality 311 services

Since solution has been implemented and deployed to production, Speridian will continue to provide ongoing M&O support, which will include but not necessarily limited to, level 1-2-3 application support, related issue resolution, along with minor enhancements in the application.

Please let me know if you have any questions or concerns regarding this notice.

Sincerely,

Acet Wail

Scott Weiler



## Scott Weiler

VP Customer Success & Business Modernization 9201 Corporate Blvd | Suite 450 | Rockville | MD | 20850 M: 585.370.8459 scott.weiler@speridian.com | www.speridian.com



### Department of Purchasing and Contracting

#### AMOUNT SPENT TO DATE ON SOLE SOURCE

Vendor Name: Speridian Technologies, LLC

Total Amount Spent To Date: \$0.00

N/A \$0.00 N/A



# Application Maintenance & Support for DeKalb County GOV CX City 311 (Statement of Work)

December 1st, 2021



2400 Louisiana Blvd Building 3, Albuquerque, New Mexico 87110

Telephone: +1 505 217 3725



Specialized Healthcare Siebel CRM Rightnow CX Cloud Service Oracle SOA Suite Oracle Business Intelligence Foundation Oracle Business Intelligence Applications





# Contents

1.	Executive Summary	3
2.	Project Background	4
	Term of SOW	
	Project Scope	
	Speridian Managed Services	
	Performance Commitment	
7.	Project Cost and Compensation	8
	SIGNATURES	
	Speridian Technologies, LLC DeKalb County	9





#### 1. Executive Summary

Speridian presents this Statement of Work ("SOW") for services associated with the maintenance & operational (M&O) support to DeKalb County for the Oracle Sales Cloud applications.

Speridian is an Oracle Platinum Partner, and a world leader in the Oracle CX technologies and their applications in ERP, CRM, and HR. Operating one of the largest CX practices in the world, Speridian is a one-stop full-solution provider for Oracle CX with a long-track record of successful project implementations, support, and maintenance leveraging industry best-practice and proven delivery methodologies.

Speridian has extensive experience implementing and supporting projects in an onshore-nearshore, and offshore model to bring the best in economies-of-scale and bring-forward the knowledge of Speridian's Center of Excellence (COE) to its customers.

Speridian has extensive experience in supporting Oracle Service Cloud for multiple customers globally, and this has helped us in establishing a methodology for providing sustained benefits to any customer, through the entire engagement lifecycle. Through the usage of the Speridian Managed Service we can ensure the highest quality of service with the lowest possible risk to our customers and partners.

The following is a list of advantages in using our Managed Services:

- A framework that provides a clear entry and exit strategy for support service
- Robust transition processes
- Preserving knowledge through robust knowledge acquisition, preservation & management
- Transparent approach to management control, tracking, and reporting
- Leverage Speridian skill sets and COE to build team.

In the past 18 years, Speridian has delivered over 100 customer experience focused projects & solutions and today has over 1,100 IT employees and 300 sub-contractors delivering services world-wide. In 2016, we achieved the highest level of quality based as per CMMi. Speridian is also ISO 9001 certified for Quality Management, and ISO 27001 for Information Security Management.

ISO 9001	ISO/IEC 27001
bsi.	bsi.
Certificate of Registration	Certificate of Registration
QUALITY NAMADHENT SYSTEM - ISO NOL 2008	INFORMATION SECURITY MANAGEMENT SYSTEM - ESGREC 22X01-2008
The behavior to the second sec	The situated bat Spectra Toringer Ad Lot. 10. Anguarder Toringer Ad Lot. 10. Anguarder 10. A
	mass lambase for IS 568.05
er person e la de Veraperet base dels angles del la superiori d'ill' del cel la baseg	2 Mill with to the fillments in our
The others bodynes, (Wryness, Y area 5 crueling	The improved of interactions see the and improved to first interaction interactions in the Application assess in Patients within the contentiate methods research parameter functions the relevance Application in Applications and 10
	The bit an analysis with the fragment of Application, Stream (1.4.4644) (201 Applied (201)) (The Applied and control for an other detected of the Spatial and Applied (2014))
In second case	To set a land of the
Spatiagent MERT atting WINT BUILD DIST.	Organic regiment (1952/01) and lower (1952/01) Bally See (1952/01)
(A) (The lot of the lo	
.making excellence a heliot	.rnaking excellence a habit'
Automatic and an event of the section	
	the second secon
North Court of the	consists and state of some and an end of the balance of the source of



What these certifications mean for your project is the assurance that we have continuously monitored, improved, and expanded our capabilities and maturity in how we facilitate, train, and execute projects with the highest industry-recognized levels of reliable quality, security, and value.





## 2. Project Background

As part of the One DeKalb initiative, DeKalb County has replacing its Oracle EBS CRM licenses to Oracle Service Cloud, a modern customer experience (CX) solution that will help DeKalb Co. provide better quality citizen engagement and multichannel customer service (i.e., web/mobile, phone, social media) to its citizens.

Speridian has implemented our GOV CX City 311 accelerated solution for DeKalb Co, with an Agent Desktop user interface, as well as the optimized Browser UI (BUI) interface, which is internet browser independent, and provides a more robust solution as well as a better user experience.

As part of the Phase II of the GOV CX City 311 project, Speridian will be implementing the application changes in order to support two new departments that will start using this new platform for their operations with citizens, while providing application support and maintenance for the functionality in Production.

#### 3. Term of SOW

This SOW shall be effective from the date of the SOW from March 1, 2022 through February 28th, 2023 (the "Term"). After the Initial Term, this SOW may be renewed for successive terms of twelve (12) months each ("Renewal Term"), and cost of professional services may be adjusted in agreement with DeKalb as a result of additional departments or functionality in scope.

#### 4. Project Scope

The project involves:

 a) Production Support (break/fix) for the departments enabled in the 311 application, and up to 20hrs/month for minor enhancements, that can be used during the support year (240 hours per year), not cumulative for subsequent years. Application enhancements that exceed the 240 hours per year will be implemented via Change Order, prior estimation from Speridian and approval from DeKalb.

Speridian will provide capacity-based services, where we will provide the following:

Service Element (Oracle Sales Cloud Support)	Included
Track and report on Jira issues status	$\checkmark$
Custom Application Bugs/fixes, including unit testing and functional testing	$\checkmark$
Liaise with Oracle Support for product bugs, enhancements	$\checkmark$
Oracle quarterly release testing following coordination of DeKalb IT*	√
Documentation - Update configuration document, functional specifications, technical specifications, installation & test scripts for changes to configuration/specificationade as part of application support fixes	√ ation
Develop and manage agreed upon enhancements/changes and deploy to test and production environments.	$\checkmark$
Communicate release assessment document with new features summary	$\checkmark$





\*Speridian will provide testing of in-scope applications after each Oracle quarterly update or per agreed update frequency

- Quarterly or Yearly updates patch and maintenance
  - o Maintenance update release notes review and assessment
  - Patch and fix analysis for impact to Oracle Cloud functionality
  - Regression test script updates and maintenance for critical functionality
  - System integration testing (SIT) of implemented Oracle Cloud application functionality
  - Resolve issues that arise from the user acceptance testing (UAT)
  - Ensure successful deployment
- Quarterly or Yearly updates new functionality
  - Review release notes
  - Perform new functionality high level assessment; identify impacts to existing configuration, integrations, and reports
  - Conduct impact review collaborate, facilitate scope decisions
  - Ensure successful deployment

## 5. Speridian Managed Services

Speridian Managed Services Support will encompass the full spectrum of services and capabilities for managing and maintaining the DeKalb 311 application.

# . .









#### 6. Performance Commitment

Speridian is committed to maintaining the highest levels of support and to ensuring DeKalb's satisfaction throughout the term of this contract. Speridian's intent is that our support will meet DeKalb's expectations throughout the term of this SOW.

Throughout the term of the contractual arrangement, Speridian shall provide qualified personnel to perform all support services as defined in this SOW.

# **Incident Response Target**

Severity	First acknowledgment	Update frequency target
1	Within one (1) hour of identification of an Incident from (Mon. – Fri.: 8am - 6pm EST)	Every (1) hour
2	Within three (3) hours of identification of an Incident from (Mon. – Fri.: 8am - 6pm EST)	Every (3) hours
3	Within two (2) Business Days of identification of an Incident from (Mon. – Fri.: 8am - 6pm EST)	Update frequency will be discussed and mutually agreed with the client
4	Within one (1) week or five (5) Business Days of identification of an Incident from (Mon. – Fri.: 8am - 6pm EST)	Update frequency will be discussed and mutually agreed with the client





# **Incident Resolution Target**

Severity	Description	Impact/urgency	Commitment to Resolution
			time target
1	Critical, severe impact, the application is not operational, all critical data inaccessible or has severely restricted functionality or degradation.	Major outage that impacts all a large group of Users or a complete business function and the application is not accessible.	8 hours (on-call for application availability related issues and Mon. – Fri.: 8am - 6pm EST)
2	The application is operational but has restricted functionality or degradation that is impacting Users' operations.	Major impact to one or many Users, partial service disruption to business.	
3	The application is operational with low, intermittent, circumvented errors not impacting the Users' operations.	Bug fix or non-priority Incident or reasonable work-around exists.	Commitment to Resolution time will be assessed in conjunction with the client - 5 Business Days
4	Questions with the application usage, implementation or "nice to have"/suggested adjustments in the application that can be considered in a future release or project		For generic questions not critical for business continuity - 3 Business Days Other "nice to have" suggestions that can be considered in a future release: - 10 Business Days for estimation

# Weekly Reporting Sample View

shboard			SLA	tracking de	tail				Active Cas	ac - Ou	onview	
		Elect A.	cknowledg	ament	Pecelu	tion Commi	Imont		Active cas		civicit	
% of tickets responded on time for Sev 1, 2, 3 and 4: 100%	Severity		Requests			# Requests						
	Seventy	1	0	0	8	0 Nequests	0		Incidents			Requests
V of tickets with a seep once time commitment assuided on	2	3	1	0	8	0	0		2			
% of tickets with a response time commitment provided on ime for Sev 1, 2, 3 and 4: 100%	3	16	4	0	40	1	0		Under Investig	lion		
	3								• Wask in Progra			
Number of tickets that breached an SLA; 0	4	40	1	0	80	1	0		2 Additional Infor Resaired	nation 4		•0%
View of cases creat	ed/resolved	н.							Pready for URT     Change Implies	ented		
Week to date	Month to	date							2			
N	2											
		10										
10 10 10												
			15									
			10									
			10									
4			10					Incide	ents breakdo	wn		
	1		10					Incide	ents breakdo	wn		
	i		10				Serrara	Incide	ents breakdo	wn	Created	S2.6 [Remaining time to resolution]
nderts Regards	4 Incidents	Reque	of after				Servery				Created	SLA [Remaining time to resolution] [blower]
holderts Requests	e Incidents © Created		or atae			Uniacce	Survey				Created 2020-08-27	SLA [Remaining time to resolution] (Monum) 2:24
Created Resolved	Created	Resolved	10 pats					inne kry	Язеля	Priority		
Created Resolved	Created	Resolved	10 pata			Results	ssioned Samples pushed to prc?	Issue key GSD-64	Status Additional information required	Priority	2020-08-27	2:24
	Created	Resolved	to ests			Results Push to Sampler	ssioned Sampies pushed to pro? page error PRC - more critical - Download - date format is not correct	GSD-44 GSD-43 GSD-43 GSD-54	Sanua Additional information required Change implemented Change implemented Under investigation	Priority Highest High High Medium	2020-08-27 2020-08-27 2020-08-20 2020-08-28	2:24 2:25 3:00 6:52
Created Resolved	• Created •	Resolved	30 9585			Results Push to Sampler cloning	salaned Samples pushed to pro? page error PriC - more critical - Download - date format is not correct plate issue	030-44 030-43 030-23 030-54 030-54	Status Additional information required Change implemented Change implemented Under investigation Change implemented	Plotby Highest High High Netions Netions	2020-08-27 2020-08-27 2020-08-20 2020-08-28 2020-08-28 2020-08-21	2:24 2:25 3:00 6:52 4:57
Created  Resolved  SLA (Avg Resolution	• Created •	Resolved	to pata			Results Push to Sampler cloning review	ssioned Samples pushed to pec? page error PEC - many critical - Download - date format is not correct powload - date format is not correct previous runs - update status property	630-44 630-43 630-23 630-54 630-25 630-50	Status Additional Information required Change implemented Change implemented Under investigation Under investigation	Priority Highest High Medium Medium Low	2020-08-27 2020-08-27 2020-08-20 2020-08-28 2020-08-21 2020-08-21 2020-08-25	2:24 2:25 3:00 6:52 4:37 46:25
Created  Resolved SLA (Avg Resolution	• Created •	Resolved	15			Results Push to Sample cloning review (	salaned Samples pushed to prc? page error Prd: -more critical - Daveload - date formatis not correct plate issue reviews nonundete status property result - nurdees change after clicking on view	630-44 630-43 630-23 630-54 630-25 630-54 630-35 630-50 630-50	Status Additional information regulared Change implemented Change implemented Under investigation Change implemented Under investigation Additional information regulared	Priority Highest Highest High Medium Medium Low Low	2020-08-27 2020-08-27 2020-08-20 2020-08-28 2020-08-28 2020-08-28 2020-08-28 2020-08-25	2.24 2.25 3.00 6.52 4.57 44.20 24.55
Cruted + Resolute SLA (Avg Resolut Note compare out parts	• Created •	Resolved	5			Results Push to Sample claning reniew r saer ma	salamed Samples pushed to prc? page error In Deveload - date format is not carrect falle lisse revision crure - admin - surdee shall a property error data - surdee shall be shall be shall be stagement passeed	CSD-44 CSD-43 CSD-43 CSD-23 CSD-54 CSD-54 CSD-55 CSD-50 ef CSD-39	Sona Additional information required Charge implemented Orage implemented Under investigation Under investigation Additional information required Charge implemented	Priority Highest Highest Nedium Low Low	2020-08-27 2020-08-27 2020-08-20 2020-08-20 2020-08-28 2020-08-28 2020-08-28 2020-08-28 2020-08-26	2.24 2.25 3.00 6.52 4.57 44.25 2.455 2.455 2.451
Created  Resolved  SLA (Avg Resolution	• Created •	Resolved	no notice in the second			Results Push to Sample claning reniew r saer ma saer ma	soland Samplan pushed to pn? page more http://mana.chiladi i: Dowebaid - data format is not cented: plate tasse etimic runs - update tatas property testin - market change after chicking on view regement passeoid regement	Insectory           GSD-44           GSD-43           GSD-53           GSD-53           GSD-54           GSD-55           GSD-50           eff           GSD-38	Sinta Additional information required Change insplemential Change insplemential Under investigation Change insplemential Under investigation Additional information required Change insplemential Change insplemential	Priority Highest Highest Nedium Low Low Low	2020-06-27 2020-06-27 2020-06-27 2020-06-20 2020-06-28 2020-06-28 2020-06-26 2020-06-26 2020-06-25	2.24 2.25 3.00 6.52 4.07 44.05 24.55 24.55 24.55 24.53
Created + Resolute     SLA (Avg Resolut     Water compare and parts	• Created •	Resolved	50			Results Push to Sample Coning review of sam ma sam ma Siter ma	soland Samplan pushed to pec? ange enver Pol:-many critical - Dowelaad - older formatio net comet data tour envelous net-supdate tables properly estal-marked callega alter claiking on view nagement plane on smallsh rage	C3D-44 03D-43 03D-43 03D-23 03D-23 03D-24 03D-25 03D-20 03D-30 03D-30 03D-30 03D-30 03D-30 03D-30 03D-30 03D-31	Senar AddBowk Information regulated Change inglemented Under investigation One projectionstation Under investigation AddBowk Information Change inglemented Change inglemented Ready for UR	Priority Highest High Medium Low Low Low Low	2020-06-27 2020-06-27 2020-06-27 2020-06-20 2020-06-28 2020-06-28 2020-06-26 2020-06-26 2020-06-26 2020-06-26	2.24 2.25 5.00 6.65 4.67 46.35 24.65 24.65 24.65 24.53 6.55
Created + Resolute     SLA (Avg Resolut     Water compare and parts	• Created •	Resolved	2			Results Push to Samples cloning molecul soor ma soor ma filter iso	sationed Samplia pushed to part? Prof may entruit Prof may entruit John town Satistic Constant of the satistic property estait, - marketing after clicking on view againmed parameted segment or entruits rapid	Issue key           GSD-44           GSD-43           GSD-54           GSD-53           GSD-54           GSD-50           GSD-50           GSD-38           GSD-38           GSD-38	Statut Additional information College insplemented College insplemented Under investigation College insplemented College insplemented College insplemented Ready for URP Ready for URP	Planty Highest Highest Nedium Low Low Low Low Low Low Low Low Low Low	2020-08-27 2020-08-27 2020-08-29 2020-08-28 2020-08-28 2020-08-28 2020-08-26 2020-08-26 2020-08-26 2020-08-26	2.24 2.25 3.00 6.52 4.57 44.59 24.55 24.55 24.55 44.50 6.54
Cruted + Resolute SLA (Avg Resolut United compared on the second of the	• Created •	Resolved	555			Results Push to Sampler claning resident to samma filter to Ritter to Resident	solaned Surgios publied to pro? programory Pro?-marce stituidi - solanetada - shallon format is not conset. plate tose enviros conset and processing on view againent againent osi - socables cagaine chicking on view againent againedi osi - socables cagaine osi osi - socables cagaine osi oggi - Shayats.	Insue key           G20-44           030-43           030-43           030-54           030-54           030-54           030-54           030-54           030-58           030-59           030-50           030-39           030-31           030-37           030-37	Seeau AAREon II Information required Change implemented Change implemented Under investigation Analysis indexensited Under investigation AREEnrow Information required Change implemented Brady for URI Ready for URI Change indexensited	Planty Highest Highest Medium Low Low Low Low Low Low Low Low Low Low	2020-08-27 2020-08-27 2020-08-20 2020-08-28 2020-08-28 2020-08-28 2020-08-28 2020-08-28 2020-08-28 2020-08-28 2020-08-20	2.24 2.25 5.00 6.52 4.57 44.55 2.455 2.455 2.455 2.455 2.455 8.54 47.50
Created + Resolved      SLA (Avg Resolut      the compare of pare      a	• Created •	Resolved	555			Results Push to Samples claning resident a claning claning filter to Resident filter to Resident Date Th	saland Sample public for performance and the second	Inscelling           652-44           630-43           630-54           630-54           630-54           630-54           630-54           630-54           630-54           630-54           630-54           630-54           630-54           630-54           630-54           630-54           630-38           630-38           630-38           630-37           630-37           630-31	Statut Additional Information Impaired Change Inspherestratio Under Incorporation Under Incorporation Additional Information Information Additional Information Information Additional Information Information Change Inspherestratio Design Inspherestratio Change Inspherestratio	Planty Highest Highest Neduce Low Low Low Low Low Low Low Low Low Low	2020-08-27 2020-08-27 2020-08-30 2020-08-30 2020-08-30 2020-08-30 2020-08-30 2020-08-30 2020-08-30 2020-08-30 2020-08-30 2020-08-24 2020-08-24 2020-08-24 2020-08-24	2.24 2.25 3.00 6.52 4.62 2.455 2.4455 2.4455 2.4455 8.54 8.55 8.54 4.152 6.65
Counted + Resolved  SLA (Avg Resolut  tite compare and pare  terms	• Created •	Resolved	155			Results Push to Samples claning resident a claning claning filter to Resident filter to Resident Date Th	solaned Surgias pushed to pro? program over Pro? - more utiliail - Soundaid - shalls format is not conset. plate tasse revision core, - suphide shalls properly revision core, - suphide shalls properly out - months (support out - months) support out - months) support out - months (support out - months) support out - months) support	Insue key           G20-44           030-43           030-43           030-54           030-54           030-54           030-54           030-54           030-58           030-59           030-50           030-39           030-31           030-37           030-37	Seeau AAREon II Information required Change implemented Change implemented Under investigation Analysis indexensited Under investigation AREEnrow Information required Change implemented Brady for URI Ready for URI Change indexensited	Planty Highest Highest Medium Low Low Low Low Low Low Low Low Low Low	2020-08-27 2020-08-27 2020-08-20 2020-08-28 2020-08-28 2020-08-28 2020-08-28 2020-08-28 2020-08-28 2020-08-28 2020-08-20	2.24 2.25 5.00 6.52 4.57 44.55 2.455 2.455 2.455 2.455 2.455 8.54 47.50
Created + Resolved      SLA (Avg Resolut      the compare of pare      a	• Created •	Resolved	5 5255			Results Push to Samples claning resident a claning claning filter to Resident filter to Resident Date Th	saland Sample public for performance and the second	Inscelling           652-44           630-43           630-54           630-54           630-54           630-54           630-54           630-54           630-54           630-54           630-54           630-54           630-54           630-54           630-54           630-54           630-38           630-38           630-38           630-37           630-37           630-31	Statut Additional Information Impaired Change Inspherestratio Under Incorporation Under Incorporation Additional Information Information Additional Information Information Additional Information Information Change Inspherestratio Design Inspherestratio Change Inspherestratio	Planty Highest Highest Neduce Low Low Low Low Low Low Low Low Low Low	2020-08-27 2020-08-27 2020-08-30 2020-08-30 2020-08-30 2020-08-30 2020-08-30 2020-08-30 2020-08-30 2020-08-30 2020-08-30 2020-08-24 2020-08-24 2020-08-24 2020-08-24	2.24 2.25 3.00 6.52 4.62 2.455 2.4455 2.4455 2.4455 8.54 8.55 8.54 4.152 6.65
Created + Resolved  SLA (Avg Resolut  Resolut  and black  and bla	• Created •	Resolved	50 100 100 100			Results Push to Samples claning resident a claning claning filter to Resident filter to Resident Date Th	saland Sample public for performance and the second	Inscelling           652-44           630-43           630-54           630-54           630-54           630-54           630-54           630-54           630-54           630-54           630-54           630-54           630-54           630-54           630-54           630-54           630-38           630-38           630-38           630-37           630-37           630-31	Statut Additional Information Impaired Change Inspherestratio Under Incorporation Under Incorporation Additional Information Information Additional Information Information Additional Information Information Change Inspherestratio Design Inspherestratio Change Inspherestratio	Planty Highest Highest Neduce Low Low Low Low Low Low Low Low Low Low	2020-08-27 2020-08-27 2020-08-30 2020-08-30 2020-08-30 2020-08-30 2020-08-30 2020-08-30 2020-08-30 2020-08-30 2020-08-30 2020-08-24 2020-08-24 2020-08-24 2020-08-24	2.24 2.25 3.00 6.52 4.62 2.455 2.4455 2.4455 2.4455 8.54 8.55 8.54 4.152 6.65
Created + Resolved      SLA (Avg Resolut      the compare of pare      a	Created ution Time) Uty treatment	Resolved	0			Results Push to Samples claning resident a claning claning filter to Resident filter to Resident Date Th	saland Sample public for performance and the second	Inscelling           652-44           630-43           630-54           630-54           630-54           630-54           630-54           630-54           630-54           630-54           630-54           630-54           630-54           630-54           630-54           630-54           630-38           630-38           630-38           630-37           630-37           630-31	Statut Additional Information Impaired Change Inspherestratio Under Incorporation Under Incorporation Additional Information Information Additional Information Information Additional Information Information Change Inspherestratio Design Inspherestratio Change Inspherestratio	Planty Highest Highest Neduce Low Low Low Low Low Low Low Low Low Low	2020-08-27 2020-08-27 2020-08-30 2020-08-30 2020-08-30 2020-08-30 2020-08-30 2020-08-30 2020-08-30 2020-08-30 2020-08-30 2020-08-24 2020-08-24 2020-08-24 2020-08-24	2.24 2.25 3.00 6.52 4.62 2.455 2.4455 2.4455 2.4455 8.54 8.55 8.54 4.152 6.65





### 7. Project Cost and Compensation

Working closely with the DeKalb project team throughout the project lifecycle, Speridian will perform this project task order based upon the monthly fixed-fee cost of **\$17,720 usd**. This amount will be invoiced on a monthly basis. The total value of this annual Maintenance SOW is **\$212,640 usd**, and may be renewed in an annual basis, where the cost of professional services may be adjusted in agreement with DeKalb as a result of additional departments or functionality in scope.





#### 8. SIGNATURES

IN WITNESS WHEREOF, the parties have executed this Statement of Work as of the Effective Date indicated above.

#### Speridian Technologies, LLC

Signed:\_\_\_\_\_

Name:\_\_\_\_\_

Title:\_\_\_\_\_

Date: \_\_\_\_\_

### **DeKalb County**

Signed:\_\_\_\_\_

Name:\_\_\_\_\_

Title:\_\_\_\_\_

Date: \_\_\_\_\_

# Sole Sources

Project Name	Laptop for Use for iNTREO/Delta BAS System				
Attachments	Sole Source Notice				
Contact	pdlawton@dekalbcountyga.gov				
Project Name	Oracle Software License Support and Maintenance				
Attachments	Sole Source Notice				
Contact	phead@dekalbcountyga.gov				
Project Name	EuroTex™ Equine Arena Footing, Dragging Equipment, Maintenance, and Installation Services				
Attachments	Sole Source Notice				
Contact	jchapital@dekalbcountyga.gov				
Project Name	Rain Jacket Alterations				
Attachments	Sole Source Notice				
Contact	tbdawson@dekalbcountyga.gov				
Project Name	Apex Officer - X2 Pro Training Simulator Suite				
Attachments	Sole Source Notice				
Contact	tbdawson@dekalbcountyga.gov				
Project Name	Jury360 and eJuror Portal Electronic Jury Management System				
Attachments	Sole Source Notice				
Contact mkdean@dekalbcountyga.gov					
Project Name	Kofax Software and Maintenance Support Renewal for the term of 3/1/2022 – 2/28/2023				
Attachments	Sole Source Notice				

Contact	snallen@dekalbcountyga.gov
Project Name	Kofax Scanner Maintenance Renewal III First Call Hardware Support and Maintenance for the term of 3/1/2022 – 2/28/2023
Attachments	Sole Source Notice
Contact	snallen@dekalbcountyga.gov
Project Name	Application Maintenance and Support for DeKalb County GOV CX City 311
Attachments	Sole Source Notice
Contact	mkdean@dekalbcountyga.gov