DOBBS EQUIPMENT

JOHN DEERE

P.O. BOX 3329

Jason A. Cherry

4500 Wendell Dr., Atlanta GA., 30336

OFF. (404)691-9445 FAX (404)696-1170

jcherry@flintequipco.com

| To: | Dekalb County Department of Purchasing |
|-----|--|
| | and Contracting |

| Date : | 5/15/2023 |
|------------------|-------------|
| Phone No. | 404691-9445 |
| | 1010010110 |
| Fax No. : | |
| Equipment Model: | |
| 655k | |
| | |
| Warranty : | |
| 12 month | |
| Warranty | |

5 year 5000Hr addiional

| Quantity | Description | | | | | Price | |
|----------|--------------------------|-----------------------|--------------------|--------------|----------|--------------------|--|
| 1 | 655K Landfill craw | ler loader | Li: | st Lis | st Price | \$368,761.00 | |
| | | | | | | , | |
| | Sourcewell Contract# | 032515-JDC | Sourcewell c | liscount 28% | | -\$102,973.00 | |
| | Predelivery D | elivered full of fuel | | | | \$5,675.00 | |
| | Followup | | | | | \$1,500.00 | |
| | Frieght from factory and | delivered to Dekalb | County | | | \$5,989.00 | |
| | 5year 5000Hr Power Tra | | | | | \$7,232.00 | |
| | 3 year 3000Hr PM Conti | act | | | | \$16,111.00 | |
| | Rear Stricker Bar | | | | | \$3,200.00 | |
| | Fire Supression | | | | | \$16,960.00 | |
| | Manuals and Training fro | ee of charge | | | | | |
| | Specs are provided on | separate quote and | d conform to attac | hed requiren | nent | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | Price increase November | er 2023 \$15, | 000 | | | | |
| | | · , | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | S | ALES TAX | 0% | | |
| | | | | TOTAL | | #000 455 60 | |
| | | | | TOTAL | | \$322,455.00 | |

| Ву: | Jason Cherry |
|-----|--------------|
| | |

JD Link life of machine

Quick Service Group

Joystick Steering with FNR, Variable Speed, Direction Control and Brake Pedal Auto-Reversing, Hydraulic-Drive Engine Fan
22 In. (560 mm), Closed Center Double Grouser with Extended Life Bushings Enclosed Cab with Polycarbonate Front Windshield
Air Suspension Comfort Control High Back Fabric Seat
Fire supression system
Dual Axis Joystick Loader Controls Without Front Hydraulics
Hydraulic And Hydrostatic Oil - Hydrau
General Purpose Bucket
Bolt-On Segments and Teeth (8)
Landfill Package includes guarding for final drives
Fluid Sampling Ports