

#### Atlanta GA 2560 Moreland Avenue SE Atlanta, GA 30315 (404) 622-1921

# **Customer Proposal Letter**

DeKalb County Georgia Depar 1300 Commerce Drive Decatur, 30030 (404) 297-3280	rtment of Purchasing and Contracting		
Tommy, thank you for the obusiness needs. Please acc	opportunity to earn your business.cept the following proposal.	. We look forward to working with y	ou on your
VEHICLE			
Make Isuzu Model	NPR-HD Gas Year 2024 Sto	ock Number To Be Determined	
Additional Vehicle and Acce	essories Description		
	soline) crew-cab chassis with 12ft dump b	To be delivered on or	rabout <u>Fall 2023</u>
Quantity		1	Total
Truck Price per Unit		\$ 98,531.00	
Georgia State Contract Disc	ount	<u>-7.000.00</u>	\$ 98,531.00 -28,000.00
Net Sales Price			
Optional Extended Warranty		\$ 91,531.00	\$ 91,531.00
State Sales Tax		_	
Documentary Fee			
Administration Fee			
Vehicle Inventory Tax			
Additional Taxes			
Tire Recycling Program Battery Disposal Fee			
Out of State Vehicle Fee			
Rebate(s)			
Total Sales Price (Including F	Rebate(s))		\$ 91,531.00
Trade Allowance (see DISCL	_AIMER Below)		\$0.00
Sales Representative		Must Hall to	1.1.
Purchaser	signature	Kurt Hohlstein	
	signature	/\ 4/\	MERINO
Accented by Salas Manager	title	printed name	15-2023
Accepted by Sales Manager or General Manager	signature	date	
Quote good until		printed name	
DISCLAIMER: Any order based on this Proposal	subject to Customer executing Dealer's standard form	is a quotation only. Sale terms subject to a Retail Purchase Order incorporating above terms. Any door	oproval of Sales Manager of Dealer.

DISCLAIMER: Any order based on this Proposal subject to Customer executing Dealer's standard form Retail Purchase Order incorporating above terms. Any documentary fees, state tax, title, registration and license fees subject to adjustment and change. Actual F.E.T. to be paid by Dealer, subject to adjustment. Any F.E.T. variance will be responsibility of Dealer Manufacturer has reserved the right to change the price to Dealer of any vehicle not currently in Dealer's stock, Dealer reserves right to change the increases from Manufacturer. This Proposal is based upon Dealer's current and expected inventory, which is subject to change. Dealer not obligated to retain any specific vehicles in stock, nor maintain any specific inventory level. Dealer shall not be obligated to fulfill Proposal in event quoted vehicle(s) not in stock or available within requested delivery schedule at time Proposal accepted. Dealer shall not be liable for any delay in providing or inability to provide Quoted Vehicle(s), where such inability or delay is due, in whole or in part, to any cause beyond the reasonable control of Dealer or is without the gross negligence or intended misconduct of Dealer. Above listed Trade Value based upon current appraisal of Trade Vehicle(s). Dealer may adjust Trade Value of Trade Vehicle(s) to reflect changes in condition and/or mileage of Trade Vehicle(s) between date of current appraisal and acceptance of this Proposal by Customer.

RTC Q-300-7/12



# DEKALB COUNTY CREW GAS SANITATION DUMP



Current report content is based on data as of 2023-05-15 05:07:57. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.




## **RUSH ISUZU TRUCK ATLANTA**

William "Kurt" Hohlstein ir

DEKALB COUNTY CREW GAS SANITATION DUMP (2024 NPR-HD Gas Crew Cab, 1G4 176"WB, 114.5"CA, 14,500 GVWR. White, Standard model specifications with power windows and door locks

## **Weight Distribution**



Front Wt.	4,783.43 lbs.	66%
Rear Wt.	2,452.57 lbs.	34%
GVWR	14,500.00 lbs.	
GVW	7,236.00 lbs.	
Remaining Payload Weight	7,264.00 lbs.	

Driver/Passenger Weight	350.0 lbs.	
Rear Passengers	600.0 lbs.	
Wheelbase (WB)	176 inches	
Cab-to-Axle (CA)	114.5 inches	
Body Length		
Body Weight		
Back of Cab (BOC)	5 inches	

\*\* You must fill in body length and weight to enable body and payload weight calculations.

Weight (lbs.)	Front	Rear	Total
Chassis	3,988.00	2,275.00	6,263.00
Chassis Equipment	21.00	2.00	23.00
Subtotal	4,009.00	2,277.00	6,286.00
Driver/Passengers	774.43	175.57	950.00
Body/Body Equipment	0.00	0.00	0.00
Payload	0.00	0.00	0.00
Total	4,783.43	2,452.57	7,236.00
GAWR/GVWR	6,630.00	11,020.00	14,500.00
GCWR			20,500.00

## **Chassis Equipment:**

Code	Item	Center Gravit	-	Front Axle	Rear Axle	Total
04	White, Standard model specifications with power windows and door locks			0.00 lbs.	0.00 lbs.	0.00 lbs.
WGW	60 months / 150,000 Miles			0.00 lbs.	0.00 lbs.	0.00 lbs
IF6	Fire Extinguisher and Triangle Kit mounted in rear organizer on standard cab and under rear seat on crew cab			19.00 lbs.	0.00 lbs.	19.00 lbs.
I2V	Audio System with 7" diagonal color touch-screen with backup camera (camera shipped loose)			2.00 lbs.	2.00 lbs.	4.00 lbs.
I3Z	Spare keys (2 additional, 4 keys in total)			0.00 lbs.	0.00 lbs.	0.00 lbs.

## **Driver/Passengers:**

	Center of Gravity	Front Axle	Rear Axle	Total
Driver	front axle	350.00 lbs.	0.00 lbs.	350.0 lbs.
Rear Passengers	10 inches in front of the back of cab	424.43 lbs.	175.57 lbs.	600.00 lbs.

Current report content is based on data as of 2023-05-15 05:07:57. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.

Page 2

Copyright (c) 2023 Isuzu Commercial Truck of America, Inc.

Initial: \_\_\_\_



## **RUSH ISUZU TRUCK ATLANTA**

William "Kurt" Hohlstein jr

DEKALB COUNTY CREW GAS SANITATION DUMP (2024 NPR-HD Gas Crew Cab, 1G4 176"WB, 114.5"CA, 14,500 GVWR. White, Standard model specifications with power windows and door locks

	Code	Description	
Model		3 dod i piloti	Weigh
	1G4	NPR-HD Gas Crew Cab 176"WB, 114.5"CA	
	04	White, Standard model specifications with power	
Vehicle Application		windows and door locks	
	RQ2	Truck Application	
Tires		Tradity pproducti	0.0 lbs
	I5H	LRR (low rolling resistance)	0.01
Engine			0.0 lbs
	L8T	GMPT 6.6L (400 CID) V8 gasoline engine; 350 HP at 4500 RPM; 425 lb-ft torque at 3800 RPM; precise fuel control direct injection technology; electronic throttle control; overhead valves with variable valve timing; heavy duty cast-iron cylinder block with six-bolt main-bearing cap; cast aluminum cylinder heads; forged steel crankshaft; stainless steel exhaust manifold.	0.0 lbs
Transmission		exhaust manifold.	
	MYD	6L90-E Hydra-Matic, 6-speed automatic with lock-up converter and overdrive. Ratios: Gear and Ratios 4.027, 2.364 ,1.532, 1.152, 0.0852, 0.667, Rev.	0.0 lbs
14/L - 11		3.064:1	
Wheelbase	ENDA		
	FNW	176 inches, includes ladder type channel frame. Full C section straight frame 33,5 inches wide. Yield strength 44,000 psi; section modulus 7.20 in3 RBM 316,800 lb./ft./in per rail. 114.5"CA	0.0 lbs
Air Cleaner			
	KNX	Dry paper single element. Air cleaner canister standard with air restriction gauge.	0.0 lbs
Alternator			
Rattony	KW7	170 Amp. output with integral regulator.	0.0 lbs.
Battery	ш о		
	IL3	Single Delco 12-V maintenance free 750 CCA frame mounted battery box	0.0 lbs.
Exhaust		mounted battery box	
	141	Single horizontal aluminized steel with catalytic converter and oxygen sensor devices.	0.0 lbs.
Front Axle		and oxygon concor devices.	
	ID2	"I"-beam rated at 6,830 lbs. Includes integral hydraulic power steering. Ratio 18.8-20.9:1.	0.0 lbs.
Front Suspension		y 3 4 4 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	
	ID4	6,830 lb. capacity. Semi-elliptical tapered leaf springs. Includes shock absorbers and stabilizer bar.	0.0 lbs.
Front Wheels		ophings. molddos shock absorbers and Stabilizer par.	
and a second profession of the dispersion of the control of the co	IB9	19.5" x 6", 6-hole disc, painted white	
Front Tires		, a maio dioo, paintou winto	0.0 lbs.
	I8B	225/70R19.5G (14 ply) tubeless Radial, all season tread	0.0 lbs.

Current report content is based on data as of 2023-05-15 05:07:57. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.

Page 3	Copyright (c) 2023 Isuzu Commercial Truck of America, Inc.	Initial:



#### **RUSH ISUZU TRUCK ATLANTA**

William "Kurt" Hohlstein jr

DEKALB COUNTY CREW GAS SANITATION DUMP (2024 NPR-HD Gas Crew Cab, 1G4 176"WB, 114.5"CA, 14,500 GVWR. White, Standard model specifications with power windows and door locks

Rear Suspension    18	Code	e Description	10/-:
Rear Axle    18.J   12,900 lbs. Capacity semi elliptical; main and auxiliary multi- leaf spring. Includes shock absorbers.   10.J   Single-speed, 14,550 lb. capacity with oil lubricated rear wheel bearings.   10.J   Single-speed, 14,550 lb. capacity with oil lubricated rear wheel bearings.   10.J   19.5" x 6", 6-hole disc, painted white   0.0 lbs.     10.J   19.5" x 6", 6-hole disc, painted white			Weigh
Rear Axle    ID3   Single-speed, 14,550 lb. capacity with oil lubricated rear wheel bearings.   0,0 lbs rear Wheels			0.0 lbs
Ratio  Rear Wheels  IC1 19.5" x 6", 6-hole disc, painted white  ISB 225/70R19.5G (14 ply) tubeless Radial, all season tread.  Fuel Tank  A17 38.6 gal. rectangular fuel tank. Mounted between frame rail with electric type fuel pump (mounted in tank). Through the rail fuel fill.  Seat  AQB Driver seat is reclining high back. Two single occupant fold down seats with tray backs.  Brakes  IE1 Vacuum + Power Assist; hydraulic 4-wheel disc brakes with 4-channel ABS. Mechanical, transmission mounted parking brake. Non-asbestos semi metallic linings are standard.  AIr Conditioning  C60 Air conditioner  C80 Air conditione	_	auxiliary multi- leaf spring. Includes shock absorbers.	3.0 .20
Rear Wheels    C1   19.5" x 6", 6-hole disc, painted white   0.0 lb:			
Rear Wheels    C1	ID	Single-speed, 14,550 lb. capacity with oil lubricated rear wheel bearings.	0.0 lbs
Rear Tires  IC1 19.5" x 6", 6-hole disc, painted white 0.0 lbs  Rear Tires  IPB 225/70R19.5G (14 ply) tubeless Radial, all season tread.  Fuel Tank  A17 38.6 gal. rectangular fuel tank. Mounted between frame rail with electric type fuel pump (mounted in tank). Through the rail fuel flil.  Seat  AQB Driver seat is reclining high back. Two single occupant fold down seats with tray backs.  BE1 Vacuum + Power Assist: hydraulic 4-wheel disc brakes with 4-channel ABS. Mechanical, transmission mounted parking brake. Non-asbestos semi metallic linings are standard.  Air Conditioning  C60 Air conditioner  C60 Ves  Model Option  Q4 White, Standard model specifications with power windows and door locks  Additional Options  IF6 Fire Extinguisher and Triangle Kit mounted in rear organizer on standard cab and under rear seat on crew cab  Audio System with 7" diagonal color touch-screen with backup camera (camera shipped loose)  Spare keys (2 additional, 4 keys in total)  Xear body dome lamp switch  AM*FM/CD radio with Aux input/USB port and Bluetooth RPO  Extended Warranty	Ratio		
Rear Wheels    IC1	092	2 4.300:1	0.0 lbs
Rear Tires    198	Rear Wheels		0.0 lbs
Rear Tires    19B   225/70R19.5G (14 ply) tubeless Radial, all season tread.   0.0 lbs trame rail with electric type fuel pump (mounted in tank). Through the rail fuel fill.   0.0 lbs trame rail with electric type fuel pump (mounted in tank). Through the rail fuel fill.   0.0 lbs trame rail with electric type fuel pump (mounted in tank). Through the rail fuel fill.   0.0 lbs trame rail with electric type fuel pump (mounted in tank). Through the rail fuel fill.   0.0 lbs trame rail with electric type fuel pump (mounted in tank). Through the rail fuel fill.   0.0 lbs trame rail with electric type fuel pump (mounted in tank). Through the rail fuel fill.   0.0 lbs trame rail with electric type fuel pump (mounted in tank). Through the rail fuel fill.   0.0 lbs trame rail with electric type fuel pump (mounted in tank). Through the rail fuel fill.   0.0 lbs trame rail with electric type fuel pump (mounted in tank). Through the rail fuel fill.   0.0 lbs trame rail with electric type fuel pump (mounted in tank). Through the rail fuel fill.   0.0 lbs trame rail with electric type fuel pump (mounted in tank). Through the rail fuel fill.   0.0 lbs trame rail with electric type fuel pump (mounted in tank). Through the rail fuel fill.   0.0 lbs trame rail with electric type fuel pump (mounted in tank). Through the rail fuel fill.   0.0 lbs trame rail with electric type fuel pump (mounted in tank). Through the rail fuel fill.   0.0 lbs trame rail with electric type fuel pump (mounted in tank). Through the rail fuel fill.   0.0 lbs trame rail with electric type fuel pump (mounted in tank). Through the rail fuel fill.   0.0 lbs trame rail with electric type fuel pump (mounted in tank). Through the rail fuel fill.   0.0 lbs trame rail with electric type fuel pump (mounted in tank). Through the rail fuel fill.   0.0 lbs trame rail with electric type fuel pump (mounted park)   0.0 lbs trame rail with electric type fuel pump (mount	IC <sup>2</sup>	1 19.5" x 6", 6-hole disc, painted white	0.0 lbs
Fuel Tank  A17 38.6 gal. rectangular fuel tank. Mounted between frame rail with electric type fuel pump (mounted in tank). Through the rail fuel fill.  Seat  AQB Driver seat is reclining high back. Two single occupant fold down seats with tray backs.  BET Vacuum + Power Assist, hydraulic 4-wheel disc brakes with 4-channel ABS. Mechanical, transmission mounted parking brake. Non-asbestos semi metallic linings are standard.  Air Conditioning  C60 Air conditioner  C60 Air conditioner  Ves 0.0 lbs  Model Option  Vhite, Standard model specifications with power windows and door locks  Additional Options  IF6 Fire Extinguisher and Triangle Kit mounted in rear organizer on standard cab and under rear seat on crew cab  12V Audio System with 7" diagonal color touch-screen with backup camera (camera shipped loose)  Accessories  IX2 Rear body dome lamp switch  AMFM/CD radio with Aux input/USB port and Bluetooth RPO  Extended Warranty	Rear Tires		0.0 103
Fuel Tank  A17 38.6 gal. rectangular fuel tank. Mounted between frame rail with electric type fuel pump (mounted in tank). Through the rail fuel fill.  AQB Driver seat is reclining high back. Two single occupant fold down seats with tray backs.  Brakes  IE1 Vacuum + Power Assist; hydraulic 4-wheel disc brakes with 4-channel ABS. Mechanical, transmission mounted parking brake. Non-asbestos semi metallic linings are standard.  Air Conditioning  C60 Air conditioner  O4 White, Standard model specifications with power windows and door locks  Model Option  IF6 Fire Extinguisher and Triangle Kit mounted in rear organizer on standard cab and under rear seat on crew cab with backup camera (camera shipped loose)  I3Z Spare keys (2 additional, 4 keys in total)  IX2 Rear body dome lamp switch AMFM/CD radio with Aux input/USB port and Bluetooth RPO  Extended Warranty	198	( 1 )/	0.0 lbs
frame rail with electric type fuel pump (mounted in tank). Through the rail fuel fill.  AQB Driver seat is reclining high back. Two single occupant fold down seats with tray backs.  Brakes  IE1 Vacuum + Power Assist; hydraulic 4-wheel disc brakes with 4-channel ABS. Mechanical, transmission mounted parking brake. Non-asbestos semi metallic linings are standard.  Air Conditioning  C60 Air conditioner  C60 Ves  IL0 Yes  O.0 lbs  Model Option  Vhite, Standard model specifications with power windows and door locks  IF6 Fire Extinguisher and Triangle Kit mounted in rear organizer on standard cab and under rear seat on crew cab  I2V Audio System with 7" diagonal color touch-screen with backup camera (camera shipped loose)  I3Z Spare keys (2 additional, 4 keys in total)  Rear body dome lamp switch  AM/FM/CD radio with Aux input/USB port and Bluetooth RPO  Extended Warranty	Fuel Tank		
AQB Driver seat is reclining high back. Two single occupant fold down seats with tray backs.  Brakes  IE1 Vacuum + Power Assist; hydraulic 4-wheel disc brakes with 4-channel ABS. Mechanical, transmission mounted parking brake. Non-asbestos semi metallic linings are standard.  Air Conditioning  C60 Air conditioner  C60 Air conditioner  C60 Ves  Model Option  O4 White, Standard model specifications with power windows and door locks  IL0 Yes  O.0 lbs  Additional Options  IF6 Fire Extinguisher and Triangle Kit mounted in rear organizer on standard cab and under rear seat on crew cab  I2V Audio System with 7" diagonal color touch-screen with backup camera (camera shipped loose)  I3Z Spare keys (2 additional, 4 keys in total)  O.0 lbs  Accessories  IX2 Rear body dome lamp switch  AM/FM/CD radio with Aux input/USB port and Bluetooth RPO  Extended Warranty	A17	frame rail with electric type fuel pump (mounted in	0.0 lbs
AQB Driver seat is reclining high back. Two single occupant fold down seats with tray backs.  IE1 Vacuum + Power Assist; hydraulic 4-wheel disc brakes with 4-channel ABS. Mechanical, transmission mounted parking brake. Non-asbestos semi metallic linings are standard.  Air Conditioning  C60 Air conditioner  C80 Air conditioner  C90 Ves  C90 Ves  C90 Ville, Standard model specifications with power windows and door locks  C90 Ville, Standard model specifications with power windows and door locks  C90 Ville, Standard model specifications with power windows and door locks  C90 Ville, Standard model specifications with power windows and door locks  C90 Ville, Standard model specifications with power windows and door locks  C90 Ville, Standard model specifications with power windows and door locks  C90 Ville, Standard model specifications with power windows and door locks  C90 Ville, Standard model specifications with power windows and door locks  C90 Ville, Standard model specifications with power windows and door locks  C90 Ville, Standard model specifications with power windows and door locks  C90 Ville, Standard model specifications with power windows and door locks  C90 Ville, Standard model specifications with power windows and door locks  C90 Ville, Standard model specifications with power windows and door locks  C90 Ville, Standard model specifications with power windows and door locks  C90 Ville, Standard model specifications with power windows and door locks  C90 Ville, Standard model specifications with power windows and door locks  C90 Ville, Standard model specifications with power windows and door locks  C90 Ville, Standard model specifications with power windows and door locks  C90 Ville, Standard model specifications with power windows and door locks  C90 Ville, Standard model specifications with power windows and door locks  C90 Ville, Standard model specifications with power windows and door locks  C90 Ville, Standard model specifications with power windows and door locks  C90 Ville, Standard model s	Seat	tank). Through the rail fuel fill.	
Brakes  IE1 Vacuum + Power Assist; hydraulic 4-wheel disc brakes with 4-channel ABS. Mechanical, transmission mounted parking brake. Non-asbestos semi metallic linings are standard.  Air Conditioning  C60 Air conditioner  IL0 Yes  Model Option  04 White, Standard model specifications with power windows and door locks  IF6 Fire Extinguisher and Triangle Kit mounted in rear organizer on standard cab and under rear seat on crew cab  I2V Audio System with 7" diagonal color touch-screen with backup camera (camera shipped loose)  I3Z Spare keys (2 additional, 4 keys in total)  Rear body dome lamp switch  RPP AM/FM/CD radio with Aux input/USB port and Bluetooth RPO  Extended Warranty  O.0 lbs		Priver seat is reclining high heak Two single	
IE1	AQL	occupant fold down seats with tray backs	0.0 lbs
brakes with 4-channel ABS. Mechanical, transmission mounted parking brake. Non-asbestos semi metallic linings are standard.  C60 Air conditioner 0.0 lbs  Power Windows & Door Locks  IL0 Yes 0.0 lbs  Model Option  O4 White, Standard model specifications with power windows and door locks  Fire Extinguisher and Triangle Kit mounted in rear organizer on standard cab and under rear seat on crew cab  I2V Audio System with 7" diagonal color touch-screen with backup camera (camera shipped loose)  I3Z Spare keys (2 additional, 4 keys in total)  Accessories  IX2 Rear body dome lamp switch  AM/FM/CD radio with Aux input/USB port and Bluetooth RPO  Extended Warranty	Brakes	ossapant fold down souls with tray backs.	
Semi metallic linings are standard.  C60 Air conditioner 0.0 lbs  Power Windows & Door Locks  IL0 Yes 0.0 lbs  Model Option  04 White, Standard model specifications with power windows and door locks  Additional Options  IF6 Fire Extinguisher and Triangle Kit mounted in rear organizer on standard cab and under rear seat on crew cab  I2V Audio System with 7" diagonal color touch-screen with backup camera (camera shipped loose)  Spare keys (2 additional, 4 keys in total)  Accessories  IX2 Rear body dome lamp switch  8RP AM/FM/CD radio with Aux input/USB port and Bluetooth RPO  Extended Warranty	IE1	brakes with 4-channel ABS. Mechanical,	0.0 lbs
Air Conditioning  C60 Air conditioner  C80 Accessories  C80 Air conditioner  C80 Air conditioner  C80 Air conditioner  C80 Accessories  C80 Air conditioner  C90 Accessories  C80 Air conditioner  C90 Air conditioner  C90 Accessories  C90 Air conditioner  C90 Accessories  C90 Air conditioner  C90 Accessories  C90 Air conditioner  C90 Accessories  C90 Air conditioner  C90 Air conditioner  C90 Air conditioner  C90 Accessories  C90 Air conditioner  C90 Accessories  C90 Air conditioner  C90 Accessories  C90 Air conditioner  C90 Air conditioner  C90 Air conditioner  C90 Accessories  C90 Air conditioner  C90 Air conditioner  C90 Accessories  C90 Air conditioner  C90 Accessories  C90 Air conditioner  C		semi metallic linings are standard.	
Power Windows & Door Locks  ILO Yes 0.0 lbs  Model Option  04 White, Standard model specifications with power windows and door locks  IF6 Fire Extinguisher and Triangle Kit mounted in rear organizer on standard cab and under rear seat on crew cab  I2V Audio System with 7" diagonal color touch-screen with backup camera (camera shipped loose)  I3Z Spare keys (2 additional, 4 keys in total)  Accessories  IX2 Rear body dome lamp switch  8RP AM/FM/CD radio with Aux input/USB port and Bluetooth RPO  Extended Warranty	Air Conditioning		
Power Windows & Door Locks   ILO   Yes	C60	Air conditioner	0.0 lbe
Model Option  O4 White, Standard model specifications with power windows and door locks  Additional Options  IF6 Fire Extinguisher and Triangle Kit mounted in rear organizer on standard cab and under rear seat on crew cab  I2V Audio System with 7" diagonal color touch-screen with backup camera (camera shipped loose)  I3Z Spare keys (2 additional, 4 keys in total)  Accessories  IX2 Rear body dome lamp switch  8RP AM/FM/CD radio with Aux input/USB port and Bluetooth RPO  Extended Warranty	Power Windows & Door Locks		0.0 103
Model Option  O4 White, Standard model specifications with power windows and door locks  IF6 Fire Extinguisher and Triangle Kit mounted in rear organizer on standard cab and under rear seat on crew cab  I2V Audio System with 7" diagonal color touch-screen with backup camera (camera shipped loose)  I3Z Spare keys (2 additional, 4 keys in total)  Accessories  IX2 Rear body dome lamp switch  AM/FM/CD radio with Aux input/USB port and Bluetooth RPO  Extended Warranty  O.0 lbs	ILC	Yes	0.0 lbs
windows and door locks  IF6 Fire Extinguisher and Triangle Kit mounted in rear organizer on standard cab and under rear seat on crew cab  I2V Audio System with 7" diagonal color touch-screen with backup camera (camera shipped loose)  I3Z Spare keys (2 additional, 4 keys in total)  Accessories  IX2 Rear body dome lamp switch  8RP AM/FM/CD radio with Aux input/USB port and Bluetooth RPO  Extended Warranty	Model Option		0.0 103
IF6 Fire Extinguisher and Triangle Kit mounted in rear organizer on standard cab and under rear seat on crew cab  I2V Audio System with 7" diagonal color touch-screen with backup camera (camera shipped loose)  I3Z Spare keys (2 additional, 4 keys in total)  Accessories  IX2 Rear body dome lamp switch 8RP AM/FM/CD radio with Aux input/USB port and Bluetooth RPO  Extended Warranty  19.0 lbs  4.0 lbs  0.1 lbs		, and the state of	0.0 lbs
organizer on standard cab and under rear seat on crew cab    2V   Audio System with 7" diagonal color touch-screen with backup camera (camera shipped loose)   13Z   Spare keys (2 additional, 4 keys in total)   0.0 lbs   Accessories   IX2   Rear body dome lamp switch   0.1 lbs     8RP   AM/FM/CD radio with Aux input/USB port and   0.0 lbs     Bluetooth RPO   Extended Warranty   0.1 lbs     Comparison of the standard cab and under rear seat on crew cab   0.0 lbs     4.0 lbs   0.0 lbs     4.0 lbs   0.0 lbs     6.1 lbs   0.0 lbs     6.2 lbs   0.0 lbs     7.2 lbs   0.0 lbs     8.2 lbs   0.0 lbs     8.3 lbs   0.0 lbs     8.4 lbs   0.0 lbs     9.4 lbs   0.0 l	Additional Options		
Audio System with 7" diagonal color touch-screen with backup camera (camera shipped loose)  I3Z Spare keys (2 additional, 4 keys in total)  Accessories  IX2 Rear body dome lamp switch 8RP AM/FM/CD radio with Aux input/USB port and Bluetooth RPO  Extended Warranty  4.0 lbs 0.1 lbs	IF6	organizer on standard cab and under rear seat on	19.0 lbs
with backup camera (camera shipped loose)    13Z   Spare keys (2 additional, 4 keys in total)   0.0 lbs   Accessories   IX2   Rear body dome lamp switch   8RP   AM/FM/CD radio with Aux input/USB port and   8 luetooth RPO   0.0 lbs   Extended Warranty   0.0 lbs   0.0	12)		
Accessories  IX2 Rear body dome lamp switch 8RP AM/FM/CD radio with Aux input/USB port and Bluetooth RPO  Extended Warranty  0.0 lbs		with backup camera (camera shipped loose)	4.0 lbs.
IX2 Rear body dome lamp switch  8RP AM/FM/CD radio with Aux input/USB port and Bluetooth RPO  Extended Warranty  0.1 lbs		Spare keys (2 additional, 4 keys in total)	0.0 lbs.
8RP AM/FM/CD radio with Aux input/USB port and Bluetooth RPO  Extended Warranty			
8RP AM/FM/CD radio with Aux input/USB port and Bluetooth RPO  Extended Warranty  O.0 lbs			0.1 lbs.
MOW 00 (I I I I I I I I I I I I I I I I I I			0.0 lbs.
WGW 60 months / 150,000 Miles	Extended Warranty		
	WGW	60 months / 150,000 Miles	0.0 lba

Current report content is based on data as of 2023-05-15 05:07:57. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.

Page 4	Copyright (c) 2023 Isuzu Commercial Truck of America, Inc.	Initial:



## K & K Manufacturing, Inc. 70 Pike Industrial Way Milner, GA 30257

# **Estimate**

	Date	Estimate #
	5/12/2023	22767
and the same	Additional Info	

#### Name / Address

Rush Truck Center - Atlanta 2560 Moreland Ave. Atlanta, GA 30315

Kurt

Rep	P.O. No.	Approx Lead Time	Terms	Ma	ake / M	odel	C/A & SRW-DRW	
BRAD		5-7 weeks ARC	Net 30		Isuzu Cre	ew		
Description					Qty	LB\$	Cost	Total
Main Frame: 6 Cross Membe Floor Plate: 36 Bulk Head: H. CC Bumper Mudflaps Back up alarm LED lighting	rs: 3" Channel, 1: /16" Smooth sean FI 9654				1	2016	6,935.00	6,935.0
Electric Scissor Hoist Subframe Kit for 9' - 12' Dump Body Hoist: CS615T-11 EMDA					1	534	4,840.00	4,840.00
" Square Tub" Channel Po 2 ga. Sheet Doors: 1-1/2"; 2 ga. Sheet Cam Type Doo	Square Tubing Fr	Top Rail			1	752	2,435.00	2,435.00
Soard Slots for	r 2x12 with board	ls			1		425.00	425.00
Phone #	Fax #	E-mail		Web Site Su		Subto	otal	de en
770-228-9974	770-228-7573	sales@kandkmfg.	com v	www.kandkmfg.com  Sales Tax (0.0%)				

Estimates are valid for 7 days unless otherwise noted.

Total



770-228-9974

770-228-7573

## K & K Manufacturing, Inc. 70 Pike Industrial Way Milner, GA 30257

## **Estimate**

Date	Estimate #				
5/12/2023	22767				

Name / Address

Rush Truck Center - Atlanta 2560 Moreland Ave. Atlanta, GA 30315 Additional Info

Kurt

Rep	P.O. No.	Approx Lead Time	Terms	Ma	Make / Model		C/A & SRW-DRW	
BRAD		5-7 weeks ARC	Net 30		Isuzu Cre	w	176WB,DRW	
AND THE AND THE OWNER WITH THE THE THE THE THE THE THE THE THE T	Description				Qty	LB\$	Cost	Total
(1) Shelf Gas Struts on	Latches per Door				1	640	3,240.00	3,240.00
Stirrup Step on D/S of Ibox for Tarp					1	9	70.00	70.00
36" Cab Protector for Dump Body					1	175	905.00	905.00
Manual Tarp/ Roller/ Wind Deflector (no side arms) May Require Stirrup Step & Grab Handle					1	75	440.00	440.00
2" Heavy Dut 7-Way RV Pli Weight Rating		er Hitch			1	70	465.00	465.00
Curt Digital Brake Controller *Chassis may Require Tail Light Converter*					1	1	310.00	310.00
Trailer Plug Tail Light Converter Powered, 4 Wire to 3 Wire System					1	1	80.00	80.00
18" x 18" x 36" Underbody Toolbox Powder coated black, Stainless T-handle					2	92	500.00	1,000.00
Γoolbox Mour	nting Brackets for	Dump Bodies			2	35	165.00	330.00
Phone #	Fax#	E-mail		Web Site		Subto	tal	

Thank you for allowing us to give you an estimate. If all information on the estimate, including chassis information is correct, please sign above to process order. The lead time above is estimated and is our "target" date of completion. This date is subject to the date of the quote. A 4% processing fee will be applied to all credit and debit card purchases. Deposits are non-refundable.

sales@kandkmfg.com

Sales Tax (0.0%)

**Total** 

Estimates are valid for 7 days unless otherwise noted.

www.kandkmfg.com