


### Michael Thurmond Chief Executive Officer

# **DeKalb County Department of Planning & Sustainability**

# 178 Sams Street Decatur, GA 30030

(404) 371-2155 / plandev@dekalbcountyga.gov



Planning Commission Hearing Date: November 1, 2022 Board of Commissioners Hearing Date: November 17, 2022

# **STAFF ANALYSIS**

Case No.:	Z-22-1245935	Agenda #: D2			
Location/ Address:	The east side of Jordan Lane, and the south side of Reverend DL Edwards Drive and Cemetery Drive at 695 Jordan Lane in Decatur, Georgia.	Commission District: 4 Super District: 6			
Parcel ID:	18 063 09 077				
Request:	To rezone properties from R-75 (Residential-Me Residential Mix) District to construct single-fami				
Property Owner:	Shalom Restorations				
Applicant/Agent:	Shalom Restorations				
Acreage:	.67				
Existing Land Use:	Vacant Single-Family home.				
Surrounding Properties:	Apartments to the west, a cemetery (Washingto Single-family detached residential to the south, north (Greater Friendship Baptist Church).	· · · · · · · · · · · · · · · · · · ·			
Adjacent Zoning:	North: R-75 South: R-75 East: R-75 West: MR	-2			
Comprehensive Plan:	SUB (Suburban) Consistent X	Inconsistent			
<b>Proposed Density:</b> 4.5 un <b>Proposed Units/Square Ft.</b>	,	y: NA Square Feet: Vacant Single-			

Family home and accessory building

**Existing Lot Coverage: NA** 

**Proposed Lot Coverage: NA** 

### **Staff Recommendation: FULL CYCLE DEFERRAL (REVISED 10 19 22)**

The Applicant submitted a revised concept plan increasing the number of residential units from three single-family detached lots to 8 single-family cottages on 10/18/22 (see attached). Since this major modification was received after publication of the November legal ad, it must be deferred full cycle based on Section 7.2.2.B (3-5) of the Zoning Ordinance as follows:

- 3. No major change to an application may be accepted later than the required deadline for advertising in the legal organ or a newspaper of general circulation within the county. There shall be no refund of application fees after the planning department has accepted an application.
- 4. The following shall constitute a major change to an application that shall result in deferral and/or re-advertising of the application:
  - a. The movement of any building or structure adjacent to an exterior boundary line, closer to the boundary line of the property;
  - b. Any increase in the number of dwelling units or any increase in the total amount of floor space of any nonresidential building;
  - c. Any decrease in the size of residential units;
  - d. Any increase in the number of curb cuts;
  - e. Any decrease in the buffer requirements;
  - f. Any increase in the height of any building or structure;
  - g. Any change in the proportion of floor space devoted to different authorized uses;
  - h. Any change in the zoning classification requested; or
  - i. Any change in the land use plan classification that increases the density of the proposed use.
- 5. A change to a site plan or proposed condition of zoning associated with an application, which change has been accepted and allowed to be part of the application, may be deferred by the board of commissioners for a full-cycle review if the board of commissioners determines such review is reasonably necessary as a result of the change. The amended application shall be treated as if it were a new application, for the purposes of publication, review, notice and hearings, as required under this article, including review by the community council and planning commission. An amendment to an application shall not change the original filing date of that application. An amended application shall not require a new application fee. However, in the case of a deferral requested by the applicant, the applicant shall pay a required re-advertising fee.

Therefore, it is the recommendation of the Planning & Sustainability Department that the major modification proposal that was received after the November legal ad publication be "Deferred, Full Cycle".

10/10/2022 Prepared By: JLR Page 2 Z-22-1245935/D2

## Re: URGENT - Z-22-1245935 695 JORDAN LANE - Community council 4 Information

Keith Hallmar	ı <shalom< th=""><th>.restoration</th><th>s@gmail.com&gt;</th></shalom<>	.restoration	s@gmail.com>
---------------	--	--------------	--------------

Tue 10/18/2022 4:52 PM

To: Folgherait, Andrea K <akfolgherait@dekalbcountyga.gov>

Cc: Reid, John <jreid@dekalbcountyga.gov>;Bragg, Rachel L. <RLBragg@dekalbcountyga.gov>;Chappell, Adam W <awchappell@dekalbcountyga.gov>

Good afternoon -

Please see the lot revision attached -- This would be for single detach cottages with a 800 sft building footprint and 1200 max sft .. 3/2 configurations ...

Blessings,

Keith 770-906-7092

On Wed, Oct 12, 2022 at 4:54 PM Folgherait, Andrea K < <a href="mailto:akfolgherait@dekalbcountyga.gov">akfolgherait@dekalbcountyga.gov</a> wrote:

Good afternoon,

Please see the attached Agenda and zoom link information (also displayed on the agenda) to access the Community Council 4 Meeting for Tuesday, October 18<sup>th</sup> at 5:30 PM for your case: **Z-22-1245935 695 JORDAN LANE** 

I've copied Senior Planner, Adam Chappell, assigned to Community Council 4, if you have any further questions regarding the meeting.

Join from PC, Mac, Linux, iOS or Android: <a href="https://dekalbcountyga.zoom.us/j/85979297408">https://dekalbcountyga.zoom.us/j/85979297408</a> Or Telephone Dial: USA 888-270-9936 (US Toll Free) Conference code: 691303

Thank you,

Andrea Folgherait

**From:** Keith Hallman < <u>shalom.restorations@gmail.com</u>>

Sent: Monday, September 19, 2022 6:56 PM

**To:** Folgherait, Andrea K < <a href="mailto:akfolgherait@dekalbcountyga.gov">akfolgherait@dekalbcountyga.gov</a>>

Cc: Reid, John < <a href="mailto:reid@dekalbcountyga.gov">reid@dekalbcountyga.gov</a>; Bragg, Rachel L. < <a href="mailto:RLBragg@dekalbcountyga.gov">RLBragg@dekalbcountyga.gov</a>;

Keith Hallman <<u>shalom.restorations@gmail.com</u>>

Subject: Re: URGENT - Z-22-1245935 695 JORDAN LANE - CHANGE BOC HEARING TO OCTOBER

4th

Please see notice update attached per your request ... Let me know please if you need anything else ...

Best regards,

Keith

770-906-7092

On Friday, September 16, 2022, Folgherait, Andrea K < <a href="mailto:akfolgherait@dekalbcountyga.gov">akfolgherait@dekalbcountyga.gov</a> wrote:

You can print out this the new hearing information (I've included) and attach it to your sign.

Thank you,

**From:** Keith Hallman < <a href="mailto:shalom.restorations@gmail.com">shalom.restorations@gmail.com</a>>

Sent: Friday, September 16, 2022 9:45 AM To: Reid, John < ireid@dekalbcountyga.gov>

Cc: Folgherait, Andrea K < <a href="mailto:akfolgherait@dekalbcountyga.gov">akfolgherait@dekalbcountyga.gov</a>; Bragg, Rachel L.

<<u>RLBragg@dekalbcountyga.gov</u>>

Subject: Re: URGENT - Z-22-1245935 695 JORDAN LANE - CHANGE BOC HEARING TO OCTOBER

4th

Where can I go to pick that up so I can do it today?

On Friday, September 16, 2022, Reid, John < <u>ireid@dekalbcountyga.gov</u>> wrote:

Keith just checking to make sure you changed teh BOC ph date on your signs to Oct 4-see below--thanks

From: Folgherait, Andrea K < akfolgherait@dekalbcountyga.gov >

Sent: Tuesday, September 6, 2022 2:18 PM

**To:** Keith Hallman < <a href="mailto:shalom.restorations@gmail.com">shalom.restorations@gmail.com</a>>

Cc: Bragg, Rachel L. < <a href="mailto:RLBragg@dekalbcountyga.gov">Reid, John</a>

<jreid@dekalbcountyga.gov>

Subject: URGENT - Z-22-1245935 695 JORDAN LANE - CHANGE BOC HEARING TO OCTOBER

4th

Dear Applicant,

Your application originally scheduled for the September 29th Board of Commissioners Meeting has been rescheduled for Tuesday, October 4, 2022, 5:30PM.

Please change the Board of Commissioners meeting date on your public hearing sign to reflect this change of public hearing date.

Please print out the attached information related to the October 4<sup>th</sup> BOC meeting (see attached) and attach that information to your public hearing sign. The Oct 4<sup>th</sup> ZOOM link and info to access the BOC meeting is included in the document. If you do not have access to a printer, our office can print the attachment, but you will have to arrange a day and time to come pick up the attachment.

Signs must have the revised BOC hearing date and related information on them by COB on Monday September 19th.

Please send me and John Reid (copied on email) photos of the public hearing signs with the corrected hearing date and related information and the date you made the corrections.

Let me know if you have any questions.

Thank you,

Andrea Folgherait


Andrea Falgherait

Planner (she/her)

Planning and Sustainability | DeKalb County GA

akfolgherait@dekalbcountyga.gov

Work Phone: 470-421-0196



CONCEPT PLAN 10-17-2022



AREA = 29496 SQ. FT OR 0.6771 ACRES



260 PEACHTREE STREET NW **SUITE 2200** ATLANTA, GA 30303 (678) 323-4712 info@deltasurveyorsinc.com LSF # 001370



COTTAGE CONCEPT PLAN PREPARED FOR: Keith

# Hallman

PROPERTY ADDRESS: 695 Jordan Ln Decatur, GA 30033

1 / INCLE ID. 10 000 0 / 0 / 1	PARCEL	ID:18	063	09 077	
--------------------------------	--------	-------	-----	--------	--

LAND LOT 63 18th DISTRICT	DB:6572 PG:236	BY:
DeKALB COUNTY, GEORGIA	FIELD DATE: 2-18- 2022	TH
LOCATED IN UNINCORP	DRAWN DATE: 2-24- 2022	TW

THE FIELD DATA UPON WHICH THIS PLAT IS BASED HAS A CLOSURE OF 1 FOOT IN 30,000+ FEET, AN ANGULAR ERROR OF 05 SECONDS PER ANGLE POINT AND WAS ADJUSTED USING THE LEAST SQUARES METHOD. THIS PLAT HAS BEEN CALCULATED FOR CLOSURE AND FOUND TO BE ACCURATE TO 1 FOOT IN 77,620 FEET. AN ELECTRONIC TOTAL STATION WAS USED IN THE PREPARATION OF THIS PLAT. ALL MATTERS OF TITLE ARE EXCEPTED. THIS PLAT IS SUBJECT TO ALL LEGAL EASEMENTS AND RIGHTS-OF-WAY PUBLIC OR PRIVATE.



RPLS: LS003030



# DEKALB COUNTY GOVERNMENT PLANNING DEPARTMENT DISTRIBUTION FORM

NOTE: PLEASE RETURN ALL COMMENTS VIA EMAIL OR FAX TO EXPEDITE THE PROCESS TO MICHELLE ALEXANDER <a href="mmalexander@dekalbcountyga.gov">mmalexander@dekalbcountyga.gov</a> AND/OR LASONDRA HILL <a href="mailto:lahill@dekalbcountyga.gov">lahill@dekalbcountyga.gov</a>

# COMMENTS FORM: PUBLIC WORKS WATER AND SEWER

Case No.:	
Parcel I.D. #: 18-063-09-077	
Address: 695 Jordan Lane	
Decatur GA 30033	
WATER:	
Size of existing water main: 6" AC possibly inadequate (adec	quate/inadequate)
Distance from property to nearest main: adjacent	
Size of line required, if inadequate:Unknown	
SEWER:  City of Atlanta  Outfall Servicing Project:	
Is sewer adjacent to property: Yes (x) No ( ) If no, distance to no	earest line: 8" adjacent
Water Treatment Facility: CM Clayton	Ø adequate ( ) inadequate
Sewage Capacity; 36.3 (MGPD)	Current Flow: 40 (MGPD)
COMMENTS:	
Will need sewer capacity approval	

Signature:

### DEKALB COUNTY



# Board of Health

#### 8/15/2022

To: Ms. Andrea Folgherait, Planning and Ms. LaShonda Hill

From: Ryan Cira, Director

Cc: Alan Gaines, Environmental Health Deputy Director

Re: Rezone Application Review

### General Comments:

DeKalb County Health Regulations prohibit use of on-site sewage disposal systems for

- multiple dwellings
- · food service establishments
- hotels and motels
- commercial laundries
- funeral homes
- schools
- nursing care facilities
- personal care homes with more than six (6) clients
- child or adult day care facilities with more than six (6) clients
- residential facilities containing food service establishments

If proposal will use on-site sewage disposal, please contact the Land Use Section (404) 508-7900.

Any proposal, which will alter wastewater flow to an on-site sewage disposal system, must be reviewed by this office prior to construction.

This office must approve any proposed food service operation or swimming pool prior to starting construction.

Public health recommends the inclusion of sidewalks to continue a preexisting sidewalk network or begin a new sidewalk network. Sidewalks can provide safe and convenient pedestrian access to a community-oriented facility and access to adjacent facilities and neighborhoods.

For a public transportation route, there shall be a 5ft. sidewalk with a buffer between the sidewalk and the road. There shall be enough space next to sidewalk for bus shelter's concrete pad installation.

Since DeKalb County is classified as a Zone 1 radon county, this office recommends the use of radon resistant construction.

**DeKalb County Board of Health** 

# Board of Health

# **DeKalb County Board of Health**

404.508.7900 • www.dekalbhealth.net 8/15/2022

N.5 2022-1910 SLUP-22-1245924 18-233-07-002

2345 Shallowford Road, Atlanta, GA 30345 Amendment

- Please review general comments.

N.6 2022-1911 SLUP-22-1245925 15-156-14-003

3771 Elkridge Drive, Decatur, GA 30032 Amendment

- Please review general comments.

N.7 2022-1912 Z-22-1245928 18-091-03-006, 18-091-03-048

883 Mountain View Drive, Stone Mountain, GA 30083

Amendment

- Please review general comments.
- Septic system installed on this property on 02/15/1961.

N.8 2022-1976 Z-22-1245935 18-063-09-077

695 Jordon Lane, Decatur, GA 30033 Amendment

- Please review general comments.

### **Zoning Comments - September 2022**

N2. SLUP-22-1245880 - Briarcliff Road is SR 42. GDOT review and approval needed prior to Land Development Permit. (MWilson@dot.ga.gov). The property is within the Druid Hills Historic District. Please see the planner assigned to this district for infrastructure requirements- as the Overlay Districts trump the Zoning Code which trumps the Land Development Code. Briarcliff Road is classified as a minor arterial. Where silent the following minimum infrastructure requirements must be met: Right of way dedication of 40 feet from centerline OR such that all public infrastructure is within county right of way, whichever greater, a 6 foot sidewalk (Zoning Code) with a 4 foot bike lane (Land Development Code) OR a 10 foot shared multiuse path (preferred) located 5 feet from back of curb, Pedestrian Scale Street lighting required (Contact Street Light Engineer, Herman Fowler: hefowler@dekalbcountyga.gov), 11 foot travel lanes with curb and gutter. University Drive is classified as a local residential road. Where silent the following minimum infrastructure requirements must be met: Right of way dedication of 27.5 feet from centerline OR such that all public infrastructure is within county right of way, whichever greater, a 12 foot travel lane from centerline, curb and gutter, a 5 foot sidewalk (Zoning Code) located 5 feet from back of curb, Pedestrian Scale Street lighting required (Contact Street Light Engineer, Herman Fowler: hefowler@dekalbcountyga.gov). Concerned about the entrance and the interior intersection being too close and impacting Briarcliff Road. Traffic Study required to include a traffic signal warrant study at main entrance. Traffic operations at access point on University Drive will also need to be considered- as this will be a non-traditional intersection. Interior streets to be private. At time of permitting, verify sight distance at intersection of access points and Briarcliff Road and University Drive.

N3 & N4. Z-22-1245923 & SLUP-22-1245924 - North Decatur Road is classified as a minor arterial. The following minimum infrastructure requirements must be met: Right of way dedication of 40 feet from centerline OR such that all public infrastructure is within county right of way, whichever greater, a 6 foot sidewalk (Zoning Code) with 11 foot travel lane with curb and gutter, a 4 foot bike lane (Land Development Code) OR a 10 foot shared multiuse path (preferred) located 5 feet from back of curb, Pedestrian Scale Street lighting required (Contact Street Light Engineer, Herman Fowler: <a href="herowler@dekalbcountyga.gov">herowler@dekalbcountyga.gov</a>). Please see Land Development Code Section 14-200 (5) for the number of access points required by code for 200 units. Please see separation of access points Land Development Code Section 14-200 (6) which applies to both sides of the street. If you are seeking a variance for anything is Code Section 14-200 from the Board of Commissioners, I suggest you do it as part of your zoning.

N5. SLUP-22-1245924 - Shallowford and Braircliff Roads are classified as a minor arterials. The following minimum infrastructure requirements must be met: Right of way dedication of 40 feet from centerline OR such that all public infrastructure is within county right of way, whichever greater, an 11 foot travel lane from centerline with curb and gutter, a 6 foot sidewalk (Zoning Code) with a 4 foot bike lane (Land Development Code) OR a 10 foot shared multiuse path (preferred) located 5 feet from back of curb, Pedestrian Scale Street lighting required (Contact Street Light Engineer, Herman Fowler: <a href="mailto:hefowler@dekalbcountyga.gov">hefowler@dekalbcountyga.gov</a>). Dedicate necessary right of way for the extension of the right turn lane from Briarcliff Road onto Shallowford Road.

#### N6. SLUP-22-1245925 - No Comment

**N7. Z-22-1245928** - Mountain View Drive is classified as a collector street. The following minimum infrastructure requirements must be met: Right of way dedication of 35 feet from centerline OR such that

all public infrastructure is within county right of way, whichever greater, an 11 foot travel lane with curb and gutter, a 6 foot sidewalk (Zoning Code) with a 4 foot bike lane (Land Development Code) OR a 10 foot shared multiuse path (preferred) located 5 feet from back of curb, Pedestrian Scale Street lighting required (Contact Street Light Engineer, Herman Fowler: <a href="hefowler@dekalbcountyga.gov">hefowler@dekalbcountyga.gov</a>). New local public streets have the following minimum requirements: Right of way dedication of 55 feet, 24 feet of pavement with curb and gutter, a 5 foot sidewalk (Zoning Code) located 6 feet from back of curb, Pedestrian Scale Street lighting required (Contact Street Light Engineer, Herman Fowler: <a href="hefowler@dekalbcountyga.gov">hefowler@dekalbcountyga.gov</a>). Please see separation of access points Land Development Code Section 14-200 (6) which applies to both sides of the street. If you are seeking a variance for anything is Code Section 14-200 from the Board of Commissioners, I suggest you do it as part of your zoning.

N8. Z-22-1245935 - Jordan Lane & Reverend D.L. Edwards Drive are classified as local streets have the following minimum requirements: Right of way dedication of 27.5 feet from centerline, 12 foot travel lane from Centerline with curb & gutter, a five foot planting strip and a 5 foot sidewalk (Zoning Code), Pedestrian Scale Street lighting required (Contact Street Light Engineer, Herman Fowler: <a href="mailto:hefowler@dekalbcountyga.gov">hefowler@dekalbcountyga.gov</a>). Developer required to pay to relocate traffic calming speed table away from proposed driveways. Driveways need to be at least 33 feet apart (edge of drive to edge of drive) from each other to fit the relocated speed table. May need to flip driveway location on corner lot to accommodate.

### N9 & N10. Z-22-1245856 & SLUP-22-1245857 - No comment.

N11. Z-22-1245874 - Clairmont Road is SR 155. GDOT review and approval needed prior to Land Development Permit. (MWilson@dot.ga.gov). Donate right of way necessary for GDOT's project at Clairmont Road project. Briarcliff Road is classified as a minor arterial. Where silent the following minimum infrastructure requirements must be met: Right of way dedication of 40 feet from centerline OR such that all public infrastructure is within county right of way, whichever greater, a 6 foot sidewalk (Zoning Code) with a 4 foot bike lane (Land Development Code) OR a 10 foot shared multiuse path (preferred) located 5 feet from back of curb, Pedestrian Scale Street lighting required (Contact Street Light Engineer, Herman Fowler: <a href="herowler@dekalbcountyga.gov">herowler@dekalbcountyga.gov</a>), 11 foot travel lanes with curb and gutter. Additional comments may be warranted after receipt of traffic study.

#### N12. & N13. LP-22-1245937 & Z-22-1245875 - No comments.

N14. Z-22-1245876 - 1893, 1901 and 1909 are within the I-20 Overlay District, Tier 2. Please see the planner assigned to this district for infrastructure requirements- as the Overlay Districts trump the Zoning Code which trumps the Land Development Code. East Field Street, Glenvalley Dr & Northview Ave are classified as local streets. Improvements required on all frontages. Where the overlay district is silent the following minimum infrastructure requirements must be met: Right of way dedication of 27.5 feet from centerline, 12 foot travel lane from Centerline with curb & gutter, a five foot planting strip and a 5 foot sidewalk (Zoning Code), Pedestrian Scale Street lighting required (Contact Street Light Engineer, Herman Fowler: <a href="mailto:hefowler@dekalbcountyga.gov">hefowler@dekalbcountyga.gov</a>). Please note that the required right of way dedication may have significant impacts to your site plans. Please review.

**N15. SLUP-22-1245885** - Chamblee Tucker Road is classified a minor arterial. The following minimum infrastructure requirements must be met: Right of way dedication of 40 feet from centerline OR such that all public infrastructure is within county right of way, whichever greater, a 6 foot sidewalk (Zoning Code)

with a 4 foot bike lane (Land Development Code) OR a 10 foot shared multiuse path (preferred) located 5 feet from back of curb, Pedestrian Scale Street lighting required (Contact Street Light Engineer, Herman Fowler: <a href="hefowler@dekalbcountyga.gov">hefowler@dekalbcountyga.gov</a>), 11 foot travel lanes with curb and gutter. If you are seeking a variance for the bike facility requirements, I would do so during zoning. Bolissa Drive is classified as a local road with the following minimum requirements: Right of way dedication of 27.5 feet from centerline, 12 foot travel lane from Centerline with curb & gutter, a five foot planting strip and a 5 foot sidewalk (Zoning Code), Pedestrian Scale Street lighting required (Contact Street Light Engineer, Herman Fowler: <a href="hefowler@dekalbcountyga.gov">hefowler@dekalbcountyga.gov</a>).

N16. & N17. LP-22-1245892 & Z-22-1245922 - Properties are located in the Covington Overlay District. Please see the planner assigned to this district for infrastructure requirements- as the Overlay Districts trump the Zoning Code which trumps the Land Development Code. Redan Road and Longshore Drive are classified as local roads. Where silent the following minimum infrastructure requirements must be met: Right of way dedication of 27.5 feet from centerline, 12 foot travel lane from Centerline with curb & gutter, a five foot planting strip and a 5 foot sidewalk (Zoning Code), Pedestrian Scale Street lighting required (Contact Street Light Engineer, Herman Fowler: <a href="herowler@dekalbcountyga.gov">herowler@dekalbcountyga.gov</a>). Interior streets to be private.

N18. CZ-22-1245934 - Lawrenceville Hwy is a State Route. GDOT review and approval needed prior to Land Development Permit. (MWilson@dot.ga.gov). Lawrenceville Hwy is classified as a major arterial. The following minimum infrastructure requirements must be met: Right of way dedication of 50 feet from centerline OR such that all public infrastructure is within county right of way, whichever greater, a 6 foot sidewalk (Zoning Code) with a 4 foot bike lane (Land Development Code) OR a 10 foot shared multiuse path (preferred) located 5 feet from back of curb, Pedestrian Scale Street lighting required (Contact Street Light Engineer, Herman Fowler: <a href="hefowler@dekalbcountyga.gov">hefowler@dekalbcountyga.gov</a>), 11 foot travel lanes with curb and gutter. Jordan Lane is classified as a local road. The following minimum requirements must be met: Right of way dedication of 27.5 feet from centerline, 12 foot travel lane from centerline with curb & gutter, a five foot planting strip and a 5 foot sidewalk (Zoning Code), Pedestrian Scale Street lighting required (Contact Street Light Engineer, Herman Fowler: <a href="hefowler@dekalbcountyga.gov">hefowler@dekalbcountyga.gov</a>). Add pedestrian crossing and ADA ramps to the intersection of Jordan Lane at Lawrenceville Hwy.

### DeKalb County School District Development Review Comments

 Submitted to:
 DeKalb County
 Case #:
 Z-22-1245935

 Parcel #:
 18-063-09-077

Name of Development: 695 Jordan Lane

**Location:** Jordan Lane at the corner of Reverend DL Edwards Drive

**Description:** Rezoning request to allow for redevelopment of a single-family home into 3 single-family homes.

Impact of Development: When fully constructed, this development would be expected to generate 1 student in private school.

**Analysis Date:** 

8/15/2022

All three neighborhood school have capacity for additional students.

Current Condition of Schools	McLendon Elementary School	Druid Hills Middle School	Druid Hills High School	Other DCSD Schools	Private Schools	Total
Capacity	528	1,170	1,395			
Portables	0	0	0			
Enrollment (Oct. 2021)	323	940	1,339			
Seats Available	205	230	56			
Utilization (%)	61.2%	80.3%	96.0%			
New students from development	0	0	0	0	1	1
New Enrollment	323	940	1,339	1		
New Seats Available	205	230	56			
New Utilization	61.2%	80.3%	96.0%			

		Attend	Attend other		
		Home	DCSD	Private	
Yield Rates		School	School	School	Total
Elementary		0.0667	0.0286	0.1746	0.2699
Middle		0.0952	0.0000	0.0000	0.0952
High		0.0697	0.0000	0.0167	0.0864
Total		0.2316	0.0286	0.1913	0.4515
Student Calculations					
Proposed Units		3			
Unit Type		SF			
Cluster	Druid Hills	High School			
		Attend	Attend other		
		Home	DCSD	Private	
Units x Yield		School	School	School	Total
Elementary		0.20	0.09	0.52	0.81
Middle		0.29	0.00	0.00	0.29
High		0.21	0.00	0.05	0.26
Total		0.70	0.09	0.57	1.36
		Attend	Attend other		
		Home	DCSD	Private	
Anticipated Stude	ents	School	School	School	Total
McLendon Elementary	/ School	0	0	1	1
Druid Hills Middle S	chool	0	0	0	0
Druid Hills High So		0	0	0	0



# DEKALB COUNTY GOVERNMENT PLANNING DEPARTMENT DISTRIBUTION FORM

The following areas below may warrant comments from the Development Division. Please respond accordingly as the issues relate to the proposed request and the site plan enclosed as it relates to Chapter 14. You may address applicable disciplines.

#### **DEVELOPMENT ANALYSIS:**

#### • Storm Water Management

Compliance with the Georgia Stormwater Management Manual, DeKalb County Code of Ordinances 14-40 for Stormwater Management and 14-42 for Storm Water Quality Control (sections have been amended recently; please request the amended chapter), to include Runoff Reduction Volume where applicable is required as a condition of land development permit approval. Use Volume Three of the G.S.M.M. for best maintenance practices. Use the NOAA Atlas 14 Point Precipitation Data set specific to the site. Recommend Low Impact Development features/ Green Infrastructure be included in the proposed site design to protect as much as practicable the statewaters and special flood hazard areas.

Conceptual plan doesn't indicate the location of the stormwater management facility. Documents provided show that water quality is being provided for each lot individually, however this development is considered as a subdivision and must comply with all the requirements of the stormwater management, not only water quality. Per sec.5.6.2 of the County codes, the detention facility must be on its own lot.

Additional consideration must be given to the 10% downstream analysis.

Runoff Reduction Volume shall be provided, unless technical justification is provided in regard to the unfeasibility. Strongly recommend investigating the site and identify location where RRv can be provided and re-design/revise the layout to comply with the RRv requirement.

I recommend the rezoning be denied until a conceptual plan showing or explaining how all the requirements of stormwater managements are to be met; and how compliance with sec.5.6.2 is addressed.

### • Flood Hazard Area/Wetlands

The presence of FEMA Flood Hazard Area was not indicated in the County G.I.S. mapping records for the site; and should be noted in the plans at the time of any land development

permit application. Encroachment of flood hazard areas require compliance with Article IV of Chapter 14 and FEMA floodplain regulations

#### Landscaping/Tree Preservation

Landscaping and tree preservation plans for any building, or parking lot must comply with DeKalb County Code of Ordinances 14-39 as well as Chapter 27 Article 5 and are subject to approval from the County Arborist.

### • Tributary Buffer

State water buffer was not reflected in the G.I.S. records for the site. Typical state waters buffer have a 75' undisturbed stream buffer and land development within the undisturbed creek buffer is prohibited without a variance per DeKalb County Code of Ordinances 14-44.1.



# DEKALB COUNTY GOVERNMENT PLANNING DEPARTMENT DISTRIBUTION FORM





NOTE: PLEASE RETURN ALL COMMENTS VIA EMAIL OR FAX TO EXPEDITE THE PROCESS TO MICHELLE ALEXANDER <a href="mmalexander@dekalbcountyga.gov">mmalexander@dekalbcountyga.gov</a> AND/OR LASONDRA HILL <a href="mailto:lahill@dekalbcountyga.gov">lahill@dekalbcountyga.gov</a>

# COMMENTS FORM: PUBLIC WORKS TRAFFIC ENGINEERING

Case No.: X Z-86	2-1245935 Parcel I.D. #: 18	-063. 09-077	
Address: 695	ordan Lane		
Decatur	Ga. 30033		
8	Adjacent Ros	adway (s):	
	(classification)	(classification)	
	Capacity (TPD)	Capacity (TPD)	
	Latest Count (TPD) Hourly Capacity (VPH) Peak Hour. Volume (VPH)	Latest Count (TPD) Hourly Capacity (VPH) Peak Hour. Volume (VPH)	
	Existing number of traffic lanes  Existing right of way width  Proposed number of traffic lanes  Proposed right of way width	Existing number of traffic lanes Existing right of way width Proposed number of traffic lanes Proposed right of way width	
Please provide additions	al information relating to the following state		
generate an average of factor. Based on the abo	ifteen (15) vehicle trip end (VTE) per 1, 000	(ITE) <u>6/7<sup>TH</sup></u> Edition (whichever is applicable), churches square feet of floor area, with an eight (8%) percent peak he f worship building would generatevehicle trip ends,	our
peak hour factor. Based a maximum ofunit	l on the above referenced formula, the s per acres, and the given fact that the proje	VTE's per day per dwelling unit, with a ten (10%) percent(Single Family Residential) District designation which alloct site is approximatelyacres in land area,daily ated with residential development of the parcel.	ws
COMMENTS:			
Pid not This tim	see any traffic	engineering Concerns at	
**			
	,		
- 10 A A		000000000000000000000000000000000000000	

Signature: Krafu Tus









# **DeKalb County Aerial Map**

Date Printed: 8/4/2022



#### DeKalb County GIS Disclaimer

The maps and data, contained on DeKalb County's Geographic Information System (GIS) are subject to constant change. While DeKalb County strives to provide accurate and up-Ine maps and data, contained on Dekath County's Geographic Information system (GIS) are surject to constant change. While Dekath County strives by provide a courage and up-buildeness of any lot of a story to the content, sequence, a courage, timefulness or completeness of any of the database information provided herein. Dekath County explicitly disclaims all representations and warranties, including, without limitation, the implied warranties of merchantability and fitness for a particular purpose. In no event shall Dekath County be liable for any special, indirect, or consequential damages whatsoever resulting from loss of merchantability and fitness for a particular purpose. In no event shall Dekath County be liable for any special, indirect, or consequential damages whatsoever resulting from loss of merchantability and fitness for a particular purpose. In no event shall bekath County be liable for any special, indirect, or consequential damages whatsoever resulting from loss of merchantability and fitness for a particular purpose. In no event shall bekath County be liable for any special, indirect, or consequential damages whatsoever resulting from loss of merchantability and fitness for a particular purpose. In no event shall bekath county be liable for any special, indirect, or consequential damages whatsoever resulting from loss of merchantability and fitness for a particular purpose. The maps and data are not suitable for site-specific decision-making nor should it be construed or used as a legal description. The areas depicted by maps and data are approximate, and are not necessarily accurate to surveying or engineering standards.



# DEPARTMENT OF PLANNING & SUSTAINABILITY

# Rezoning Application to Amend the Official Zoning Map of DeKalb County, Georgia

Date Received: Application No:
Applicant Name: Shalom Restorations LLC  Applicant E-Mail Address: Shalom. Restorations Egmail. com  Applicant Mailing Address: 695 Jordan Ln. Decatur, GA 30033
Applicant Daytime Phone: 770-906-7092 Fax:
Owner Name: Shalom Restorations LLC  If more than one owner, attach list of owners.  Owner Mailing Address: P 0 Box 767011 Roswell GA 30076  Owner Daytime Phone: 770-906-7092
Address of Subject Property: 695 Jordan Ln, Decatur, 614 3003
Parcel ID#: 1806309077  Acreage: 0.6771 (after encroatments)  Present Zoning District(s): Dist 4   Super Dist 6  Proposed Zoning District: 215 - Residential  Proposed Land Use Designation (if applicable): RSM-Residential

# 2<sup>nd</sup> Community Meeting

Greetings Neighbors and welcome!

This letter serves as an official and formal invitation to attend the second community meeting hosted at the Greater Friendship Baptist Church located at 2761 Jordan Ln Decatur, GA 30033. The meeting will start at 7:30pm on June  $16^{\rm th}$  2022 and continue until 8:45 pm

The purpose of this meeting is to discuss with the community the upcoming developments that are taking shape for the property located at 695 Jordan Ln for 2022-2023 development completion year. During this time we will share with you these exciting changes in the community and provide a platform for your input, questions, and support.

We look forward to meeting with you again very soon!

Until then,

Stay blessed

Mr<del>. Kei</del>th Hallman

Shalom Restorations LLC C/O Mr Keith Hallman 695 Jordan Ln Decatur GA 30033

#### LETTER OF APPLICATION AND IMPACT ANALYSIS

Re: Rezone of 695 Jordan Lane Decatur GA, 30033

Greetings!

This letter serves as an official and formal letter of application....

The proposed rezone classification is RSM. The property located at 695 Jordan lane Decature 30033 is currently zoned R75 approx. 0.74 acreage with one single family dwelling located on it currently (Demolished under Permit # 3105111).

The land/acreage was reduced involuntary and lawfully by Dekalb County under DOT Right Away encroachment and construction easement... An additional acreage was reduced by an unlawful encroachment from the adjacent cemetery where over 2000 sft was removed and 15-20 people are currenlty laid to rest..

We shared the problem and our intent with the community that in rezoning the property we will bring three new families to the community by constructing three new homes. All the homes being 4 beds 3 baths with 2500-2900 sf.

Due to the lawful and unlawful reduction in acreage we are not able to bring the families into the community under the R75 guidelines. We propose to rezone to RSM that would allow for the reduction in acreage requirement and allow for the new construction of the three homes under RSM lot guidelines to proceed... The RSM zoning is not new to the community it is currently assigned to the properties located within 500ft of the subject property @ 2776, 2774, 2780 Arborcrest Drive GA 30033.

We look forward to meeting with you very soon to discuss these exciting changes in the community!

Until then,

Stay blessed

Mr. Keith Hallman 770-906-7092

# IMPACT ANYLIST QUESTIONEER

A. Whether the zoning proposal is in conformity with the policy and intent of the Comprehensive Plan. – Yes its in conformity, as we are not altering the residential purpose of the lot

B. Whether the zoning proposal will permit a use that is suitable in view of the use and development of adjacent and nearby properties. Yes -The zoning is not new to the community the RSM zoning is established in the community 2766, 2774,2780 Arborcrest Dr

C. Whether the property to be affected by the zoning proposal has a reasonable economic use as currently zoned. The house being a teardown has been abandon for decades where squatters find shelter and promote danger to the community. The lot is three times larger than most lots in the community and is greatly undervalued for tax revenues.

D. Whether the zoning proposal will adversely affect the existing use of usability of adjacent or nearby properties. No. The RSM zoning exist in the community already and the lot average is the same...

E. Whether there are other existing or changing conditions affecting the use and development of the property which give supporting grounds for either approval or disapproval of the zoning proposal. At the present there are no conditions we are aware of that will cause a disapproval.

F. Whether the zoning proposal will adversely affect historic building, sites, districts, or Archaeological resources. No. This is not applicable to the property in question...

G. Whether the zoning proposal will result in a use which will or could cause excessive or burdensome use of existing streets, transportation facilities, utilities, or schools. The property improvements will not cause a burden to the streets, transportation facilities, utilities or schools.

H. Whether the zoning proposal adversely impacts the environment or surrounding natural resources. **There are no threat to the environment or natural resources** 

# DEPARTMENT OF PLANNING & SUSTAINABILITY

## **DISCLOSURE OF CAMPAIGN CONTRIBUTION**


In accordance with the Conflict of Interest in Zoning Act, OCGA Chapter 36-67A, the following questions <u>must</u> be answered.
Have you, the applicant, made \$250.00 or more in campaign contribution to a local government official within two years immediately preceding the filling of this application?
Yes No*
If the answer is yes, you must file a disclosure report with the governing authority of DeKalb County showing:
<ol> <li>The name and official position of the local government official to whom the campaign contribution was made.</li> </ol>
<ol><li>The dollar amount and description of each campaign contribution made during the two years immediately preceding the filing of this application and the date of each such contribution.</li></ol>
The disclosure must be filed within 10 days after the application is first filed and must be submitted to the C.E.O. <u>and</u> to the Board of Commissioners of DeKalb County, 1300 Commerce Drive, Decatur, GA 30030.
SHALIM RESTURATION
as fa
Notary Signature of Applicant /Date
Check one: OwnerAgent

913124

**Expiration Date/Seal** 

ALEX C BAUR
NOTARY PUBLIC
Cherokee County
State of Georgia
My Comm. Expires Sept. 3, 2024

<sup>\*</sup>Notary seal not needed if answer is "no".



### LEGAL DESCRIPTION

2022028364 DEED BOOK 30106 Pg 3 Filed and Recorded: 2/7/2022 11:38:00 AN

Recording Fee: \$25.00

Real Estate Transfer Tax: \$300.00

Prepared By: 2013744227 7067927936

Prepared by and Return to: The Hudson Law Firm, LLC 3525 Piedmont Rd NE, Bldg 8, Suite 305 Atlanta, GA 30305 File No. 21-12007

STATE OF GEORGIA COUNTY OF DEKALB

### LIMITED WARRANTY DEED

THIS INDENTURE, made between GREATER FRIENDSHIP MISSIONARY BAPTIST CHURCH, INC., a Georgia nonprofit corporation, hereinafter collectively called Grantor, and Shalom Restorations, LLC, a Georgia Limited Liability Company and P&L536WPB, LLC, a Florida Limited Liability Company, hereinafter called Grantees (the words "Grantor" and "Grantees" to include their respective heirs, successors and assigns where the context requires or permits).

WITNESSETH that Grantor, for and in consideration of the sum of Ten Dollars (\$10.00), in hand paid at and before the sealing and delivery of these presents and other good and valuable consideration, the receipt whereof is hereby acknowledged, by these presents do grant, bargain, sell, align, convey and consign unto the Grantees, the following described real estate:


ALL that tract or parcel of land lying and being in Land Lot 63 of the 18th District of DeKalb County, Georgia and being more particularly described as follows:

BEGINNING at the southeast corner of Washington Drive and Scottdale Road and running thence southerly along the easterly side of Scottdale Road 150.0 feet; thence east 200.0 feet; thence north 102.06 feet to Cemetery Drive; thence northwesterly along the southwesterly side of Cemetery Drive 103.0 feet to a point; thence westerly along the southerly side of formerly Washington Drive (now Booker Street) 124.08 feet to Scottdale Road and the POINT OF BEGINNING being improved property and presently known as 695 Scottdale Road, DeKalb County, Georgia, less and except that Right-of-way Deed conveyed to DeKalb County as reflected in Deed Book 5558 at Page 243 in the Clerk's Office of DeKalb County Superior Court confirm Willie Pearl Walker to DeKalb County filed on August 19, 1986 and such other right-of-way acquired by prescription or otherwise.

Tax ID#: 18-063-09-077

Subject to any Easements or Restrictions of Record

TOGETHER WITH any and all the rights, privileges, easements, improvements and appurtenances to the same belonging.



The installation of erosion and sedimentation control measures and practices shall occur prior to or concurrent with land disturbing activities. Erosion and sedimentation control measures will be maintained at all times. If full

implementation of the approved plan does not provide for effective erosion and sediment control additional erosion and sediment control measures shall be implemented to control or treat the sediment source.

Additional erosion controls shall be installed as deemed necessary by the on-site inspector.

All lots/sites with 2' of fill or greater will require a compaction certificate by a professional registered engineer prior to a building permit and/or prior to footers being

Locate and field stake all utilities, easements, pipes flood limits, stream buffers, and tree save areas prior to any land disturbing activities.

All tree protection areas to be protected from sedimentation.

All tree protection devices to be installed prior to land disturbance and maintained until final landscaping.


All tree protection fencing to be inspected daily and repaired or replaced as needed. A final as-built lot survey required prior to issuance of Certificate of Occupancy. A final as-built water quality certificate required prior to Certificate of Occupancy. Dumpsters and/or temporary sanitary facilities shall not be located in street or tree


protection area or right-of-way. Water quality BMP(s) to be installed at the time of final landscaping.

All collected water shall be directed to the water quality BMP(s). No water quality BMP(s) allowed in undisturbed stream buffers or tree save/critical root

Work hours and construction deliveries are: o Monday-Friday 7:00am-7:00pm o Saturday 8:00am-5:00pm

I Charles W. Loveless certify under penalty of law that this plan was prepared after a site visit to the locations described herein by myself or my authorized agent, under my direct








INSTALL FIFE ONDER THE ENTRANCE IF NEEDED TO MAINTAIN DRAINAGE DITCHES.
WHEN WASHING IS REQUIRED, IT SHOULD BE DONE ON AN AREA STABILIZED WITH CRUSHED STONE THAT
DRAINS INTO AN APPROVED SEDIMENT TRAP OR SEDIMENT BASIN (DIVERT ALL SURFACE RUNOFF AND

DRAINAGE FROM THE ENTRANCE TO A SEDIMENT CONTROL DEVICE). WASHRACKS AND/OR TIRE WASHERS MAY BE REQUIRED DEPENDING ON SCALE AND CIRCUMSTANCE. IF NECESSARY, WASHRACK DESIGN MAY CONSIST OF ANY MATERIAL <u>SUITABLE</u> FOR TRUCK TRAFFIC THAT REMOVE MUD AND DIRT.

O.MAINTAIN AREA IN A WAY THAT PREVENTS TRACKING AND/OR FLOW OF MUD ONTO PUBLIC RIGHTS-OF-WAYS. THIS MAY REQUIRE TOP DRESSING, REPAIR AND/OR CLEANOUT OF ANY MEASURES USED TO TRAP SEDIMENT.







# TYPICAL COMPONENTS (ATTACH MANUFACTURER'S SPECIFICATIONS)

CONSTRUCTION STEPS:

Review potential dry well areas and layout. Dry wells should not be located: (1) beneath an impervious (paved) surface; (2) above an area with a water table or bedrock less than two feet below the trench bottom; (3) over other utility lines; or, (4) above a septic field. Insure outlet daylights at least ten feet from property line

Measure the area draining to the dry well and determine required size from the table on the next page. If soil is a concern perform infiltration test according to Appendix A. If the rate is less than 0.25 in/hr this method cannot be used. If the rate is more than 0.50 in/hr the storage volume may be decreased 10% for every 0.50 in/hr infiltration rate increase above 0.50 in/hr Measure elevations and dig the hole to the required dimensions. Scarify the bottom soil surface 3".

Place and tamp 6" to 12" of #57 gravel in bottom. Pea gravel can be substituted for leveling purposes in the upper three inch layer below the tank.

Place and secure filter cloth down sides of the excavation leaving enough to fold over the top below


Place tank and install piping. Bond top of tank in place. Cut and route downspouts or other rainwater delivery components, leaf screen option(s) chosen (circle selected options in Pretreatment Options Detail figure).


Strap and support as needed. Create a safe overflow at least 10 feet from your

property edge and insure it is protected from erosion 10. Test connections with water flow.

11. Fill with gravel jacket around tank

fabric above between gravel and soil 12. Backfill with soil/sod or pea gravet. 13. Consider aesthetics as appropriate and erosion contro





- 24 - 2022

**CURVE** 

C1

LINE

L1 L2

THERE ARE NO KNOWN TREES OF SIGNIFICANCE PRESENT ON THIS SITE



INC.

FLOOD HAZARD STATEMENT

PANEL - 13089C0067K

ZONE "X"

I HAVE THIS DATE, EXAMINED THE "FIA FLOOD HAZARD MAP" AND FOUND IN MY OPINION REFERENCED PARCEL IS <u>NOT</u> IN AN AREA HAVING SPECIAL FLOOD HAZARDS.

**EFFECTIVE DATE: - 08/15/2019** 

AREA = 8974 SQ. FT OR 0.206 ACRES

N 80°52'37"E



36.80'

260 PEACHTREE STREET NW **SUITE 2200** ATLANTA, GA 30303 (678) 323-4712 info@deltasurveyorsinc.com LSF # 001370



SITE PLAN PREPARED FOR:


# Keith Hallman

PROPERTY ADDRESS: 695 Jordan Ln Decatur, GA 30033

TRACT 1	695.	Jordan Lane Subdivision	1
LAND LOT	63	18th DISTRICT	DB:6572

LAND LOT 63 18th DISTRICT	DB:6572 PG:236	BY:
DeKALB COUNTY, GEORGIA	FIELD DATE: 2-18- 2022	TH
LOCATED IN UNINCORP	DRAWN DATE: 2-24- 2022	TW

THE FIELD DATA UPON WHICH THIS PLAT IS BASED HAS A CLOSURE OF 1 FOOT IN 30,000+ FEET, AN ANGULAR ERROR OF 05 SECONDS PER ANGLE POINT AND WAS ADJUSTED USING THE LEAST SQUARES METHOD. THIS PLAT HAS BEEN CALCULATED FOR CLOSURE AND FOUND TO BE ACCURATE TO 1 FOOT IN 77,620 FEET. AN ELECTRONIC TOTAL STATION WAS USED IN THE PREPARATION OF THIS PLAT. ALL MATTERS OF TITLE ARE EXCEPTED. THIS PLAT IS SUBJECT TO ALL LEGAL EASEMENTS AND RIGHTS-OF-WAY PUBLIC OR PRIVATE.



RPLS: LS003030

The installation of erosion and sedimentation control measures and practices shall occur prior to or concurrent with land disturbing activities.

Erosion and sedimentation control measures will be maintained at all times. If full implementation of the approved plan does not provide for effective erosion and sediment control additional erosion and sediment control measures shall be implemented to control or treat the sediment source.

Additional erosion controls shall be installed as deemed necessary by the on-site inspector. All lots/sites with 2' of fill or greater will require a compaction certificate by a professional registered engineer prior to a building permit and/or prior to footers being poured. Locate and field stake all utilities, easements, pipes flood limits, stream buffers, and tree

save areas prior to any land disturbing activities. All tree protection areas to be protected from sedimentation.

All tree protection devices to be installed prior to land disturbance and maintained until


All tree protection fencing to be inspected daily and repaired or replaced as needed. A final as-built lot survey required prior to issuance of Certificate of Occupancy. A final as-built water quality certificate required prior to Certificate of Occupancy. Dumpsters and/or temporary sanitary facilities shall not be located in street or tree


protection area or right-of-way. Water quality BMP(s) to be installed at the time of final landscaping. All collected water shall be directed to the water quality BMP(s).

No water quality BMP(s) allowed in undisturbed stream buffers or tree save/critical root


o Monday-Friday 7:00am-7:00pm Work hours and construction deliveries are: o Saturday 8:00am-5:00pm


I Charles W. Loveless certify under penalty of law that this plan was prepared after a site visit to the locations described herein by myself or my authorized agent, under my direct











WASHRACKS AND/OR TIRE WASHERS MAY BE REQUIRED DEPENDING ON SCALE AND CIRCUMSTANCE. IF NECESSARY, WASHRACK DESIGN MAY CONSIST OF ANY MATERIAL <u>SUITABLE</u> FOR TRUCK TRAFFIC THAT


RIGHTS-OF-WAYS. THIS MAY REQUIRE TOP DRESSING, REPAIR AND/OR CLEANOUT OF ANY MEASURES USED TO TRAP SEDIMENT.

O.MAINTAIN AREA IN A WAY THAT PREVENTS TRACKING AND/OR FLOW OF MUD ONTO PUBLIC

# TYPICAL COMPONENTS (ATTACH MANUFACTURER'S SPECIFICATIONS)

REMOVE MUD AND DIRT.

- Review potential dry well areas and layout. Dry wells should not be located: (1) beneath an impervious (paved) surface; (2) above an area with a water table or bedrock less than two feet below the trench bottom; (3) over other utility lines; or, (4) above a septic field. Insure outlet daylights at least ten feet from property line.
- Measure the area draining to the dry well and determine required size from the table on the next page. If soil is a concern perform infiltration test according to Appendix A. If the rate is less than 0.25 in/hr this method cannot be used. If the rate is more than 0.50 in/hr the storage volume may be decreased 10% for every 0.50 in/hr infiltration rate increase above 0.50 in/hr
- Measure elevations and dig the hole to the required dimensions. Scarify the bottom soil surface 3". Place and tamp 6" to 12" of #57 gravel in bottom. Pea gravel can be substituted for leveling purposes
- in the upper three inch layer below the tank. Place and secure filter cloth down sides of the
- excavation leaving enough to fold over the top below
- Place tank and install piping. Bond top of tank in place. Cut and route downspouts or other rainwater delivery components, leaf screen option(s) chosen (circle selected options in Pretreatment Options Detail figure).
- Strap and support as needed. Create a safe overflow at least 10 feet from your
- property edge and insure it is protected from erosion. 10. Test connections with water flow.
- 11. Fill with gravel jacket around tank a fabric above between gravel and soil
- Backfill with soil/sod or pea gravet. 13. Consider aesthetics as appropriate and erosion contro



CIRCLE ONE OR MORE OPTIONS USED A (9 C D

EROSION CONTROL LEGEND APPLY TO ALL DISTURBED AREAS COVER SUCH AS TREES, SHRUBS, /INES, GRASSES OR LEGUMES (WITH SODDING)

**RADIUS** 

290.00'

S89° 43′ 34″E 131.04′ RBS POB ₹ RBS 50 28.3 S0°29'40"W ш 69.83 LAN **PROPOSED** 2-STORY FRAME HOUSE ORDAN DRIVEWAY NO TREES REMOVED PROTECT ALL TREES RBF 8.3 RBS N89° 43' 34"W 130.00 N/F **CHORD CH.BEARING** Peacock, Joyce W R-75

LEAF CATCHER AT GUTTER CONNECTION.
INSPECT WEEKLY AND INSPECT AFTER HEAVY RAIN Rain Harvesting Pty Ltd RHAD99 Leaf Eater Advanced Rain Head- 3 in. Round

TRACT 2 PROPOSED IMPERVIOUS AREA DRIVEWAY:608 SF HOUSE:2033 PORCH:141 SF DECK:146 SF PROP= 2928 SF=32.5% MAX=50%

ZONING:RSM

NO PROPOSED GRADING EXCEEDING TWO (2)'. **CONTOURS SHOWN ARE** EXISTING. MAX 3H:1V SLOPES

THERE ARE NO KNOWN TREES OF SIGNIFICANCE PRESENT ON THIS SITE



**CURVE** 

C1

FLOOD HAZARD STATEMENT

PANEL - 13089C0067K

ZONE "X"

I HAVE THIS DATE, EXAMINED THE "FIA FLOOD HAZARD MAP" AND FOUND IN MY OPINION REFERENCED PARCEL IS <u>NOT</u> IN AN AREA HAVING SPECIAL FLOOD HAZARDS.

**EFFECTIVE DATE: - 08/15/2019** 

AREA = 9015 SQ. FT OR 0.207 ACRES

LENGTH

70.00'



INC.

260 PEACHTREE STREET NW **SUITE 2200** ATLANTA, GA 30303 (678) 323-4712 info@deltasurveyorsinc.com LSF # 001370



70.33'

N 00°18'24"W

SITE PLAN PREPARED FOR:


# Keith Hallman

PROPERTY ADDRESS: 695 Jordan Ln Decatur, GA 30033


|--|

LAND LOT 63 18th DISTRICT	DB:6572 PG:236	BY:
DeKALB COUNTY, GEORGIA	FIELD DATE: 2-18- 2022	TH
LOCATED IN UNINCORP	DRAWN DATE: 2-24- 2022	TW

THE FIELD DATA UPON WHICH THIS PLAT IS BASED HAS A CLOSURE OF 1 FOOT IN 30,000+ FEET, AN ANGULAR ERROR OF 05 SECONDS PER ANGLE POINT AND WAS ADJUSTED USING THE LEAST SQUARES METHOD. THIS PLAT HAS BEEN CALCULATED FOR CLOSURE AND FOUND TO BE ACCURATE TO 1 FOOT IN 77,620 FEET. AN ELECTRONIC TOTAL STATION WAS USED IN THE PREPARATION OF THIS PLAT. ALL MATTERS OF TITLE ARE EXCEPTED. THIS PLAT IS SUBJECT TO ALL LEGAL EASEMENTS AND RIGHTS-OF-WAY PUBLIC OR PRIVATE.



RPLS: LS003030




CRUSHED STONE CONSTRUCTION EXIT **EXIT DIAGRAM** / (SEE NOTE 8) CULVERT UNDER ENTRANCE (IF NEEDED) DIVERSION RIDGE-(SEE NOTE 6) N.S.A. R-2 (1.5"-3.5") COARSE AGGREGATE GEOTEXTILE UNDERLINER TIRE WASHRACK AREA/-**ENTRANCE ELEVATION** SUPPLY WATER TO WASH-WHEELS IF NECESSARY NOTES:

1. AVOID LOCATING ON STEEP SLOPES OR AT CURVES ON PUBLIC ROADS.

2. REMOVE ALL VEGETATION AND OTHER UNSUITABLE MATERIAL FROM THE FOUNDATION AREA, GRADE, AND CROWN FOR POSITIVE DRAINAGE. AGGREGATE SIZE SHALL BE IN ACCORDANCE WITH NATIONAL STONE ASSOCIATION R-2 (1.5"-3.5" STONE). GRAVEL PAD SHALL HAVE A MINIMUM THICKNESS OF 6". 7. STATEL FAVE A MINIMOVE INTENDED TO C. S. PAD WIDTH SHALL BE EQUAL FULL WIDTH AT ALL POINTS OF VEHICULAR EGRESS, BUT NO LESS THAN 20'.

6. A DIVERSION RIDGE SHOULD BE CONSTRUCTED WHEN GRADE TOWARD PAVED AREA IS GREATER THAN 2%.

7. INSTALL PIPE UNDER THE ENTRANCE IF NEEDED TO MAINTAIN DRAINAGE DITCHES. INSTALL FIFE ONDER THE ENTRANCE IF NEEDED TO MAINTAIN DRAINAGE DITCHES.
WHEN WASHING IS REQUIRED, IT SHOULD BE DONE ON AN AREA STABILIZED WITH CRUSHED STONE THAT
DRAINS INTO AN APPROVED SEDIMENT TRAP OR SEDIMENT BASIN (DIVERT ALL SURFACE RUNOFF AND DRAINAGE FROM THE ENTRANCE TO A SEDIMENT CONTROL DEVICE). WASHRACKS AND/OR TIRE WASHERS MAY BE REQUIRED DEPENDING ON SCALE AND CIRCUMSTANCE. IF NECESSARY, WASHRACK DESIGN MAY CONSIST OF ANY MATERIAL <u>SUITABLE</u> FOR TRUCK TRAFFIC THAT REMOVE MUD AND DIRT. O.MAINTAIN AREA IN A WAY THAT PREVENTS TRACKING AND/OR FLOW OF MUD ONTO PUBLIC RIGHTS-OF-WAYS. THIS MAY REQUIRE TOP DRESSING, REPAIR AND/OR CLEANOUT OF ANY MEASURES USED TO TRAP SEDIMENT.





LINE

**CURVE** 

L1

C1

TRACT 3 PROPOSED

IMPERVIOUS AREA

DRIVEWAY:2519 SF

HOUSE:2033

PORCH:141 SF

DECK:146 SF

PROP= 4839 SF=42.1%

MAX=50%

ZONING:RSM

AREA:11507 SF

DIST.

5.85

**RADIUS** 

131.44'

AREA = 11507 SQ. FT OR 0.264 ACRES



INC.

260 PEACHTREE STREET NW **SUITE 2200** ATLANTA, GA 30303 (678) 323-4712 info@deltasurveyorsinc.com LSF # 001370



CHORD

48.87'

CH.BEARING

N 70°09'51"E

**BEARING** 

N 80°52'37"E

LENGTH

49.15'

SITE PLAN PREPARED FOR:

Peacock, Joyce W

R-75

<sup>10</sup>>.02,

RBS

0

0

ш

 $\infty$ 

3

0

N

.00

Z

RBS

**CONNECT 1** 

DOWNSPOUT

W/4"PIPE

GARAGE

# Keith Hallman

PROPERTY ADDRESS: 695 Jordan Ln Decatur, GA 30033

TRACT 3 695 JORDAN LANE SUBDIVISION	J		
LAND LOT 63 18th DISTRICT	DB:6572 PG:236		В
DeKALB COUNTY, GEORGIA	FIELD DATE:	2-18- 2022	TH
LOCATED IN UNINCORP	DRAWN DATE:	2-24- 2022	TW

RBF

2

34

0

2

00

S

OTP

948

11.4

PORCH

**PROPOSED** 

2-STORY FRAME HOUSE

**DECK** 

3/98

9<del>82</del> 12.9

64.55

d1-NS

N89°43'34'

THE FIELD DATA UPON WHICH THIS PLAT IS BASED HAS A CLOSURE OF 1 FOOT IN 30,000+ FEET, AN ANGULAR ERROR OF 05 SECONDS PER ANGLE POINT AND WAS ADJUSTED USING THE LEAST SQUARES METHOD. THIS PLAT HAS BEEN CALCULATED FOR CLOSURE AND FOUND TO BE ACCURATE TO 1 FOOT IN 77,620 FEET. AN ELECTRONIC TOTAL STATION WAS USED IN THE PREPARATION OF THIS PLAT. ALL MATTERS OF TITLE ARE EXCEPTED. THIS PLAT IS SUBJECT TO ALL LEGAL EASEMENTS AND RIGHTS-OF-WAY PUBLIC OR PRIVATE.



THERE ARE NO KNOWN TREES OF SIGNIFICANCE PRESENT ON THIS SITE

# GENERAL NOTES

SCAN TO CONNECT WITH

ADVANCED HOUSE PLANS

facebook

This plan was designed and drafted BY Advanced House Plans to meet average conditions and codes in the State of Nebraska at the time average conditions and codes in the State of Nebraska at the time it was designed. Because codes and requirements can change and may vary from jurisdiction to jurisdiction, AHP cannot warrant compliance with any specific code or regulation. Consult your local building official to determine the suitability of these plans for your specific site and application. This plan can be adapted to your local building codes and requirements, however, it is the responsibility of the purchaser and requirements of this plan to see that the second is so that the compliance with all coversing municipal codes (city county state and compliance with all governing municipal codes (city, county, state and federal). The purchaser and/or builder of this plan releases the designer from any claims or lawsuits that may arise during the construction of this structure or anytime thereafter.

\* If the contractor or sub-contractor, in the course of their work finds any discrepancies between the plan and the physical conditions of the site or structure, or any errors in the plans or specifications, it shall be their responsibility to immediately inform AHP, who will promptly verify and if necessary correct the working drawings, Any work done after such discovery will be done at the contractor's expense.

\* Only the purchaser of this plan has permission to build this plan. The \* Only the purchaser of this plan has permission to build this plan. The purchaser is given permission to reproduce the drawings only as required for such construction. The purchaser also has permission to modify this plan. No permission is given to any party to claim copyright on the original or modified plan. The modified plans shall remain subject to the license and may not be sold, distributed or otherwise transferred without the express written consent of Advanced House Plans. Infringing upon Advanced House Plans' copyright through reproduction, distribution, construction or redrawing \$\frac{4}{2}\$ design is punishable by law with fine up to \$150,000 as defined by architectural copyright laws.

# DESIGN LOADS:

- \* Ultimate design wind speed: 115 mph, Exposure Category: B
- \* Seismic Design Category A
- 30 psf. live 10 psf. dead
- Soil bearing Capacity 1500 psf.
- Live loads, dead loads, wind loads, snow loads, lateral loads, seismic zoning and any specialty loading conditions will need to be confirmed before construction and adjustments to plans made accordingly. See your local building officials for verification of your specific load data, zoning restrictions and

- CONCRETE AND FOUNDATIONS:

  \* All foundation walls and slabs on grade shall be 3000 PSI (28-day compressive strength concrete), unless noted otherwise. All interior slabs on grade shall bear on 4" compacted granular fill with 6 mil. polyethylene vapor barrier underneath. Provide proper expansion and control joints as per local
- requirements!
  All 36" x 36" x 18" concrete pads to have (3) #5 rods
- each way. All 48"  $\times$  48"  $\times$  24" concrete pads to have (4) \*5 rods
- each way. Foundation walls are not to be backfilled until properly
- Yerify depth of frost footings with your local codes.
  Provide termite protection as required by HUD minimum
- property standards.
  Foundation bolts must be anchored to sill plate with 5/8"
  bolts embedded 15" in concrete walls.
- For window openings in concrete walls, For window openings in conc. wall, provide #5 bars @4" o.c. (two total) w/2" clearance from top \$ sides of opg. for jamb \$ lintel reinforcing. Extend reinforcing a minimum of 2" past opening edges.
- All structural steel for beams and plates shall comply with ASTM specification A-36.
- All structural steel for steel columns shall comply with ASTM specification A-53 Grade B or A-501.
- All reinforcing steel for concrete shall comply with ASTM specification A-615 Grade 60. Provide steel shimns in all beam pockets.
- Steel columns are to be 3" I.D. (inside diameter) unless noted otherwise.

# FRAMING MEMBERS:

- \* Unless noted otherwise, all framing lumber shall have the following characteristics: Fb = 1,000 psi Fv = 15 psi E = 1,400,000 psi
- Contractor to confirm the size, spacing and stress characteristics of all framing and structural members to
- meet your local code requirements. Wall bracing method assumed as CS-WSP. Since braced wall line
- spacing and braced wall panel calculations vary by location, purchaser will need to consult a local professional for specific
- wall bracing calculations and diagrams. Hole sizes and locations in GluLam or Laminated Veneered Lumber (L.V.L.) members are to be confirmed by a professional
- Any structural or framing members not indicated on the plan
- are to be sized by contractor. Double floor joists under all partition walls, unless noted
- All subflooring is assumed to be 3/4" thick, glued \$ nailed.

  All exterior walls are dimensioned to outside of 1/2" sheathing
- Calculated dimensions take precedence over scaled
- All angled walls on floor plans are at 45 degree angle, unless otherwise noted.
- Laterally unsupported walls 12'-0" high or higher shall be 2x6 and balloon framed unless noted otherwise.
- Unless noted otherwise, above all openings that are: (1) Load bearing and less than or equal to 3 ft. ..... use 4x6.
- (2) Load bearing and more than 3 ft. .....use (2) 2x12 with 1/2" Plywood between. (3) Non-load bearing and less than or equal to 6 ft. ....use 4x6.
  (4) Non-load bearing and more than 6 ft. ...... use (2) 2x12
- with 1/2" Plywood between.
- (5) All exterior openings use (2) 2x12 with 1/2" Plywood between. All trusses to be engineered by truss manufacturer according to the loading indicated on this plan.
- All exterior corners shall be braced in each direction with let-in
- diagonal bracing or plywood.

  Place (1) row of 1" x 3" cross-bridging on all spans over 8'-0" and (2) rows of 1" x 3" cross-bridging on all spans over 16'-0".

  Collar ties are to be spaced 4'-0" o.c.
- All purlins and kickers are to be 2x6's, unless noted otherwise. Any hip or valley rafters over a 28'-0" span are to be Laminated

- Prefabricated fireplaces and flues are to be U.L. approved and installed as per manufacturer's specifications.
- All materials, supplies and equipment to be installed as per manufacturer's specifications and per local codes and requirements.
- Provide proper insulation for all plumbing. " water-resistant drywall around showers, tubs and whirlpools.
- 1/2" drywall on interior walls and ceilings.
  5/8" type "X" fire code drywall on garage walls and ceilings.
  When no brand is specifiend Windows are called out by glass size
- In dwelling units, where the top of the sill of an operable window opening unit is located less than 24 inches above the finished floor and greater than 12 inches above the finished grade, fall protection must comply with R312.2.1
- Window opening control devices on windows serving as a required emergency escape and rescue shall comply with ASTM F2090. Windows, if not noted, are assumed to be casements.
- Window header heights are 6'-8" unless noted otherwise.
- Header heights are labeled to bottom of arched transoms. Confirm window openings for your local egress requirements and minimum light and ventilation requirements.
- Headroom at stairs shall have a minimum clearance of 6'-8" high. Provide proper handrails at stairs per local codes.
- The mechanical and electrical layouts are suggested only. Consult your mechanical and electrical contractors for exact specifications, locations and sizes.
- Jog flue to rear of ridge as necessary.

  Provide proper wiring for all electrical appliances, mechanical equipment and whirlpools per manufacturer's
- Air conditioner locations may vary depending on restrictive covenants and codes.

# Tamiku Thompson








SCAN TO VISIT OUR WEBSITE



PRELIM 6-8-22 FINAL 6-21-22






7 0



# REAR ELEVATION SCALE: 1/4" = 1'-0"



# FRONT ELEVATION

SCALE: 1/4" = 1'-0"



PRELIM
6-8-22
FINAL
6-21-22
REVISION

—DO NOT COPY—

advancedhouseplans.co

© 2022 0





PRELIM
6-8-22
FINAL
6-21-22
REVISION


IF THIS IS NOT RED —DO NOT COPY—


advanced

© 2*O*22 5 0










PRELIM
6-8-22
FINAL
6-21-22
REVISION




advancedhou


0




DETAIL 1




TYP, GABLE END SECTION SCALE: 1/4" = 1'-0"




CRAWL SPACE WALL SECTION



CRAWLSPACE CMU PIER DETAIL




TYP, GARAGE WALL




CABINET ELEVATIONS

SCALE: 3/8" = 1'-0"



# DECK FOOTING DETAIL

SCALE: 1/4" = 1'-0"



# DECK CANTILEVER DETAIL SCALE: 1/2"=1'-0"

FLOOR FRAMING
PER PLANS

BLOCKING FOR
LAG BOLTS
RIM JOIST / BD.

SEE PLANS FOR
FOUNDATION /
FOOTING SIZES

# DECK LEDGER DETAIL

SCALE: 1/2"=1'-0"

DECK LEDGER BOLTING SCHEDULE					ULE		
	JOIST SPAN	6'	8'	10'	12'	14'	16'
	BOLT SIZE	1/2"	1/2"	1/2"	1/2"	1/2"	5/8"
	BOLT SPACING	24"	18"	<u>"</u>	12"	12"	12"



IF THIS IS NOT REI

—DO NOT COPY

PRELIM
6-8-22
FINAL
6-21-22
REVISION

DVANCED HOUSE PLANS IS A PROFFSSIONAL RESIDENTIAL DESIGN FIR LOCATEDIN OMAHA, NE. BECAUSE SITE CONDITIONS VARY, AHP CANNO SEQUED IN THE SUITABILITY OF THESE PLANS FOR USE ON YOUR SPECIFIC (SPIROLTION FROM THESE PLANS SHOULD NOT BE UNDERTAKEN UTHOUT ISTANCE OF A CONSTRUCTION PROFESSIONAL, HOMEOWIRE/CONTRACT THOROUGHLY REVIEW 4 VERIFY ALL DIMENSIONS, MATERIALS, STRUCTICODE, 4 SITE REQUIREMENTS PRIOR TO CONSTRUCTION.

THEY RELEASE ADVANCED HOUSE PLANS FROM ANY LAUSUITS THAT MAY OCCUR DURING OR AFTER THE BUILDING PROCESS.

SHEET

00% SCALE @ 24"x36"

Sign IN Sheet Fri May 6th Name fre Whitirek Peaux 1996 Kay Crabtile 280 lauboicust Gmail.
Tiffany Man Doh tqiufefn@gmail.com
Virginia Kevor Lian
Julia Fabbo Lordan Fabbo hotmail.com Danielle Wiggins-d.Stiner@hotmail.com Robin & Anthony Morris 668 Jordan LANE CAMORRISZ3 DACK. CIA Meagar Low Meagar Low Q grail, com miny O'Leary mickyo@bellsouth. net Kenn Maxwell maxwell housebbb@gmail.com Everyon Mass All amstron

Sign in skeet


Annie Whitwell

2418 S Eiffel H

ALC HU 50032

404 488-3172

DER CHEORGIE ROBINSON Kimbuly Key Ginny Kevorkian SERENA MILLER Micky O'LEARY Ray Crabti Kevin Maxwell Anthony & Robin Morns LEE ARMSTRONG magnolia Creamer Just Demolia Creamer





Chief Executive Officer
Michael Thurmond

## **DEPARTMENT OF PLANNING & SUSTAINABILITY**

Director

Andrew A. Baker, AICP

# PRE-APPLICATION FORM REZONE, SPECIAL LAND USE PERMIT, MODIFICATION, AND LAND USE

(Required prior to filing application: signed copy of this form must be submitted at filing)

Applicant Name: Shalom Restorations LLC Phone: 770-906-7092 Email: shalom.restorations@gmail.com
Property Address: 695 Jordan Lane, Decatur, GA 30033
Tax Parcel ID: <u>1806309077</u> Comm. District(s): <u>4</u> Acreage: <u>0.6771</u>
Existing Use: Residential Proposed Use Residential
Supplemental Regs: Unknown Overlay District: N/A DRI:
Rezoning: Yes X No No
Existing Zoning: R-75 Proposed Zoning: RSM Square Footage/Number of Units: 2500-2900 / 3 Units
Rezoning Request: Rezone from R-75 to RSM, subdividing to three lots to allow for three single family residences.
Land Use Plan Amendment: Yes No _X
Existing Land Use: Residential Proposed Land Use: Residential Consistent X Inconsistent
Special Land Use Permit: Yes No _x_ Article Number(s) 27
Special Land Use Request(s) N/A
Major Modification:
Existing Case Number(s): N/A
Condition(s) to be modified:



SPECIAL LAND USE PERMIT

### **DEPARTMENT OF PLANNING & SUSTAINABILITY**

# WHAT TO KNOW BEFORE YOU FILE YOUR APPLICATION Pre-submittal Community Meeting: \_\_\_\_\_ Review Calendar Dates: \_\_\_\_\_ PC: \_\_\_\_ BOC: \_\_\_\_ Letter of Intent: \_\_\_\_\_Impact Analysis: \_\_\_\_\_ Owner Authorization(s): \_\_\_\_\_ Campaign Disclosure: \_\_\_\_\_ Zoning Conditions: \_\_\_\_\_ Community Council Meeting: \_\_\_\_ Public Notice, Signs: \_\_\_\_\_ Tree Survey, Conservation: \_\_\_\_\_ Land Disturbance Permit (LDP): \_\_\_\_\_ Sketch Plat: \_\_\_\_\_ Bldg. Permits: \_\_\_\_\_ Fire Inspection: \_\_\_\_\_ Business License: \_\_\_\_\_ State License: \_\_\_\_\_ Lighting Plan: Tent Permit: Submittal Format: NO STAPLES, NO BINDERS PLEASE **Review of Site Plan** Density: \_\_\_\_\_ Density Bonuses: \_\_\_\_ Mix of Uses: \_\_\_\_ Open Space: \_\_\_\_ Enhanced Open Space: \_\_\_\_\_ Setbacks: front \_\_\_\_ sides \_\_\_\_ side corner \_\_\_ rear \_\_\_\_ Lot Size: Frontage: \_\_\_\_\_ Street Widths: \_\_\_\_ Landscape Strips: \_\_\_\_ Buffers: \_\_\_\_\_ Parking Lot Landscaping: \_\_\_\_\_ Parking - Auto: \_\_\_\_\_ Parking - Bicycle: \_\_\_\_\_ Screening: Streetscapes: Sidewalks: Fencing/Walls: Bldg. Height: Bldg. Orientation: \_\_\_\_\_ Bldg. Separation: \_\_\_\_\_ Bldg. Materials: \_\_\_\_\_ Roofs: \_\_\_\_\_ Fenestration: \_\_\_\_\_ Façade Design: \_\_\_\_\_ Garages: \_\_\_\_\_ Pedestrian Plan: \_\_\_\_\_ Perimeter Landscape Strip: \_\_\_\_\_ Possible Variances: Comments: Filing Fees **REZONING:** RE, RLG, R-100, R-85, R-75, R-60, MHP, RSM, MR-1 \$500.00 RNC, MR-2, HR-1, HR-2, HR-3, MU-1, MU-2, MU-3, MU-4, MU-5 \$750.00 OI, OD, OIT, NS, C1, C2, M, M2 \$750.00 LAND USE MAP AMENDMENT \$500.00

\$400.00